TENDER SPECIFICATION OF GENERAL BROADCAST SYSTEM - BNS BHATIARY

INTRODUCTION

- 1. For better understanding and to evaluate all the prospective BIDDERS on same platform, the tender specification has been divided into three parts:
 - a. Part-1: General Information and BIDDER'S Responsibility.
 - b. Part-2: Operational and Technical Specification.
 - c. Part-3: General Terms and Conditions.
- 2. Prospective BIDDERS are to comply with the requirements and terms & conditions mentioned in Part-1, Part-2, and Part-3 of the tender specification. BIDDERS are also to provide performance/ technical data, brochure, specific figures, and information as asked against each condition.
- 3. Prospective BIDDERs are to submit their offer in single envelopes (Technical and Financial Offer).
- 4. BIDDER shall comply all the terms and conditions of the tender documents as compliance statement by the Bidder under the following tabular format:

Tender Article No	Description of Terms and Conditions (as mentioned in Part-1, Part-2 and Part-3 of the Tender)	Compliance/ Remarks by Principal/ manufacturer (To be agreed/To be mentioned with detail explanations)
-------------------------	---	---

The financial quote is to be submitted separately in foreign currency on FOB basis, but compliance/remarks are to be indicated in the technical offer.

PART I: GENERAL INFORMATION AND BIDDER'S RESPONSIBILITY

- 5. Bangladesh Navy (BN) plans to procure one complete set of **General Broadcast System** (IP Based) with cables and necessary accessories.
- 6. Installation Site. BNS BHATIARY at Chattogram Naval Area.
- 7. Qualification of Bidder. Manufacturers of General Broadcast System or their authorized distributor/ agent can submit quotations through their authorized local agent in Bangladesh. In case of offer from foreign trading companies/ distributor/ agent, certificate of dealership/ agencyship from Original Equipment Manufacturer (OEM) or authentication certificates of OEM authorized local agent is to be submitted with the offer. In this regard the following certificates are to be submitted with the offer (if not OEM):
 - a. Authorization Certificate from OEM.
 - b. Supply Assurance Certificate from OEM.
- 8. <u>Compliance Statement</u>. A compliance statement fulfilling all the requirement of the tender is to be submitted for evaluation of the quotations. Stating mere 'Yes or No' will not suffice and detailed evidences with description/ information, brochures/ booklet, drawing and diagram as required is to be given. An incomplete compliance statement may attribute to cancellation of the offer. If any clause of this specification does not commensurate with offered System, the deviation has to be spelt out clearly.
- 9. <u>Equipment Manufacturer and Reliability/ Requirement</u>. The items should be brand new, unused and of recent model, proven reliability in the field of operation. The supplier shall ensure the continuity of the operation and availability of necessary spares for at least 15 years each in case of obsolete model over time.
- 10. <u>User List</u>. List of users of the offered systems is to be mentioned with full address. The list shall provide the name of various users with respective model and brand of the system. The offered system should be widely used by various users. The user list Shall be used for the assessment of the offer.
- 11. <u>Condition for Acceptance of Quotation</u>. 01 (One) set of brochure/ booklet, containing technical information of the offered General Broadcast System (IP Based) is to be provided with the offer for evaluation and assessment. The brochure should contain in addition to other accessories of



the offered General Broadcast System including characteristics/ behavior when various accessories are added or taken-off. Non-submission of said documents is to be treated as non-compliance or disqualification of the offer.

- 12. <u>Acceptance/ Rejection of Bid.</u> DGDP/ BN reserves the right to accept or reject any bid or to terminate the bidding process and reject all bids at any time prior to the contract award (without thereby incurring any liability to the BIDDER).
- Validity. The offer is to remain valid till 30 June 2025.

PART- II: OPERATIONAL AND TECHNICAL SPECIFICATION

- 14. Name of the Equipment. General Broadcast System.
- 15. **Purpose**. The General Broadcast system Shall be used in Naval Establishment to provide zone wise voice announcement and audible alarm for administrative and operational purposes. An audio entertainment system is to be incorporated within the general broadcast system.
- Quantity. 01 (One) Complete System.
- 17. **Type**.

Industrial.

18. **Brand**.

To be mentioned.

Model.

To be mentioned.

- 20. <u>Country of Origin</u>. Canada, Denmark, France, Finland, Germany, Italy, Japan, Netherlands, Norway, South Korea, Spain, Switzerland, Sweden, UK, USA, Australia, Poland, Czech Republic and UAE (Country to be mentioned).
- 21. <u>Country of Manufacture</u>. Canada, Denmark, France, Finland, Germany, Italy, Japan, Netherlands, Norway, South Korea, Spain, Switzerland, Sweden, UK, USA, Australia, Poland, Czech Republic and UAE (Country to be mentioned).
- 22. <u>Original Equipment Manufacturer(OEM)</u>. Name & Full address with e-mail of OEM is to be mentioned.
- 23. <u>Principal/ Supplier</u>. Name & Full address with e-mail of Principal/ Supplier is to be mentioned.
- 24. Local Agent. Name & Full address with e-mail of local agent is to be mentioned
- Year of Manufacturing. 2024 or later.
- 26. <u>Classification Standard</u>. The equipment is to be designed and constructed fulfilling the requirement of ISO standardization organization/ society. The type approved standards to which the quoted item complies with are to be clearly specified.
- 27. Environmental Condition.

a. Ambient Operating Temperature

5°C to + 55°C.

Storage Temperature

To be mentioned.

Relative Humidity

Up to 95 % (non- condensing).

- 28. <u>General Features and Capability.</u> The system should have following features but limited to:
 - a. Broadcast/ alarm priority override.
 - b. Software configurable zones and selection option.
 - c. Color TFT LCD display.
 - d. Remote announcement facility.
 - e. Audio entertainment system with advance interface facilities (Pen drive, Flash Memory, Wi-Fi, Bluetooth ctc).

D

- f. Digital monitoring system for speaker loops, access panel and microphones.
- g. Control panel for monitor and zone selection.
- h. System terminal with PA priority override.
- j. Emergency Power Supply Unit.
- k. Broadcast from multiple location (with wall mounted and portable announcing station from various places like Guard room, PDHQ, Parade ground etc).
- I. System PC/ Laptop based software application for configuration, maintenance and trouble shooting.
- All necessary software for future update/ configuration/ trouble shooting.
- n. Interface option to PABX, IPBX, Security System, Alarm System etc.
- s. Guided user interface for status monitoring.
- Digital audio processing capability.
- Redundant Ethernet connection option.
- 29. <u>Power Supply</u>. The system shall run with available power supply (220V AC, 50/60Hz, 1Ph) and 24 Volt DC emergency power supply. Provision should be made to switch over automatically to 24V DC emergency supply instantly, if AC fails. Bidder is to provide necessary emergency supply items (backup supply arrangement). Details of the power supply and power consumption are to be mentioned with the offer including emergency supply arrangement.
- 30. Operation. The broadcast system is remain standby continuously and should activate when the microphone switch is pressed/ ON. When the alarm push is activated the system shall immediately override the microphone input. The alarm signal shall be heard only as long as the push is pressed. When microphone switch is pressed/ ON it shall override the audio input immediately. Individual zone control with selection of all zones in priority basis should be incorporated with the broadcast system.

Scope of Supply.

a. 01 x Complete set of General Broadcast System (IP Based) with following composition (as per article 33a):

Ser	Description	Deno	Qty
1.	Alarm Operating Unit For activating general, action, fire alarm and customizable alarm (User defined tone option)	No	01
2.	IP Network PA & Intercom System Software with controller.	No	01
3.	IP Horn Type Loudspeaker	No	15
4.	10W IP-Based Network Cabinet Speaker With PoE	No	60
5.	Wall mounted Network announcing Station with (Press to talk) PTT Microphone	No	04
6.	Surface Mounted Box for Wall mounted Network announcing Station with (Press to talk) PTT Microphone	No	04
7.	Portable Network announcing Station with (Press to talk) PTT Microphone	No	01
8.	Optical Line Terminal (OLT), 8 port	No	01
9.	24 Port Manage Network Switch	No	04
10.	08 Port Manage Network Switch	No	15
11.	05 Port Network Switch	No	25
12.	Laptop with configuration and Diagnostic software tool	No	01
13.	CAT-6 Cable	Mtr	2700
14.	Fiber Optic Cable 06 core	Mtr	6000
15.	TJ Box	No	70
16.	Media Converter/ ANU	No	45
17.	Fiber Patch Cord/ Cable	No	As required

Ser	Description	Deno	04.
18.	Fiber Patch Panel	No	Qty 02
19.	On-Line UPS 3000VA	No	02
20.	UPS 1200VA off line	No	18
21.	Safety Box for switch	No	-
22.	Tool Box with necessary Tools	Set	18
23.	Air Condition Unit 1.5 Tons (18,000 BTU), Split type	No	01
24.	Power Cable 3 Core 40/76	Mtr	01
25.	Trance Cutting Open digging	100,000	1200
26.	PVC Duct Pipe (for underground cabling)	Mtr	6500
27.	Junction Box (As Per Zone)	Mtr	6500
28.		No	04
	Standard Size Rack 32U (To accommodate necessary Equipment of the system)	No	01
29.	PoE Extender	No	05
30.	Fiber Optic Splitter	No	25
31.	Other Installation Material : GI Wire, PVC Pipe		
	Channel, Flexible pipe, MK Box, Electric channel, Saddle Screw, Royal Plug, Cable tie Clip, Elbow.	*	As required
32.	Installation	Job	01
33.	Standard Accessories	-	As required
34.	Software and Backup Software		As required

- b. Certification and Reports (as per article 33c).
- Drawing and Manual/ Documentation (as per article 33d). C.
- Spares (Optional) (as per article 34). d.
- e. Local Training (as per article 35).
- Installation, Supervision and Setting to Work (STW) (as per article 36). f.
- Test/ Trial and Acceptance (as per article 37).

32. Technical Specification.

- The technical specification of complete General Broadcast System (IP Based) Specifications is as follows:
 - The Alarm Operating Unit for activating general, Alarm Operating Unit. action, fire alarm and customizable alarm Shall have the following specification:

(a) Brand

To be mentioned.

(b) Model

To be mentioned.

(c) Country of Origin As per paragraph-21 (To be

mentioned).

Transmission Rate (d)

100Mbps or better

(e) Support Protocol TCP/IP, UDP or more

(f) Manufacturing Country

As per paragraph-22 (To be

mentioned).

Other Technical information: (g)

Details to be mentioned.

IP Network PA & Intercom System Software with Controller. The IP Network PA & Intercom System Software with controller Shall have the following specification:

(a) Brand

To be mentioned.

(b) Model

To be mentioned.



(c) Country of Origin : As per paragraph-21 (To be

mentioned).

(d) Manufacturing Country : As per paragraph-22 (To be

mentioned).

(e) Screen : 17.3 inches or more.

(f) Resolution : 1920(H) ×1080(V) or better.

(g) Brightness : 300cd/m² or better.

(h) Touch screen : Technology to be mentined.

(j) CPU : Intel®Xeon®processorE5-2600,

Intel® Xeon®processor E5-2600v2, DualSocket

LGA- (SocketR3) CPU, standard E5-

2643V2×2CPU or equivalent.

(k) BIOS : 16MBSPIAMIBIOS®SMFlashBIOS

or compitable with serial (10).

(I) RAM : 8×DIMM, up to 512GB RECC DDR3

/1600MHz, standard 2×16GBRECC

DDR3/ 1600MHz or better

(m) Extension slot : 3PCIE3.0x16, 1PCIE2.0x4 (inx8),

1PCIE2.0x1, 1PCI or compitable to

support the offered system.

(n) Network feature : 2 × 10/ 100/ 1000 Mbps adaptive

network port, support remote wake-

up or equivalent.

(p) Other Technical information : Details to be mentioned.

(3) <u>IP Horn Type Loudspeaker</u>. The IP Horn Type Loudspeaker shall have the following specification:

(a) Brand : To be mentioned.

(b) Model : To be mentioned.

(c) Country of Origin : As per paragraph-21 (To be mentioned).

(d) Manufacturing Country : As per paragraph-22 (To be mentioned).

(e) Network Interface : To be mentioned.

(f) Transmission Rate : 100Mbps or better.

(g) Supporting Protocols : TCP/IP, UDP or more.

(h) Sampling Rate : 8K~48K or better.

(j) Bit Rate : 8K ~ 512Kbps or better.

(k) Power Output : 25W or More.

(I) Speaker Sensitivity : 104Db or better.

(m) Volume Control To be available.

Frequency Response (n) 300Hz to 14KHz (+1/-3dB) or better.

(p) SNR ≥68dB or better.

Ingress Protection (q) IP-54 or better.

Other Technical information: (r) Details to be mentioned.

10W IP-Based Network Cabinet Speaker With PoE Cabinet Speaker with PoE shall have the following specification: The IP-Based Network

(a) Brand To be mentioned.

(b) Model To be mentioned.

Country of Origin (c) As per paragraph-21 (To be

mentioned).

(d) Manufacturing Country As per paragraph-22 (To be

mentioned).

(e) Network Interface To be mentioned.

(f) Transmission Rate 100Mbps or better.

Supporting Protocols (g) TCP/IP, UDP or more.

(h) Sampling Rate 8K~48K or better.

(j) Power Output 10W or More.

(k) Volume Control To be available.

(I) Frequency Response 80Hz~16KHz +1/-3dB or better.

(m)SNR ≥68dB or better.

Other Technical information: (n) Details to be mentioned.

Wall Mounted Network Announcing Station With PTT Microphone. Wall mounted network announcing station with (Press to talk) PTT microphone shall have the following specification:

(a) Brand To be mentioned.

(b) Model To be mentioned.

Country of Origin (c) As per paragraph-21 (To be

mentioned).

To be mentioned.

(d) Manufacturing Country As per paragraph-22 (To be

mentioned).

(e)

Network Interface

(f) Transmission rate 100Mbps or better.

Supporting Protocols (g) TCP/IP, UDP or more.

(h) Frequency Response 317Hz~3.4KHz or better.

Sampling Rate (j) 8K~48K or better.

(k) SNR

≥68dB or better. Ingress Protection (1) IP-54 or better.



	(m)	Other Technical inform	ation	:	Details to be mentioned.
					mounted box for wall mounted network Microphone shall have the following
	(a)	Brand		:	To be mentioned.
	(b)	Model		:	To be mentioned.
	(c)	Country of Origin		:	To be mentioned.
	(d)	Manufacturing Country	NT .	:	To be mentioned.
	(e)	Other Technical inform	ation	:	Details to be mentioned.
	rk anno				Vith PTT Microphone. The Portable alk) PTT microphone shall have the
	(a)	Brand			To be mentioned.
	(b)	Model		1	To be mentioned.
	(c)	Country of Origin		1	As per paragraph-21 (To be mentioned).
	(d)	Manufacturing Country	()	:	As per paragraph-22 (To be mentioned).
	(e)	Network Interface		:	To be mentioned.
	(f)	Supporting Protocols		:	TCP/IP,UDP, IGMP (Multicast) or more.
	(g)	Sampling Rate		:	8K~48K or better.
	(h)	Transmission rate		0	100Mbps or better.
	(j)	Frequency response		:	80Hz~16KHz +1dB/-3dB or better.
	(k)	SNR		ï	>65dB or better.
	(1)	Other Technical inform	ation	:	Details to be mentioned.
(8) shall h		al Line Terminal (OLT) following specification:		The	Optical Line Terminal (OLT), 8 ports
	(a)	Brand		:	To be mentioned.
	(b)	Model		:	To be mentioned.
	(c)	Country of Origin		:	To be mentioned.
	(d)	Manufacturing Country	/).).	To be mentioned.
	(e)	Inputs/Ports		5	8 Ports PoE or More
	(f)	Other Technical inform	nation	î	Details to be mentioned.
(9) nave t		rt Managed Network S wing specification:	witch.	The 2	24 port managed network switch shall



To be mentioned.

To be mentioned.

(a)

(b)

Brand

Model

(c) Country of Origin As per paragraph-21 (To be mentioned). (d) Manufacturing Country As per paragraph-22 (To be mentioned). (e) Inputs/Ports 24 Ports PoE or More (f) Other Technical information: Details to be mentioned. 8 Port Managed Network Switch. The 8 port managed network switch shall have the following specification: (a) Brand To be mentioned. (b) Model To be mentioned. (c) Country of Origin As per paragraph-21 (To be mentioned). Manufacturing Country (d) As per paragraph-22 (To be mentioned). (e) Inputs/Ports 8 Ports PoE or More Other Technical information : Details to be mentioned. (11)5 Port Network Switch. The 5 port network switch shall have the following specification: (a) Brand To be mentioned. (b) Model To be mentioned. (c) Country of Origin As per paragraph-21 (To be mentioned). (d) Manufacturing Country To be mentioned. (e) Inputs/Ports 5 Ports PoE or More Other Technical information: (f) Details to be mentioned. Laptop With Configuration and Diagnostic Software Tool. The Laptop with configuration and Diagnostic software tool shall have the following specification: (a) Brand To be mentioned. (b) Model To be mentioned. (c) Country of Origin As per paragraph-21 (To be mentioned). Manufacturing Country (d) As per paragraph-22 (To be mentioned). (e) Processor Intel Core i7/ Razen 7 {latest Generation). (f) RAM 16GB or More. (g) Storage 512GB SSD (Minimum). (h) Display FHD (1920x1080). IO Port (Minimum) (j) SD Card Reader

1x HDMI 1.4b 1x USB 2.0 1x USB 3.2 Gen 2

1x Headphone/ microphone combe

jack (3.5mm)

(13) <u>CAT-6 Cable</u>. The CAT-6 Cable shall have the following specification:

(a) Brand : To be mentioned.

(b) Model : To be mentioned.

(c) Country of Origin : To be mentioned.

(d) Manufacturing Country : To be mentioned.

(e) Cable Conductor : Single Wire.

(f) Conductor Size : AWG24 (0.20sq).

(g) Cable Outer Diameter : 7.0 to 7.9.

(h) Sheath Material : PVC.

(14) <u>Fiber Optic Cable 06 Core</u>. The Fiber Optic Cable 06 core shall have the following specification:

(a) Brand : To be mentioned.

(b) Model : To be mentioned.

(c) Country of Origin : To be mentioned.

(d) Manufacturing Country : To be mentioned.

(e) Other Technical Information : Details to be mentioned.

(15) <u>TJ Box</u>. The TJ Box shall have the following specification:

(a) Brand : To be mentioned.

(b) Model : To be mentioned.

(c) Country of Origin : To be mentioned.

(d) Manufacturing Country : To be mentioned.

(e) Other Technical Information : Details to be mentioned.

(16) <u>Media Converter/ ANU</u>. The Media Converter/ ANU shall have the following specification:

(a) Brand : To be mentioned.

(b) Model : To be mentioned.

(c) Country of Origin : To be mentioned.

(d) Manufacturing Country : To be mentioned.

(e) Other Technical Information : Details to be mentioned.

(17) <u>Fiber Patch Cord/Cable</u>. The Fiber Patch Cord/Cable shall have the following specification:

(a) Brand : To be mentioned.

RESTRICTED (b) Model To be mentioned. (c) Country of Origin To be mentioned. (d) Manufacturing Country To be mentioned. (e) Other Technical Information: Details to be mentioned. Fiber Patch Panel. The Fiber Patch Panel shall have the following specification: (a) Brand To be mentioned. (b) Model To be mentioned. (c) Country of Origin To be mentioned. (d) Manufacturing Country To be mentioned.

(19)On-Line UPS 3000VA. The On-Line UPS 3000VA shall have the following specification:

(a) Brand To be mentioned.

Other Technical Information:

(e)

(b) Model To be mentioned.

Country of Origin (c) To be mentioned.

(d) Manufacturing Country : To be mentioned.

(e) Capacity 3000 VA or More.

(f) Frequency 50 Hz.

(g) Efficiency >95% or better.

(h) Protection Over load and over Voltage, Short

circuit Spike Surge etc.

Details to be mentioned.

(j) Backup Time Minimum 30-45 Minute at full load.

(k) **Ups Battery** To be mentioned.

(20)UPS 1200VA Off Line. The off line UPS 1200VA shall have the following specification:

(a) Brand To be mentioned.

(b) Model To be mentioned.

(c) Country of Origin To be mentioned.

(d) Manufacturing Country To be mentioned.

(e) Capacity 1200 VA or More.

(f) Frequency 50 Hz.

(g) Efficiency >95% or better.

(h) Protection Over load and over Voltage, Short

circuit Spike Surge etc.

(j) Backup Time Minimum 30-45 Minute at full load.

(k) **Ups Battery** To be mentioned.

(21)	Salety	BOX. The Salety Box for sv	ALCH SI	all flave the following specification.
	(a)	Brand	:	To be mentioned.
	(b)	Model	•	To be mentioned.
	(c)	Country of Origin	:	To be mentioned.
	(d)	Manufacturing Country	:	To be mentioned.
	(f)	Other Technical Information	:	Details to be mentioned.
(22) specifi	Tool E	Box. The Tool Box with	necess	eary Tools shall have the following
	(a)	Brand	:	To be mentioned.
	(b)	Model	:	To be mentioned.
	(c)	Country of Origin	:	To be mentioned.
	(d)	Manufacturing Country	:	To be mentioned.
	(e)	Other Technical Information	:	Details to be mentioned.
(23)	Air Co	ondition Unit. The Air condit	ion unit	shall have the following specification:
	(a)	Brand	:	To be mentioned.
	(b)	Model	:	To be mentioned.
	(c)	Country of Origin	:	To be mentioned.
	(d)	Manufacturing Country	:	To be mentioned.
	(e)	Capacity	;	1.5 ton (18,000 BTU) or More.
	(f)	Туре	:	Split type.
	(g)	Other Technical Information	i	Details to be mentioned.
(24) followi		r Cable 3 Core. The Figure cification:	ower (Cable 3 Core 40/76 shall have the
	(a)	Brand	:	To be mentioned.
	(b)	Model	:	To be mentioned.
	(c)	Country of Origin	:	To be mentioned.
	(d)	Manufacturing Country	:	To be mentioned.
	(e)	No of Core	*	3
	(f)	Size	•	2.5 RM
(25) the fol		Duct Pipe. The PVC Du specification:	ct Pipe	(for underground cabling) shall have
	(a)	Brand	:	To be mentioned.
	(b)	Model	:	To be mentioned.
	(c)	Country of Origin	:	To be mentioned.
	(d)	Manufacturing Country	:	To be mentioned.
	(e)	Other Technical Information	;	Details to be mentioned.

The Junction Box (As Per Zone) shall have the following (26)Junction Box. specification: Brand (a) To be mentioned. (b) Model To be mentioned. (c) Country of Origin To be mentioned. (d) Manufacturing Country To be mentioned. Other Technical information: (e) Details to be mentioned. Standard Size Rack. The Standard Size Rack (To accommodate necessary Equipment of the system) shall have the following specification: (a) Brand To be mentioned. (b) Model To be mentioned. (c) Country of Origin To be mentioned. (d) Manufacturing Country To be mentioned. (e) Size To be mentioned. (f) Features To be mentioned. (28)PoE Extender. The PoE Extender shall have the following specification: (a) Brand To be mentioned. (b) Model To be mentioned. (c) Country of Origin As per Paragraph- 21 (To be mentioned). (d) Manufacturing Country To be mentioned (e) Input Power Requirements To be mentioned. (f) Connectors Shielded RJ-45, female socket. (g) Other Technical information: Details to be mentioned. Fiber Optic Splitter. The Fiber Optic Splitter shall have the following (29)specification: (a) Brand To be mentioned. (b) Model To be mentioned. (c) Country of Origin To be mentioned. (d) Manufacturing Country To be mentioned. Other Technical information: (e)

Standard Accessories. Standard Accessories must include (e.g. Pre Amplifier, Line matching, Transformers, Microphones, jack, sockets box etc) every item and accessories, which are essential to install and operate the General Broadcast with full functionality whether those are mentioned in the specification or not with purpose. A list of such items/accessories shall have to be provided inclusive of equipment price. Unit price of main amplifier and speakers are also to be quoted with the offer.

Details to be mentioned.



(31) <u>Software and Backup Software</u>. Supplier is to provide all related software OS and backup software (original licensed copy) to BN in CD/DVD/Flash drive format with step by step installation instructions. The list of such software is to be submitted with the offer.

b. Certificate and Reports.

- (1) Following certificates and reports are to be provided in English for the offered item including associated equipment/ accessories with the offer:
 - (a) 'Type Approval Certificates' of classification society.
 - (b) Supply Assurance Certificate.
 - (c) Guarantee and Warranty Certificates.
 - (d) After Sales Service Support Certificate.
 - (2) Following certificates and reports are to be provided in English for the offered item including associated equipment/ accessories **during delivery**:
 - (a) 'Type Approval Certificates' of classification society.
 - (b) 'Quality Assurance Certificates' for each item and their associated equipment and instruments from OEM is to be provided.
 - (c) 'FAT Certificates'.
 - (d) Certificate of Genuine Product and Brand-New Item.
 - (e) Guarantee and Warranty Certificates.
 - (f) After Sales Service Support Certificate.

Drawing and Manual/ Documentation.

- (1) <u>Installation Drawings</u>. Following drawings are to be submitted for buyer's approval prior 04 (Four) months of commencing of installation work:
 - (a) Layout drawing.
 - (b) Electrical inter-connection diagram of all equipment.
 - (c) Cable diagram including cable type and cable grouping.
 - (d) List of works (facility work support) those are needed from BN.
- (2) <u>Manuals/ Document.</u> 02 (Two) set of following documents and manuals in English are to be provided at free of cost at the time of delivery:
 - (a) Operating Manual.
 - (b) Technical Manual with Circuit Diagram (At lasts upto component level).
 - (c) Maintenance Manual.
 - (d) Parts Catalogue with parts Identification List (PIL).
 - (e) Installation Manual having Layout drawing of equipment, alignment instruction, electrical interconnection diagram, cable diagram, diagram showing interface (mechanical and electrical) and data protocol.
- 33. <u>Local Training</u>. A group of operators/ technicians are to be trained locally in Bangladesh for 05 (Five) working days by the Manufacturer's/ Supplier Engineer on completion of installation and Test/Trial. Cost of air fare (to and from Bangladesh (installation site)), accommodation, food and internal transportation (to and from work site and hotel) of the Manufacturer's engineer shall be borne by Supplier. The cost of local training is to be quoted with the offer separately.



- a. <u>Training Objective</u>. Objective of training is to learn about the functionality and maintenance of newly installed General Broadcast System.
- b. <u>Training Contents</u>. The contents of the training should include following (but not limited to):
 - (1) System composition, configuration, principle of operation and troubleshooting.
 - (2) Software installation, operation and configuration for smooth conducting of all the tests.
 - (3) Theoretical concept and procedure of tests (practical).
 - (4) Repair and maintenance.

34. Installation, Supervision and Setting to Work (STW).

a. <u>Installation Materials and Accessories.</u> All necessary Installation materials, like junction boxes, cable, connectors, terminal, brackets, nuts, bolts, securing tie clips, channels, GI Wire, PVC Pipe Channel, Flexible pipe, MK Box, Electric channel, Saddle Screw, Royal Plug, Cable tie Clip, Elbow etc including other accessories are to be provided by the supplier.

Bidder/ Supplier Responsibility.

- Installation of the items shall be done by the manufacturer's/ supplier engineer.
- (2) Qualified engineer is to be employed for the installation and STW. All expenses for food, accommodation, airfare and internal travel etc are to be borne by the supplier.
- (3) Cost of supervision of installation works, Setting to Work (STW) and commissioning are to be quoted separately.
- c. <u>Purchaser Responsibility</u>. Purchaser (BN) shall provide available assistance (if required) for installation under the direct supervision of OEM/ Supplier Engineer.
- 35. <u>Test, Trial and Acceptance</u>. On completion of installation, STW and commissioning are to be conducted in the presence of supplier/ manufacturer engineer. All expenses of supplier engineer are to be borne by the supplier. Final acceptance shall be given by CINS/ ACINS (BN) after satisfactory Test & Trial and commissioning of the set.

PART III: TERMS AND CONDITIONS

36. Delivery.

- a. <u>Delivery and Installation Time</u>. Item delivery and installation as per scope of supply shall be completed within 15 (Fifteen) months and breakdown of said time line is appended bellow:
 - (1) <u>Delivery Time</u>. The items shall be delivered to the "Place of Delivery" within **09 (Nine)** months after signing the contract.
 - (2) <u>Installation Time</u>. The General Broadcast System shall be installed within **06** (Six) months after delivery of the items.
- b. <u>Place of Delivery</u>. NSD, Chattogram.
- c. Incase of CFR/CPT, the supplier shall carry the items from any sea port/ air port (as applicable) to NSD Khulna at the cost and risk of supplier.

37. Shipment.

- Source of Raw Material. To be mentioned.
- b. <u>Source of Supply</u>. The source of supply of the offered systems are to be mentioned. It should be from the country of manufacturer or country of origin.



c. <u>Port of Shipment</u>. To be mentioned. Port of shipment is to be from country of manufacturer or country of origin. However if OEM has authorized business and distribution centre in other countries/ regions then Port of shipment may be accepted from such authorized countries/ regions. In this case, necessary documentation with proper evidences is to be submitted with offer.

or

d. <u>Consignee</u>. The supplied item shall be the following consignee:

The Commanding Officer Naval Stores Depot New Mooring, Chattogram, Bangladesh BIN-002349278-0503 Officer In Charge Naval Stores Sub Depot Dhaka Naval Unit Khilkhet Namapara, Dhaka-1229, Bangladesh

- e. All items are to be brand new and to be delivered in seaworthy packing to ensure safe transit by sea. Certificates in this regard are to be provided during delivery.
- f. All packages are to have packing notes showing their contents in detail and all packages shall be marked with the name and address of the consignee and gross weight.
- 38. <u>Project Timeline</u>. A forecasted project timeline indication month-wise event is to be provided with the offer and another reviewed project time line with project implementation plan is to be submitted after 15 days of signing the contract.

39. Warranty, Guarantee and After Sales Service.

a. Warranty.

- (1) 12 (Twelve) months manufacturer's warranty for trouble free operation is to be provided for the item from the date of acceptance by the purchaser. If any component and submit of the supplied items becomes defective during the warranty period, the overall warranty shall be extended automatically for the period of subject component remains defective.
- (2) For warranty repair/ replacement, the supplier shall collect the defective item from NSD, Chittagong/ NSD Khulna/ NSSD, Dhaka (as applicable) and re-supply the same to collecting place after warranty repair or for replacement within 90 (ninety) days from the date of defect at no cost to the purchaser.
- b. Bank Guarantee (BG) for Warranty. The BIDDER shall issue a Bank Guarantee (BG) during submission of last 20% payment for a value of @ 05% (Five percent) of the total CFR/CPT value from any scheduled bank in Bangladesh in favour of The Senior Finance Controller (Navy), Sailors Colony, Lalasarai, Mirpur–14, Dhaka-1206, representing Bangladesh Navy, Peoples Republic of Bangladesh, information to The Directorate General Defence Purchase, Ministry of Defence, Peoples Republic of Bangladesh. This BG shall remain valid until the warranty period of the supplied General Broadcast System and other items (notwithstanding minor deficiencies which would be mutually settled and agreed between PURCHASER and BIDDER) in Bangladesh, and it shall expire on receipt of Warranty Completion Certificate. If the contractual obligation warrants the extension of the validity of the BG, the BIDDER shall remain liable to do so at its own cost. In case of material failure of the BIDDER to fulfill its contractual obligation as per the terms and conditions of the contract, the BG in full or part thereof may be forfeited at the discretion of the PURCHASER.
- c. <u>Guarantee</u>. The supplier is to give guarantee of continued supply of spares for at least 10 (Ten) years at a reasonable price (not exceeding 3% per year). Certificate is to be submitted with the offer.
- d. After Sales Service. After sale service should be available with the local agent of supplier and is to be provided as and when required for indefinite period or at least 15 years after the installation. If any system, equipment etc becomes obsolete or out of production during or after the installation period (at least upto 15 years), the supplier is to submit alternative of same/ improved version for selecting the suitable replacement.
- 40. <u>Terms of Payment</u>. Payment shall be made through an Irrevocable Letter of Credit (LC). LC shall be opened at the expense of the PURCHASER and **100% LC** value shall be made operative in favour of Supplier. CFR/ CPT value being the value of the supplied goods, payment shall be made as under:



- a. 1st Installment. 80% of CFR/ CPT value shall be paid after shipment of the General Broadcast System and on submission of the following documents to the bank:
 - (1) Original Airway Bill (AWL)/ Bill of Landing (BL) must be issued by air lines/ shipping lines or authorized agent of shipping lines/ air lines against DGDP contract reference (after signing the contract). LC number, and Bangladesh bank registration number are to be mentioned in AWL/ BL. Freight amount must be shown separately otherwise only FCA value shall be paid. All documents to be submitted (01) original with at least (05) five copies other than bill of lading shall be (03) three original with (03) three copies. In addition to this, following shall also be considered:
 - (a) Name of the carrier must be indicated in AWL/ BL.
 - (b) Must be signed by carrier or a named agent for/ on behalf of the carrier.
 - (2) 'Supplier's Signed Commercial Invoice' for (freight/ services amount to be shown separately (if applicable)) representing 80% of CFR/CPT value as stated in the contract.
 - (3) "Packing List" signed by the authorized representative of the shipping company or exporter.
 - (4) "Certificate of Origin" signed by the Manufacturer's Authorized Person/Authorized Official of the exported country.
 - (5) 'Manufacturer's Certificate" Signed by the MANUFACTURER/ SUPPLIER. Certifying that product has been produced as per technical data/ analytical data and specification as per contract.
 - (6) "Manufacturer's Warranty Certificate" Signed by the MANUFACTURER/ SUPPLIER.
 - (7) "Factory Acceptance Test (FAT) Completion Certificate" signed by the SUPPLIER.
 - (8) 'Quality Assurance Certificate' (QAC) signed by the SUPPLIER.
 - (9) 'Shipment Clearance Letter' Signed by DGDP (Directorate General Defense Purchase, Dhaka, Bangladesh) as PURCHASER.
- b. <u>2nd Installment</u>. 20% of CFR/CPT value shall be paid **after successfully commissioning** and on submission of the following documents to the bank:
 - 'Supplier's Signed Commercial Invoice' for representing 20% of CFR/CPT value as stated in the contract.
 - (2) 'Final Acceptance Certificate' issued by the PURCHASER after successful completion of installation and commissioning of system.
 - (3) The bidder shall submit the relevant document of 5% BG of CFR value, which shall be released on submission of warranty completion certificate.
- Installment of Training and Services.
 - (1) <u>Local Training</u>. 100% cost of Local Training shall be paid **after successful** completion of local training and on submission of the following documents to the bank:
 - (a) 'Local Training Completion Certificate' Signed by the PURCHASER for the successful completion of the Local Training in Bangladesh.
 - (b) 'Supplier's Signed Commercial Invoice' for 100% of Local Training value as stated in the contract.



- (2) <u>Installation and Acceptance</u>. 100% cost of Installation shall be paid **after successful completion** of Installation and final acceptance on submission of the following documents to the bank:
 - (a) Certificate Signed by the PURCHASER for the successful 'Completion of the Installation and Final Acceptance' in Bangladesh.
 - (b) 'Supplier's Signed Commercial Invoice' for 100% of Installation and Final Acceptance value as stated in the contract.
- 41. <u>Import Duties</u>. These are the Defence stores and shall be used by the Defence Forces only and hence are exempted from payment of Custom Duties and Sale Taxes as per ministry of finance (NBR) memo no 9(41) NBR/CUS-IV/27/246 dated 10 April 1981. Therefore, if the item is imported against this tender, price to be quoted without import duties.
- 42. <u>Terms and Conditions (DGDP)</u>. Following terms and conditions shall governed by the tender schedule/ existing rules of Directorate General Defence Purchase (DGDP):
 - Agency Commission.
 - b. LC Amendedment Charges.
 - c. Insurance Charges.
 - d. Liquidated Damages (LD).
 - e. Arbitration.
 - f. Force Majure and War Risk.
 - g. Termination of Contract.
 - h. Letter of Credit.
 - j. End User Certificate (EUC).
 - k. Recoveries.
 - Performance Guarantee (PG).
 - m. Other Conditions.
- 43. <u>Price and Financial Offer</u>. Price of offered item (for each point of scope of supply) of the total offer is to be shown separately and then grand total of the foreign currency to be shown on the original offer submitted by the bidder. The BIDDER shall comply as asked in the tender specification. The BIDDER may mention the price of additional items and services in the financial offer. Item-wise price for additional item are to be mentioned for each item and services. The BIDDER may also explain the financial terms and conditions in the financial offer as appropriate. To evaluate the financial competitiveness, BIDDER has to submit the summary of financial offer as per following format:

Ser	Description	Qty	Unit Price	Currency (USD, EURO, GBP etc)	Total Value
1.	Complete set of General Broadcast System (IP Based) including following: a. Certification and Reports b. Drawing and Manual/ Documentation	01	To be mentioned	To be mentioned	To be mentioned
2.	Spares (Optional)	-	To be mentioned	To be mentioned	To be mentioned



Ser	Description	Qty	Unit Price	Currency (USD, EURO, GBP etc)	Total Value
3.	Total Freight on Board (FOB)	-	: s=	-	To be mentioned
4.	(+) Freight Charge	-	To be mentioned	To be mentioned	To be mentioned
5.	CFR Value in Foreign currency	-0	To be mentioned	To be mentioned	To be mentioned
6.	CFR Value Equivalent to Bangladeshi Taka (BDT)	- 0	-	-	Buyer shall fill-up
7.	Local Training	=	To be mentioned	To be mentioned	To be mentioned
8.	Installation and Acceptance	<u>=</u>	To be mentioned	To be mentioned	To be mentioned
9.	Total Quoted Price	-	To be mentioned	To be mentioned	To be mentioned