


FOR OFFICIAL USE ONLY

ANNEX A TO
 DGDP TENDER NO 214.1525.24
 DATED: 28 NOVEMBER 2024


LIST OF COVER OUTER OF VARIOUS SIZES FOR DIFFERENT VEH. 16 LINE ITEMS (QTY-3,290 NOS/SETS)

Must be filled up by the Manufacturer:						
Ser	Cat/Part No	Nomenclature	A/U	Applicability	Req r Qty	Rmk s
1	NIV-158604	Cover Outer 1400 R 20 (22 PR) ND, GG & CC, Steel Belted Radial, Tube type with tube inner & flap rust. Pattern: XZL/XL or similar tread design/pattern.	Set	Pontoon XC-2200 IVECO Tracker, AD-380T42WH, Tank TPTR Renault Kerax 350.34 T	140	
2	42605-36800	Cover Outer 700 R 16 (12 PR) Steel Belted Radial, Rib pattern.	Nos	Toy HZB-50	200	
3	NIV/142230	Cover Outer 195/60 R 15 Steel Belted Radial, Tubeless Type, Load Range: 88H. Pattern no. Optemo ME-02 (Dual purpose use TT & TL) with advance grave design or similar Tread Design/Pattern.	Nos	M/Bishi Lancer Car CS-3 & Toy Staff Car NZE 141R	200	
4	NIV/179423	Cover outer 235/55 R 19 Radial, Tubeless, Rib pattern.	Nos	TATA HEXA XT	400	
5	NIV-142225	Cover Outer 205/55 R16 (04 PR) Tubeless, Pattern, Load Range, LI/SS: To be mentioned.	Nos	KIA CERATOEX 1591 CC	300	
6	8E4-2001	Cover Outer 1000 R 20 (16PR), ND, GG & CC, Steel Belted Radial with tube inner & flap rust, Pattern no. XZL or similar tread design/pattern.	Set	Hino Bus AK3HMKA, Truck Water Bouser Deawoo & Nissan Bus P-210PSNR	90	
7	NIV-158502	Cover Outer comp 13 ,R 22.5 (18PR), Load range: 156/151 R, ND GG & CC, Steel belted radial with tube inner & flap rust. (Dual Purpose use: TT&TL). Pattern No. X Works HDZ, TL or similar tread design/pattern.	Set	TPTR 25-30 Ton IVECO AT-440T 38TW.	150	
8	NIV-127646	Cover Outer 195/65 R 15, (4 PR) Load Range: 91H, Steel belted radial, Tubeless Type, Pattern no. Optimo K424 or similar tread design/ pattern (Dual purpose use: TT & TL with advance groove design).	Nos	Mitsubishi Lancer Saff Car Model: CS3ASRJR, Toy staff car NZE-141	170	
9	2610-262-8677	Cover Outer 9.00 R 20 (14PR) Load Range: 140/137 K, ND, GG & CC, Steel Belted Radial with Tube Inner & Flap Rust. Pattern no. XL/XZL or Similar Tread Design/Pattern.	Set	Trk 3 ton Isuzu HTS-11G & 11J, Isuzu Bus MT-111L	400	
10	40312-VB300	Cover Outer 265/70 R16 (8PR) Load Range: 112T, ND, GG & CC, Steel Belted Radial, Tubeless Type (Dual Purpose Use: TT & TL), Pattern no. XTT, TL or similar tread design/pattern.	Nos	M-Bishi Jeep V-76, 96, 98, Nissan Jeep Y-61, Toyota Jeep JLY-120.	100	
11	40312-V9201/VJ201	Cover Outer 195 R 15 (8PR) Steel belted radial, Tubeless Type, Rib pattern or similar tread design/pattern.	Nos	Toy Micro Bus LH-202, Misubishi Amb P15L300	200	



FOR OFFICIAL USE ONLY

Must be filled up by the Manufacturer						
Ser	Cat/Part No	Nomenclature	A/U	Applicability	Reqr Qty	Rmks
12	42605-26110	Cover Outer 185 R 14 C (8PR) Steel Belted Radial, Tubeless, Load Range: 102R, Rib Pattern Pattern: XCA plus TL or similar Tread Design/pattern.	Nos	Toyota Amb LH-112 & Microbus 114, Mitsubishi L-300 Amb P-15	100	
13	42652-60700	Cover Outer 265/65 R17, ND, GG & CC, Tubeless Type, Steel Belted Radial Pattern: Rib Lug (Dual Purpose Use: TT & TL), or similar tread design/pattern.	Nos	Toyota Jeep Prado JLY-120 & Mitsubishi Pajero Jeep V-98.	400	
14	CA30-3106010/15	Cover Outer 1200 x 18 (12 PR) ND, GG & CC, Steel Belted Radial with tube inner & flap rust. (Pattern: XL/XZL or similar pattern) Approx Height 42" tube type.	Set	Trk 2.5 Ton 6x6 Pontoon Veh Model: Jiefang CA30A China	150	
15	NIV/175274	Cover Outer 195/75 R-16 C.	Nos	IVECO Daily Van Amb 35C15/E3V	140	
16	NIV-142251	Cover Outer 295/80 R 22.5 (16 PR) Tubeless, Steel Belted Radial, Rib pattern or similar tread design/pattern.	Nos	Hyundi Bus Universal Express	150	
Total Qty= 16 / 3,290 Sets/Nos						




FOR OFFICIAL USE ONLY

ANNEX B TO
DGD P TENDER NO 214.1525.24
DATED: 28 NOVEMBER 2024


LIST OF COVER OUTER OF VARIOUS SIZES FOR DIFFERENT VEH. 16 LINE ITEMS (QTY- 3.290 NOS/SETS)

Ser	Cat/ Part No	Nomenclature, Required Design/Pattern & Applicable Vehicles	Must be filled up by the Manufacturer				Rmks
			Offered Brand	Offered Size, Tread Design/Pattern, PR/ Load capacity/ Range and Speed Symbol	Country of Origin and Manufacturer	Catalogue page	
1	NIV-158604	Cover Outer 1400 R 20 (22 PR) ND, GG & CC, Steel Belted Radial, Tube type with tube inner & flap rust. Pattern: XZL/XL or similar tread design/pattern for Pontoon XC-2200 IVECO Tracker, AD-380T42WH, Tank TPTR Renault Kerax 350.34T.					
2	42605-36800	Cover Outer 700 R 16 (12 PR) Steel Belted Radial, Rib pattern for Toy HZB-50.					
3	NIV/142230	Cover Outer 195/60 R 15 Steel Belted Radial, Tubeless Type, Load Range: 88H. Pattern no. Optemo ME-02 (Dual purpose use TT & TL) with advance grave design or similar Tread Design/Pattern for M/Bishi Lancer Car CS-3 & Toy Staff Car NZE 141R.					
4	NIV/179423	Cover outer 235/55 R 19 Radial, Tubeless, Rib pattern for TATA HEXA XT.					
5	NIV-142225	Cover Outer 205/55 R16 (04 PR) Tubeless, Pattern, Load Range, LI/SS: To be mentioned for KIA CERATOEK 1591 CC.					
6	8E4-2001	Cover Outer 1000 R 20 (16PR), ND, GG & CC, Steel Belted Radial with tube inner & flap rust, Pattern no. XZL or similar tread design/pattern for Hino Bus AK3HMKA, Truck Water Bouser Deawoo & Nissan Bus P-210PSNR.					



FOR OFFICIAL USE ONLY

Ser.	Cat/ Part No	Nomenclature, Required Tread Design/Pattern & Applicable Vehicles	Must be filled up by the Manufacturer				Rmks
			Offered Brand	Offered Size, Tread Design/ Pattern, PR/ Load capacity/ Range and Speed Symbol	Country of Manufacture & Origin	Catalogue page	
7	NIV- 158502	Cover Outer comp 13 R 22.5 (18PR), Load range: 156/151 R, ND GG & CC, Steel belted radial with tube inner & flap rust. (Dual Purpose use: TT&TL). Pattern No. X Works HDZ, TL or similar tread design/pattern for TPTR 25-30 Ton IVECO AT-440T 38TW.					
8	NIV- 127646	Cover Outer 195/65 R 15, (4 PR) Load Range: 91H, Steel belted radial, Tubeless Type, Pattern no. Optimo K424 or similar tread design/pattern (Dual purpose use: TT & TL with advance groove design). for Mitsubishi Lancer Saff Car Model: CS3ASRJR, Toy staff car NZE-141.					
9	2610- 262- 8677	Cover Outer 9.00 R 20 (14PR) Load Range: 140/137 K, ND, GG & CC, Steel Belted Radial with Tube Inner & Flap Rust. Pattern no. XL/XZL or Similar Tread Design/Pattern for Trk 3 ton Isuzu HTS-11G & 11J, Isuzu Bus MT-111L.					
10	40312- VB 300	Cover Outer 265/70 R16 (8PR) Load Range: 112T, ND, GG & CC, Steel Belted Radial, Tubeless Type (Dual Purpose Use: TT & TL), Pattern no. XTT, TL or similar tread design/pattern for M-Bishi Jeep V-76, 96, 98, Nissan Jeep Y-61, Toyota Jeep JLY-120.					
11	40312- V9201/ VJ201	Cover Outer 195 R 15 (8PR) Steel belted radial, Tubeless Type, Rib pattern or similar tread design/pattern for Toy Micro Bus LH-202, Misubishi Amb P15L300.					



FOR OFFICIAL USE ONLY

Ser	Cat/ Part No	Nomenclature, Required Design/Pattern Applicable Vehicles	Must be filled up by the Manufacturer				Rmks
			Offered Brand	Offered, Size, Tread Design/ Pattern, PR/ Load capacity/ Range and Speed Symbol	Country of Manufacture & Origin	Catalogue page	
12	4265- 26110	Cover Outer 185 R 14 C (8PR) Steel Belted Radial, Tubeless, Load Range: 102R, Rib Pattern Pattern: XCA plus TL or similar Tread Design/pattern for Toyota Amb LH-112 & Microbus 114, Misubishi L-300 Amb P-15.					
13	42652- 60700	Cover Outer 265/65 R17, ND, GG & CC, Tubeless Type, Steel Belted Radial Pattern: Rib Lug (Dual Purpose Use: TT & TL) or similar tread design/pattern for Toyota Jeep Prado JLY-120 & Mitsubishi Pajero Jeep V-98.					
14	CA30- 310601 0/15	Cover Outer 1200 x 18 (12 PR) ND, GG & CC, Steel Belted Radial with tube inner & flap rust. (Pattern: XL/XZL or similar pattern) Approx Height 42" tube type for Trk 2.5 Ton 6x6 Pontoon Veh Model: Jiefang CA30A China.					
15	NIV/17 5274	Cover Outer 195/75 R-16 C for IVECO Daily Van Amb 35C15/E3V.					
16	NIV- 142251	Cover Outer 295/80 R 22.5 (16 PR) Tubeless, Steel Belted Radial, Rib pattern or similar tread design/pattern for Hyundi Bus Universal Express.					



ANNEX C TO
 DGDP TENDER NO 214.1525.24
 DATED: 28 NOVEMBER 2024


**TERMS & CONDITIONS FOR COVER OUTER VARIOUS SIZES FOR DIFFERENT VEH 16 LINE
 ITEMS (QTY- 3,290 NOS/SETS) APPLICABLE FOR FOREIGN CURRENCY**

Ser	Terms & conditions as per requirement	Must be filled up by the Manufacturer
1.	Source of supply: Foreign.	
2.	Currency: Foreign	
3.	Approved Country of origin in BD Army: USA/Japan/ EU Countries/Russia/Brazil/Indonesia/Malaysia /Philippines/Singapore/ Thailand/South Korea.	
4.	Approved Brands in BD Army: Bridgestone/Dunlop/Goodyear/Yokohama/Toyo/Uniroyal/ Continental/Michelin/Folda/Firestone/Armstrong/Amtel/Pirelli/ Hankook/Kumho. (Total 15 brands).	
5.	Manufacturer Name and details address to be mentioned	
6.	Principal Name and details address to be mentioned	
7.	Inspecting Officer: CI, IV&EE or his authorised representative.	
8.	Inspection authority: IV&EE, Dhaka Cantonment.	
9.	Place of Inspection: Joint Post-shipment inspection: Will be carried out at Consignee's end (CMTD).	
10.	Quality Assurance Certificate (QAC) must be provided by the Quality Control Department of manufacturer then video tele conference (VTC) to be conducted at manufacturer's premises/warehouse as Appx-1 of Anx C for shipment clearance.	
11.	If any supplied item is found not as per contract during Post shipment inspection, it will not be accepted. The supplier must take back the item at their own cost.	
12.	Supplier/local agent address must be confirmed before concluding contract. If any defect arises and the supplier does not replace the cover outer, tube inner & flap rust as per guarantee, the supplier / local agent will not be entertained for the next tender. This condition will be strictly followed for procurement of cover outer, tube inner & flap rust.	
13.	Packing / Marking: a. As per std trade packing and Packing / Marking will be done by the firm. All cover outer / tube inner / flap rust must be packed by safe packages for safe transportation by Sea, Rail, Road or Air. b. Preservative material (Powder etc.) as required must be coated with all cover outer / tube inner / flap rust (as applicable) and for preservation in BD Army storage.	
14.	Shipment: a. Stores must be shipped from the country of origin and transshipment is not allowed . Part shipment is allowed. b. Safe packages of cover outer / tube inner / flap rust (as applicable) must be shipped in sealed container (If shipped by sea) & must be un-sealed / opened in presence of representative of IV&EE, Army Emb Unit / CMTD. c. Supplier / local agent must inform all concerned about the arrival time and place before min 10 (ten) days, so that all concerned be present in time.	
15.	Brand name along with cover outer tread design no., tube inner reference no., flap reference no. etc. and catalogue page no. must be mentioned in the offer as per attached tech spec sheet (Annex B) by manufacturer and principal.	




FOR OFFICIAL USE ONLY

Ser No.	Terms & conditions as per requirement	Must be filled up by the Manufacturer
16.	<p>A Certificate has to be provided as under for the proof of genuineness of foreign supplier/principal :</p> <p>Certificate from the tyre/tube/flap manufacturer (mfc). OR Foreign organization appointed/authorised by the original manufacturer. OR Chamber of commerce of respective manufacturing country that "the principal/firm is the genuine supplier of cover outer/tube inner/flap rust".</p>	
17.	<p>Authorization certificate in favour of local agent by the principal to be submitted along with the offer.</p>	
18.	<p>Stores must be brand new, latest production and not before the year of contract.</p>	
19.	<p>a. Original offer with original brochure / catalogue (Must be printed in current year) with proper marking and signature on every pages (for each item) must be submitted by the supplier at the time of opening of tender. Otherwise offer will not be considered during technical vetting.</p>	
19.	<p>b. Offered technical specifications must be conformed to the specifications mentioned in the submitted brochure /catalogue. Fax/photocopy/hand written offer /catalogue/ brochure and catalogue without marking/signing will not be considered during technical vetting.</p>	
19.	<p>c. Hand written offer and any hand written clarification will be directly rejected. It must be typed or computer printout in original pad of the manufacturer, principal and local agent with sign of proper signing authority.</p>	
20.	<p>Fax/photocopy of offer/catalogue/brochure without marking/ unsigned will not be considered during technical vetting.</p>	
21.	<p>Tempered offer will be directly rejected.</p>	
22.	<p>A set of necessary shipping document such as bill of lading, invoice, packing list, manufacturer's inspection and the warranty/ guarantee certificate, certificate of origin etc. in original should be submitted to IV&EE for the proof of genuineness of cover outer/ tube inner/flap rust during inspection.</p>	
23.	<p>Warranty/Guarantee from Manufacturer: A. Warranty/Guarantee certificate has to be provided by manufacturer for cover outer/tube inner/flap rust for a trouble free service as under : (1) 50,000 KM for steel belted radial tyre applicable for Pontoon XC-2200 IVECO Tracker, AD-380T42WH, Tank TPTR Renuelt Kerax 350.34 T, Toy HZB-50, M/Bishi Lancer Car CS-3 & Toy Staff Car NZE 141R, TATA HEXA XT, KIA CERATOEX 1591 CC, Hino Bus AK3HMKA, Truck Water Bouser Deawoo & Nissan Bus P-210PSNR, TPTR 25-30 Ton IVECO AT-440T 38TW, Mitsubishi Lancer Staff Car Model: CS3ASRJR, Toy staff car NZE-141, Trk 3 ton Isuzu HTS-11G & 11J, Isuzu Bus MT-111L, M-Bishi Jeep V-76, 96, 98, Nissan Jeep Y-61, Toyota Jeep JLY-120, Toy Micro Bus LH-202 , Misubishi Amb P15L300, Toyota Amb LH-112 & Microbus 114, Misubishi L-300 Amb P-15, Toyota Jeep Prado JLY-120 & Mitsubishi Pajero Jeep V-98, Trk 2.5 Ton 6x6 Pontoon Veh Model: Jiefang CA30A China, IVECO Daily Van Amb 35C15/E3V and Hyundi Bus Universal Express. (2) 12 months for all types of tube inner and flap rust.</p>	
24.	<p>Cover outer, nozzle and valve of all tubes inner must be properly fitted with the respective rim of applicable vehicle, otherwise cover outer/tube inner (as applicable) will be rejected and rejected items must be replaced free of cost at the supplier's expense.</p>	



FOR OFFICIAL USE ONLY

Ser No.	Terms & conditions as per requirement	Must be filled up by the Manufacturer
25.	Payment Terms (Foreign Currency): The payment will be released as per DGDP rules.	
26.	Local agent : Warranty/Guarantee to be provided by local agent as per appendix 1 of annex 'C'.	
27.	Ply rating certificate from the manufacturer must be furnished in case ply rating not mentioned on cover outer.	
28.	Contract No, Date, Item Ser/No, Cover outer tread design no. and warranty/guarantee mileage should be mentioned on the body of the cover outer by white paint/water sticker/screen print by white colour.	
29.	The word of "Army" will be sealed in suitable place of the cover outer.	
30.	Inspection & Testing Facilities: The supplier/local agent shall pay all cost connected with the inspection and will provide without extra charge, all material, tools, instruments & assistances etc of every kind which the inspector may consider necessary for the inspection. Supplier & local agent shall also provide free of charge such material as may require for test. Cost of laboratory test will be borne by the supplier/local agent as per terms of clause 12(a) and (b) of DP-35.	
31.	This terms & conditions form along with technical data sheet form must be filled up by the manufacturer. Otherwise offer will not be considered during technical vetting.	
32.	If the stores are not properly workable / fit it should be replaced and rejected items must be replaced free of cost at the supplier's expense.	
33.	I/Note will be issued after received NOC from Consignee.	
34.	Delivery of items must be completed Maximum by 06 (Six) months (180 days) from date of signing the contract.	
35.	Performa invoice should be submitted directly by manufacturer on their latter head in original to DGDP and inspectorate (Without price).	
36.	Severe punitive action will be taken (Including black list) against supplier who fails to supply the stores within delivery schedule of the contract.	
37.	Supplied items must fit in the main equipments. The quality and performance must be confirming to the manufacture technical specification and workmanship throughout.	
38.	Certificate of origin from the competent authority of the exporting country to be furnished.	
39.	Date of manufacturer not before the year of contract (With certificate)	




TERMS & CONDITIONS FOR COVER OUTER VARIOUS SIZES FOR DIFFERENT VEH 16 LINE ITEMS (QTY- 3,290 NOS/SETS) APPLICABLE FOR FOREIGN CURRENCY

Ser	Terms & Conditions as per requirement	Must be filled up by the Manufacturer
1.	Source of supply: Foreign.	
2.	Currency: Local	
3.	Approved Country of origin in BD Army : USA / Japan / EU Countries / Russia / Brazil / Indonesia / Malaysia / Philippines / Singapore / Thailand / South Korea.	
4.	Approved Brands in BD Army : Bridgestone/Dunlop/Goodyear/Yokohama/Toyo/Uniroyal/ Continental/Michelin/Folda/Firestone/Armstrong/ Amtel/Pirelli/Hankook/Kumho (Total 15 brands).	
5.	Manufacturer Name and details address to be mentioned	
6.	Principal Name and details address to be mentioned	
7.	Inspecting Officer: CI, IV&EE or his authorised representative.	
8.	Inspection authority: IV&EE, Dhaka Cantonment.	
9.	Place of Inspection :	
	a. Post-shipment inspection: Will be carried out at Consignee's end, CMTD.	
10.	a. 01 x Advance sample for each item must be approved from IV&EE before bulk supply or Quality Assurance Certificate (QAC) must be provided by the Quality Control Department of manufacturer then video tele conference (VTC) to be conducted at manufacturer's premises/warehouse as Appx-1 of Anx D for shipment clearance.	
	b. If the supplier fails to supply as per contract specifications then action to be taken as per exiting policy.	
	c. 100% Visual inspection to the subject equipment and accessories to be carried out as per technical specifications and JPSI criteria. Fitting test of 01 x completed equipment (if required) to be carried out by the joint post shipment team.	
	d. All the necessary facilities, consumable and non-consumable items, tools, gauges, instruments and any other items required for operational/fitting test/ inspection are to be arranged by the supplier without extra cost.	
11.	Whether pre-shipment inspection done or not done, all items and spare parts must be shipped and supplied along with the equipments as per contract specifications. If the supplier fails to supply as per contract specifications then supplied equipments has to be replaced at the cost of supplier and also complete performance guarantee (PG).	
12.	Supplier / local agent address must be confirmed before concluding contract. If any defect arises and the supplier does not replace the cover outer, tube inner & flap rust as per guarantee, the supplier / local agent will not be entertained for the next tender. This condition will be strictly followed for procurement of cover outer, tube inner & flap rust.	
13.	Packing / Marking:	
	a. As per std trade packing and Packing / Marking will be done by the firm. All cover outer / tube inner / flap rust must be packed by safe packages for safe transportation by Sea, Rail, Road or Air.	
	b. Preservative material (Powder etc.) as required must be coated with all cover outer / tube inner / flap rust (as applicable) and for preservation in BD Army storage.	



FOR OFFICIAL USE ONLY

Ser	Terms & Conditions as per requirement	Must be filled up by the Manufacturer
14.	<p>Shipment:</p> <p>a. Stores must be shipped from the country of origin and transshipment is not allowed. Part shipment is allowed.</p> <p>b. Safe packages of cover outer / tube inner / flap rust (as applicable) must be shipped in sealed container (If shipped by sea) & must be un-sealed / opened in presence of representative of IV&EE, Army Emb Unit / CMTD.</p>	
15.	Brand name along with cover outer tread design no. ; tube inner reference no. ; flap reference no. etc. and catalogue page no. must be mentioned in the offer as per attached tech spec sheet (Anx B) by manufacturer/ principal.	
16.	<p>Conditions:</p> <p>A Certificate has to be provided as under for the proof of genuineness of foreign supplier:</p> <p>Certificate of genuineness from manufacturer (mfc) for tyre/tube/flap.</p> <p style="text-align: center;">OR</p> <p>Foreign organization appointed/Authorised by the original manufacturer.</p> <p style="text-align: center;">OR</p> <p>Chamber of commerce of respective manufacturing country that "The genuine supplier of cover outer/tube inner/flap rust.</p>	
17.	Authorization certificate in favour of local agent by the principal to be submitted along with the offer.	
18.	Authorization certificate in favour of principal by the Manufacturer to be submitted along with the offer.	
19.	Stores must be brand new, latest production and not before the signing date of contract.	
20.	<p>a. Original offer with original brochure/catalogue (Must be printed in current year) with proper marking and signature on every pages (for each item) must be submitted by the supplier at the time of opening of tender. Otherwise offer will not be considered during technical vetting.</p>	
20.	<p>b. Offered technical specifications must be conformed to the specifications mentioned in the submitted brochure/catalogue. Fax/photocopy/hand written offer/catalogue/ brochure and catalogue without marking/signing will not be considered during technical vetting.</p>	
20.	<p>c. Hand written offer and any hand written clarification will be directly rejected. It must be typed or computer printout in original pad of the manufacturer, principal and local agent with sign of proper signing authority.</p>	
21.	Fax / photocopy of offer / catalogue / brochure without marking / unsigned will not be considered during technical vetting.	
22.	Tempered offer will be directly rejected.	
23.	A set of necessary shipping document such as bill of lading, invoice, packing list, manufacturer's inspection and the warranty/guarantee certificate, certificate of origin etc. in original should be submitted to IV&EE for the proof of genuineness of cover outer / tube inner / flap rust during inspection.	



FOR OFFICIAL USE ONLY

Ser	Terms & Conditions as per requirement	Must be filled up by the Manufacturer
24.	<p>Warranty / Guarantee by Manufacturer: A Warranty / Guarantee certificate has to be provided by manufacturer for cover outer / tube inner / flap rust for a trouble free service as under : (1) 50,000 KM for steel belted radial tyre applicable for Pontoon XC-2200 IVECO Tracker, AD-380T42WH, Tank TPTR Renuelt Kerax 350.34 T, Toy HZB-50, M/Bishi Lancer Car CS-3 & Toy Staff Car NZE 141R, TATA HEXA XT, KIA CERATOEX 1591 CC, Hino Bus AK3HMKA, Truck Water Bouser Deawoo & Nissan Bus P-210PSNR, TPTR 25-30 Ton IVECO AT-440T 38TW, Mitsubishi Lancer Satff Car Model: CS3ASRJER, Toy staff car NZE-141, Trk 3 ton Isuzu HTS-11G & 11J, Isuzu Bus MT-111L, M-Bishi Jeep V-76, 96, 98, Nissan Jeep Y-61, Toyota Jeep JLY-120, Toy Micro Bus LH-202 , Misubishi Amb P15L300, Toyata Amb LH-112 & Microbus 114, Misubishi L-300 Amb P-15, Toyota Jeep Prado JLY-120 & Mitsubishi Pajero Jeep V-98, Trk 2.5 Ton 6x6 Pontoon Veh Model: Jiefang CA30A China, IVECO Daily Van Amb 35C15/E3V and Hyundi Bus Universal Express. 2) 12 months for all types of tube inner and flap rust.</p>	
25.	Cover outer, nozzle and valve of all tubes inner must be properly fitted with the respective rim of applicable vehicle, otherwise cover outer/ tube inner (as applicable) will be rejected and rejected items must be replaced free of cost at the supplier's expense.	
26.	Payment Terms (Local Currency): The payment will be released as per DGDP rules.	
27.	Local agent : Warranty / Guarantee to be provided by local agent as per Appx-1 of Anx D.	
28.	Ply rating certificate from the manufacturer must be furnished in case ply rating not mentioned on cover outer.	
29.	Contract No, Date, Item Ser / No, Cover outer tread design no. and warranty / guarantee mileage should be mentioned on the body of the cover outer by white paint / water sticker / screen print by white colour.	
30.	The word of "BD Army" will be sealed in suitable place of the cover outer.	
31.	Inspection & Testing Facilities : The supplier/local agent shall pay all cost connected with the inspection and will provide without extra charge, all material, tools, instruments & assistances etc of every kind which the inspector may consider necessary for the inspection. Supplier & local agent shall also provide free of charge such material as may require for test. Cost of laboratory test will be borne by the supplier / local agent as per terms of clause 12(a) and (b) of DP-35.	
32.	This terms & conditions form along with technical data sheet form must be filled up by the manufacturer. Otherwise offer will not be considered during technical vetting.	
33.	If the stores are not properly workable / fit it should be replaced and rejected items must be replaced free of cost at the supplier's expense.	
34.	Severe punitive action will be taken (Including black list) against supplier who fails to supply the stores within delivery schedule of the contract.	
35.	Supplied items must fit in the main equipments. The quality and performance must be confirming to the manufacture technical specification and workmanship throughout.	
36.	Certificate of origin from the competent authority of the exporting country to be furnished.	
37.	Date of manufacturer not before the year of contract (With certificate)	
38.	I/Note will be used after received NOC from consignee.	
39.	Delivery of items must be completed Maximum by 06 (Six) months (180 days) from date of signing the contract.	
40.	Performa invoice should be submitted directly by manufacturer on their latter head in original to DGDP and inspectorate (Without price).	

