

**TECHNICAL SPECIFICATION AND TERMS & CONDITIONS (DP-5)**

**TECHNICAL SPECIFICATION FOR PROCUREMENT OF 5-DOOR HARD TOP JEEP (GS) GROUP A**  
**QUANTITY-01 EACH FOR BAF THROUGH DGDP IN FY (2024-2025)**

Ser	Description	Specification Specified	To be filled up by the Principal/Manufacturer
1.	Type of the Vehicle	5-Door Hard Top Jeep (GS) Group A	
2.	Name of the Local Agent with full Address	To be mentioned	
3.	Name of the Principal with full Address	To be mentioned	
4.	Name of the Manufacturer with full Address	To be mentioned	
5.	Brand	Toyota	
6.	Model	Lexus LX-570 (Latest Production Model, not before the year of 2025)	
7.	Country of Origin	Japan	
8.	Country of Assembly	Japan	
9.	Country of Manufacturer	Japan	
10.	Drive	Right hand drive (RHD)	
11.	Configuration	4x4 All-Wheel drive (Full Time)	
12.	Roof & Door	Hard Top, 5-Door	
13.	<b><u>Dimensions:</u></b>		
	a. Overall length	Minimum 5065 mm	
	b. Overall width	Minimum 1980 mm	
	c. Overall height	Minimum 1865 mm	
	d. Interior dimension	Length: 2615 mm, Width: 1655 mm & Height:1200 mm	
14.	Wheel base	Minimum 2850 mm	
15.	Ground clearance	Minimum 225 mm	
16.	<b><u>Wheel Track (Tread)</u></b>		
	a. Front	Minimum 1640 mm	
	b. Rear	Minimum 1635 mm	
17.	Gradient	45° (grade ability 100%)	
18.	Angle of approach	Minimum 25 degrees	
18.	Angle of departure	Minimum 20 degrees	
19.	Fording depth	Minimum 700 mm	
20.	<b><u>Weights</u></b>		
	a. Kerb weight (kg)	Minimum 2685 kg	
	b. Pay load (kg)	Minimum 715 kg	
	c. Gross Vehicle Weight (GVW) (kg)	Minimum 3400 kg	
	d. Power to Weight Ratio	To be mentioned	
	e. Towed Load off Road (Cross Country)	To be mentioned	

21.	Seating capacity and seating arrangement	VIP 4-seater (including driver). Seating arrangement to be mentioned. Height of seat should be comfortable for passengers.	
22.	Maximum turning radius	5.9 m	
23.	<b>Engine</b>		
	a. Type	4 stroke Gasoline Engine, 5.7 liters V8 four cam 32-valve, DOHC with Dual VVT-i	
	b. Brand	Toyota	
	c. Model	3UR-FE (Gasoline Engine) Latest Production Model (not before the year of 2025)	
	d. Country of origin	Japan	
	e. Country of Assembly	Japan	
	f. Country of Manufacturer	Japan	
	g. No of cylinder	Minimum 8 cylinders	
	h. Bore and Stroke	Minimum 94.0 x 102.0 mm	
	j. Piston Displacement	Minimum 5663 cc	
	k. Compression ratio	Minimum 10.2:1	
	l. Horse Power (HP)	Minimum 362 HP (270 KW)/5600 rpm	
	m. Torque	Minimum 530 N-m (54.0kg-m)/3200 rpm	
	n. Injection type (direct/indirect)	Direct Type	
	p. Life Expectancy	Life expectancy of new engine up to 1 <sup>st</sup> overhauling not less than 1,00,000 km (certificate to be provided by manufacturer along with quotation)	
	q. Engine Test Bench Report	1. Engine Test Bench Report for all engines prepared by manufacturer during production of engine at manufacturing factory must be submitted to the SI/PSI team for each model  2. If Engine Test Bench Report of all engines cannot be submitted, in that case, for other engines of the same model must be certificate and confirmed with the engine Test Bench Report (mentioning engine number) by the manufacturer duly signed and stamped	
	r. Emission Standard	Euro-III/Equivalent	
	s. <b>Fuel tank capacity:</b> In built tank capacity for minimum cruising range of 500 Km (310 miles) on level 1 <sup>st</sup> class road	138 Liters (93+45 sub fuel tank)	
	t. Cruising range	More than 500 km	
	u. <b>Fuel System:</b>		
(1) Fuel System	EFI (Electronic Fuel Injection)		
(2) Fuel consumption (for 100 km)	16 liter/100 km (approx) subject to road load and driving condition		
(3) Type of Fuel	To be mentioned		
(4) <b>Fuel Injection Pump:</b>			
(a) Manufacturer name or brand name of injection pump	To be mentioned		
(b) Type Rotary/VE/Common Rail	To be mentioned		
v. <b>Maximum Speed:</b>			
(1) High Way	Minimum 210 km/h		

	(2) Cross Country (Veh must have cross country mob)	Minimum 70 km/h (approx) subject to road load and driving condition	
	w. Air Cleaner Type	Square + pre-cleaner	
	x. Fuel Filter Type	Paper filter element type	
	y. Cooling system	Water cooled	
24.	<b><u>Transmission:</u></b>		
	a. Type	8 Speed Auto Transmission	
	b. Gear box Model	AE80F Latest Production Model (not before the year of 2025)	
	c. Gear Ratio	1 <sup>st</sup> - 4.795, 2 <sup>nd</sup> - 2.811, 3 <sup>rd</sup> - 1.844, 4 <sup>th</sup> - 1.429, 5 <sup>th</sup> - 1.213, 6 <sup>th</sup> - 1.000, 7 <sup>th</sup> -0.817, 8 <sup>th</sup> -0.672 and reverse-3.786 or to be mentioned	
25.	<b><u>Steering System:</u></b>		
	a. Type of steering	Electronic power steering with tilting facility	
	b. Steering audio switch	To be provided	
	c. Steering remote control	To be provided	
26.	<b><u>Transfer case:</u></b>		
	a. Type	Full time transfer	
	b. Model	02 speed, full time transfer Latest Production Model (not before the year of 2025)	
	c. High Gear Ratio	1.000	
	d. Low Gear Ratio	2.618	
27.	<b><u>Suspension details:</u></b>		
	a. Front	Double wishbone shock absorber with stabilizer bar	
	b. Rear suspension	4-link rigid axle, shock absorber with stabilizer bar	
28.	<b><u>Brake system:</u></b>		
	a. Service brake	Front: Ventilated disc Rear: Ventilated disc	
	b. Parking brake	EPB, Centre console	
	c. Parking Sensors (front & rear)	To be provided	
	d. Emergency brake (if available)	To be mentioned	
29.	<b><u>Wheel &amp; Tyre:</u></b>		
	a. Tyre size (front, rear & spare)	265/50R22 Premium Metallic Coating	
	b. Tyre Brand	Bridgestone/Yokohama/Continental/Michelin	
	c. Manufacturing country	UK/USA/Japan/Canada/ EU Countries	
	d. Tyre Pattern	Lexus standard	
	e. Wheel size	8J	
	f. Wheel Pattern	Aluminum alloy wheel for all wheel	
	g. 01 x spare wheel complete with fitting attachment on the rear door with lock and key & wheel cover/Case	To be provided	
	h. Tyre pressure monitoring system (TPMS)	To be provided	
30.	<b><u>Electrical system:</u></b>		
	a. Battery (Volt & AH)	12 Volt & AH to be mentioned	
	b. No of Battery	Single battery	
	c. Alternator (Volt, Amp)	12 Volt, 1800 watts (150 Amp)	

	d. Starter (KW)	2.0 KW	
	e. <b>Lights:</b>		
	(1) 02 x Signature Dual Barrel Headlamps (Dual barrel LED projector), 04 x LED turn indicator (ORVM) (front & rear), 02 x Stop/brake Lights, 02 x Reverse Light, 01 x Cabin Light, all gauges and meters in dashboard fuel gauges, hazard warning lights etc as required for proper functioning of all system of the vehicle	To be mentioned	
	(2) 02 x LED Projector Fog lamps at front for driving during foggy weather	To be mentioned	
	(3) Sting like LED Daytime Running Lamps	To be mentioned	
	(4) LED Sequential turn indicator	To be mentioned	
	(5) Roof lamp for 1 <sup>st</sup> and 2 <sup>nd</sup> row		
	(6) Auto Head lamp and auto wiper	To be provided	
	(7) High mount stop lamp		
	(8) Roof mount cabin lamp (inside cabin).		
31.	Noise Suppressor	To be mentioned	
	<b>Wind Shield:</b>		
	a. Laminated Windshield Glass	Laminated acoustic glass with rain drop sensor to be provided	
	b. other window glasses	To be mentioned	
32.	c. Glass tint	35% black tint in all windows 50% black tint in rear windshield (not compromising driver's visibility)	
	d. Rear windshield with Defogger.	To be provided	
	e. Intermittent windshield wiper 2 x front & 1 x rear.		
33.	Rear Doors	To be mentioned	
34.	Clutch Details (if available)	To be mentioned	
35.	Type of Gear Shifting Lever	To be mentioned	
	<b>Front Axle:</b>		
36.	a. Type	Full-floating	
	b. Capacity	Minimum 1620 kg	
	<b>Rear Axle:</b>		
37.	a. Type	Full-floating	
	b. Capacity	Minimum 2650 kg	
	c. Differential Lock	To be mentioned	
38.	<b>Colour:</b>	Vehicle to be painted from manufacturer's factory. (chips for interior seat material colour and exterior body colour sample plate is to be submitted before painting for BAF selection)	
39.	<b>Accessories:</b> Following accessories are to be provided with the vehicle:		



a. <b>Fire Extinguisher:</b> 01 kg capacity A B C & E type or A, B, C type which capable of extinguishing A, B, C & E type fire with bracket and chemical to be fitted at the side of driver seat	To be provided	
b. Seat belt for driver and other passengers	To be provided	
c. Seat belt warning	To be provided	
d. Inspection lamp complete with cable (10 meter), plug & arrangement of socket in the vehicle for using inspection lamp	To be provided	
e. Floor mat front & rear complete	To be provided	
f. 02 x Sun visors with bracket	To be provided	
g. 01 x Inside rear-view mirror	To be provided	
h. 02 x Chrome plated outside power door rear view mirror with folding function	To be provided	
j. Cigarette lighter & Detachable Ashtray	To be provided	
k. Radio & DVD player with LCD monitor (back rest of driver & co-driver)	To be provided	
l. Digital quartz clock at dash board	To be provided	
m. Both side door: Full size normal door with power operated windows	To be provided	
n. Type of Seat: Original leather seat luxurious comfort quality	To be provided (seat colour is to be mentioned)	
p. Tachometer with engine RPM meter and speedometer (MKS system) in dashboard	To be provided	
q. Boost ventilator with central fresh, cool & air circulation (dual type air condition) with climate control system	To be provided	
r. Air conditioner	Dual zone AC Vent with climate control (front & rear row separately), hot & cold air circulation and auto 4 seats independent control (dual type) system to be provided	
s. Steering wheel cover (Leather warp type).	To be provided	
t. Door locks: Auto door lock operated from driver seat for all door.	To be provided	
u. Driver seat: Double side front & rear height adjustable with full tilting system of backrest for driver & 2 <sup>nd</sup> seater	To be provided	
v. Front, Rear and overhead console box	To be provided	

w. Cup holders on consul box front & other rows for water/soft drink cups.	To be provided	
x. Cooler box.	To be provided	
y. Glove box with lamp	To be provided	
z. Rear spoiler	To be provided	
aa. Child protector	To be provided	
ab. Assist grip	To be provided	
ac. Sun glass holder	To be provided	
ad. Accessory connector (Front & Rear)	To be provided	
ae. Seating arrangement	Front facing to be provided	
af. Axle breather and gear breather & wiring distributor box to be raised higher than that of the fording depth	To be provided	
ag. Wiring harness parts which will be in contact with water to be wrapped by special adhesive and covered by flexible pipe	To be provided	
ah. 40 liters sub fuel tank/spare fuel jerrican (fitted on the rear door with fitting attachment) if available	To be provided	
aj. Towing Hook facility	To be provided	
ak. Front foot lamps & lighting for side step (both side)	To be provided	
al. Cargo room accessory socket	To be provided	
am. Multimode/ABS with EBD or equivalent	To be provided	
an. ASTC (Active stability traction control system) or equivalent	To be provided	
ap. Coat hook	To be provided	
aq. Pintle hook at rear	To be provided	
ar. Rear door opening system	To be provided	
as. Front & Rear grill guard/bull bar	To be provided	
at. 360° Camera with front & rear Camera recorder	To be provided	
au. Fold Type Arm Rest in 2nd row with cup holder	To be provided	
av. Hill Hold control + Hill Descent Control	To be provided	
aw. Driver Drowsiness Detection (DDD)	To be provided	
ax. Sufficient number of Airbags to ensure driver and both front and rear passenger's safety (SRS)	To be provided	
ay. SD Card Qty-01 with each vehicle	To be provided	
az. Wireless door lock	To be provided	
aaa. Sun & Moon roof	To be provided	
aab. Heavy-Duty Stainless-Steel Bumper at Front & Rear	To be provided	
aac. Roof rail in both side	To be provided	
aad. Multi information display	To be provided	

	aae. BA + VSC + ARTC + CRAWL control or equivalent	To be provided	
	aaf. GPS/Navigation System	To be provided	
	aag. USB and Bluetooth Connectivity with USB charging C port (2nd row)	To be provided	
	aah. Android Auto™ + Apple CarPlay Compatibility	To be provided	
	aaj. Touchscreen Infotainment	To be provided	
	aak. Infotainment display for rear passenger seat	To be provided	
	aal. Wireless charging for rear passenger seat	To be provided	
	aam. SONY® 3D Immersive Audio 12 Speakers with Dual Channel Sub-woofer	To be provided	
	aan. Back Camera with monitor to avoid collision while reversing	To be provided	
	aap. Laser Sensor with provision of audio warning while reversing	To be provided	
	aaq. Collision avoidance control system	To be provided	
	aar. ISOFIX/i-SIZE Compatibility	To be provided	
	aas. Push Button Start	To be provided	
	aat. 4XPLORE - Intelligent 4x4 System with selectable Terrain Modes (Normal, Snow, Mud & Ruts, Sand)	To be provided	
	aav. A Pillar Grab Handle (both sides)	To be provided	
	aaw. Ski-rack	To be provided	
	aax. Skid plates	To be provided	
	aay. 8-way Driver power seat	To be provided	
	aaz. Multi terrain display	To be provided	
	aaa. Seat Heater for rear passenger seats	To be provided	
	aaab. Anti-theft provision	To be provided	
	aaac. Any other accessories (if available)	To be mentioned	
40.	<b>Tools set:</b> Following tools set are to be provided with the vehicle:		
	a. 01 x std Jack (hydraulic type) with handle	To be provided	
	b. 01 x wheel wrench with handle.	To be provided	
	c. 01 x adjustable wrench	To be provided	
	d. 01 x Pliers	To be provided	
	e. 01 set x screw driver (+/-) with handle	To be provided	
	f. 02 Nos double ended spanner.	To be provided	
	g. Grease gun with replaceable trip	To be provided	
	h. Tyre pressure gauge	To be provided	
	j. 01 x tool bag/box for above tools.	To be provided	

41.	Fast- and slow-moving spares	Quote separately for each item	
42.	Special Service Tools (SST)	If required, quote separately for each item	
43.	Special Service Materials (SSM)	If required, quote separately for each item	
44.	Analyzer Measuring & Testing/Fault Finding & Diagnostic Set for Engine (01 set)	Quote separately	
45.	<b>Publication/Manuals:</b> Following publication/technical manuals are to be provided free of cost with the vehicle.		
	a. Drivers / Owner's manual in English complete set book type qty-01.	To be provided	
	b. Updated Maintenance/ Repair/ Workshop manual for engine, chassis, body, electrical system & all other in-built accessories in English complete book type qty-01	To be provided	
	c. Complete updated master spare parts catalogue for engine, chassis, body, electrical system & all other accessories in English complete book type qty-01	To be provided	
46.	<b>Petrol Oil Lubricant (POL) information:</b> The following information must be submitted with the offer:		
	a. Details maintenance schedule of vehicle and engine	To be mentioned	
	b. Grade of fuel used in vehicle (High speed petrol) should be compatible with available fuel used in Bangladesh	To be mentioned	
	c. Type of engine oil used in vehicle, engine oil confirming to API C14 Plus, (SAE 15W-40) or higher-grade engine oil	To be mentioned	
	d. Type of gear & differential oil used in vehicle	To be mentioned	
47.	Production date	To be manufactured not before the year of contract production date must be mentioned of the veh identification (ID) plate by the Manufacturer/ assembler or certificate of production from the manufacturer must be provided.	
48.	Any other specification (if any)	To be mentioned	



**TECHNICAL TERMS AND CONDITIONS FOR PROCUREMENT OF 5-DOOR HARD TOP JEEP (GS)  
GROUP-A, QTY-01 EA FOR BAF THROUGH DGDP IN FY 2024-25**

Ser	Description	To be filled up by the Principal/
	The bidder is to mention "Comply/Not comply/Appropriate remarks against each Technical Specification and Terms & Conditions. Otherwise, the quotation will not be accepted. The Terms & Conditions are mentioned below:	
1.	Item must be brand new, unused and latest product (not earlier than the year of 2025) with necessary accessories and standard fittings. Original Equipment Manufacturers (OEM) certificate (mentioning the year of production) must be enclosed with the quotation and proforma invoice.	
2.	Authorization certificate (Original) in favor of the Principal by the OEM is to be submitted along with the offer.	
3.	Authorization certificate (Original) in favor of the local agent by the principal is to be submitted along with the offer.	
4.	Technical specification and all terms and conditions with tender form must be filled up by the local agent, principal & manufacturer (As per guide line/instruction against each annex) and must be submitted with the offer.	
5.	Offered technical specifications must conform to the specifications mentioned in the submitted brochure/catalogue. Fax/photocopy/hand-written offer/catalogue/brochure and catalogue without marking/signing will not be considered.	
6.	Hand written offer and any written clarification will be rejected. It must be typed and printed in the original pad of the manufacturer, principal and local agent duly signed by the authority.	
7.	Original offer (duly signed at every page) along with original brochure in English (02 x original copies for DGDP and 01 x original copy for Directorate of Engineering and 01 x copy for Directorate of Supply) of vehicle having all the relevant information including colour photographs of the vehicle and equipment along with details of technical information with proper marking and sign, name, designation, telephone number, fax number, email and mail address must be submitted.	
8.	Manufacturer's Original parts Catalogue/Spare parts Catalogue/Brochure/Manuals and other publications associated with the equipment are to be provided by the supplier and these publications to be produced during the Pre Shipment Inspection.	
9.	The bidder is to mention in the offer whether the manufacturer is <b>ISO</b> certified or not. A <b>certificate</b> in this regard is to be submitted <b>along with the offer</b> .	
10.	All types of <b>marks/indications/instruction</b> must be <b>engraved</b> on the body of the vehicle.	
11.	Transit accounting card (TAC)/identification card comprising part number and nomenclature of stores along with supply of spare parts must be provided in English language.	
12.	Supplier is to give undertaking that they would provide updated/superseded/changed catalogue of spare parts for the main vehicle on routine basis till the equipment is in use in Bangladesh. Supplier must intimate well in advance, if further production of the item is discontinued.	
13.	The bidder is to quote separately for each item of standard Special Service Tools (SST) and Special Service Materials (SSM) required for the vehicle. BAF has the option to accept/ reject part or entire list of the SST and SSM. The bidder is to offer multiple options for interior decoration, position of seats and other optional accessories of the vehicle. BAF will have the option to choose and select the final configuration. Bidder is also to quote item-wise price of such options.	

14.	The bidder is to quote separate costs for fast and slow-moving consumable spares with unit price separately which will be required for the first <b>two years</b> of maintenance. BAF has the option to accept/ reject part or entire list of the spares.	
15.	The bidders are to submit their Financial Offer (price quotation) in the offer separately mentioning as follows. a. Price of vehicle including freight charge. b. Cost of training (which will be included in the financial part of the contract. BAF has the option to accept/reject the training). c. Price of fast and slow-moving spares, Standard Special Service Tools (SST) and Special Service Materials (SSM) separately.	
16.	All items/parts with the vehicle must be manufactured within the same country. If the country of manufacture of any item is different, then it is to be certified by the manufacturer and is to be mentioned in the offer.	
17.	The port of shipment must be from the manufacturer's country.	
18.	The vehicle must be supplied in standard <b>Air/Sea</b> worthy packing.	
19.	The vehicle is to be delivered within <b>270 days</b> after signing the contract.	
20.	The bidder is to deliver the vehicle at 201 MU, BAF within <b>one month</b> after customs clearance at Chattogram by the Embarkation Unit, BAF.	
21.	The vehicle is to be brought from Chattogram to Dhaka by the supplier's/ local agent's expense and arrangement. Any damage/pilferage or discrepancies arise during transportation will be fulfilled by the supplier/local agent.	
22.	Inspection of the vehicle in Bangladesh will be carried out combinedly by 212 MU BAF and CQC (U) BAF with the presence of supplier's representative.	
23.	The following documents should be supplied along with the vehicle during inspection at 201/212 MU by CQC(U) BAF: a. Shipping invoice/ documents mentioning the name of the ship and port. b. Manufacturer's certificates stating that the vehicles are manufactured by them. c. Quality Assurance Certificate of the vehicle is to be signed by the manufacturer's quality control inspector and the year of production is to be mentioned in the Quality Assurance Certificate.	
24.	If any item is found unserviceable/ damaged during the inspection at the consignee's premises, it must be replaced with a new one by the supplier's expense within 60 days of reporting/ detection of unserviceability/ damage and forwarding of discrepancy report.	
25.	The Quality Assurance Certificate (QAC) is to be provided by the quality control department of the manufacturer for equipment and spares and to be handed over during delivery of the equipment to BAF.	
26.	Two-member pre-shipment inspection team <b>{01 x Engineering Officer (M) and 01 x Airmen of MTOF (MTF) trade}</b> will visit the factory for inspection of the vehicle for 05 working days (excluding journey) before the vehicle is made ready for shipment. The bidder is to arrange a pre-shipment inspection for the BAF team at the convenience of both parties. BAF will bear all necessary expenditures for the pre-shipment inspection. The supplier is to arrange local transport and all the admin formalities of the team. The supplier is to extend all possible assistance to the team for checking the documentation including physical checking of the vehicle. BAF will have the option to decide whether a pre-shipment inspection will be done or not. The supplier should inform about the date of the pre-shipment inspection at least <b>08 weeks</b> prior to the exact date of carrying out the pre-shipment inspection.  <b><u>Following will be inspected by the PSI team:</u></b> (1) The PSI team will carry out visual checking of 100% equipment (Vehicle, Tools and Accessories, Fast and slow moving Spares, SST, SSM and Publications) as per contract specification.	

	<p>(2) Performance/ Functional test (by static run of all equipment and road test drive of 20% equipment i.e. test drive, test of transmission system, brake system, operational employment, air condition test, performance of tyre etc) to be carried out by the PSI team according to PSI criteria. Quantity may vary considering the available facility. weather condition and duration of PSI.</p> <p>(3) For the component imported from another factories the PSI team will check the shipping document and quality assurance certificate from the quality control department of manufacturer.</p> <p>(4) During Pre-shipment Inspection Engine Test Bench Report (for each model) must be produced and submitted to the team (duly signed and stamped by the manufacturer) which was prepared by manufacturer during production of engine at factory premises. Other the same model must be engine (mentioning engine number) of certified confirming the engine Test Bench Report by the manufacturer (duly signed and stamped).</p> <p>(5) Any deviations in major components from contract must be spelled out clearly in the PSI report and to be informed BAF (if possible during PSI).</p>	
27.	If the pre-shipment inspection is not carried out by Bangladesh Air Force, then a Quality Assurance Certificate (QAC) is to be provided by the quality control department of the manufacturer for equipment, and for spares, the same is to be provided by the supplier's principal/ manufacturer.	
28.	Whether pre-shipment inspection done or not done, all items and spare parts must be shipment and supplied along with the equipment as per contract specifications. If the supplier fails to supply as per contract specifications, then supplied equipment has to be replaced at the cost of supplier.	
29.	<p><b><u>Joint Post Shipment Inspection.</u></b> Following to be checked by the Joint Post-Shipment Inspection team during Joint Post-Shipment Inspection:</p> <p>a. Joint Post shipment of equipment will be done by the JPSI team members as per contract and JPSI criteria.</p> <p>b. 100% visual inspection will be carried out as per technical specification of subject Equipment, spare parts, SST, SSM and Publications.</p> <p>c. Brand, make and model, year of production and country of origin, manufacture and assembly will be checked and confirmed against main equipment and related major components during Joint post shipment inspection.</p> <p>d. Performance/ Functional test will be carried out by the JPSI team according to JPSI criteria.</p> <p>e. The major components which are shipped/assembled/manufactured from other countries as per contract, related shipment documents and necessary certificates (original QAC) from manufactures (duly signed and stamped) and must be placed for checking by the JPSI team (if necessary).</p>	
30.	If any supplied item is found not as per contract during Post-shipment inspection, it will not be accepted. The supplier must take back the item at their own cost.	
31.	One set of necessary shipment documents must be submitted to Special Directorate (Directorate of Engineering) for equipment.	
32.	Tempered offer will be directly rejected.	

33.	A warranty/ Guarantee for <b>12 months/ 20,000 km</b> (whichever comes earlier) of trouble-free operation with provide routine maint incl free supply of lubricants and spares (oil filter) during warranty period. The maint would be in 02 (two) phases at 5,000 km and 10,000 km during warranty period. <b>03 x free minor servicing and 01 x free major servicing</b> including replacement of necessary spares free of cost is to be provided by the supplier from the date of acceptance of the vehicle in BAF. If any item is found defective within the warranty period, it must be replaced with new serviceable one by supplier's expenses including both ways freight and insurance charges at the shortest possible time but not later than 60 days from the date of reporting the defect to the supplier. Periods of unserviceability for more than 60 days will be added to the total warranty period.	
34.	A guarantee of spare availability for 10 years is to be provided by the supplier after the warranty period. In this regard, the bidder is to submit a certificate from the manufacturer (OEM).	
35.	Urgent spare parts to be made available by the principal to user within 30 days of placing the demand subject to stock holding. In case stoke is not readily available immediate action will be taken on priority to manufacture/procure the same and will be supplied at the earliest (Certificate by principal)	
36.	After sales service should be available with the lacial agent of the supplier and is to be provided as and when required for indefinite period (Free of charge up to warrenty period and there after with payment). A <b>guarantee certificate</b> in this regard is to be provided by the local agent <b>along with the offer.</b>	
37.	<p>a. On-site familiarization training on repair, maintenance and troubleshooting is to be conducted by the engineer/ specialist of the manufacturer/ supplier for a group of BAF personnel for 05 working days in Bangladesh. In this regard, BAF would appreciate an offer of familiarization training at free of cost. However, if the bidder cannot afford a free training then the bidder is to quote the training cost separately which will be included in the financial part of the contract. In case of a foreign specialist, all other expenditures including air tickets, food, accommodation, medical care and transportation (both internal and external) for the engineer/ specialist are to be arranged and borne by the bidder. BAF has the option to accept/ reject the familiarization training.</p> <p>Following topics have to be included in the training syllabus:</p> <ol style="list-style-type: none"> <li>(1) Tools &amp; Accessories operation.</li> <li>(2) Operating System.</li> <li>(3) Fault &amp; Alarming System.</li> <li>(4) Oil, Lubricant, Coolant Liquid Change System.</li> <li>(5) Electric Connection System.</li> <li>(6) Probable fault likely Shooting.</li> <li>(7) Fault Finding &amp; Trouble Shooting.</li> <li>(8) Use of Analyzer &amp; other Assotiated issue.</li> <li>(9) Consulatation of owners functional manual.</li> </ol> <p>b. Provide training with Block Diagrams and Flow Chart of different control system. Block Diagrams and Flow Charts to be supply to trainees.</p> <p>c. Language of instructor sould be English/Bangla. All the training handout/books/presentation should be in English/Bangla.</p> <p>d. 70% class will be practical.</p> <p>e. Training will commerce after successful functional test/inspection.</p> <p>f. Routine maintenance schedule to be supply in tabular form.</p> <p>g. Provide all Power Point presentations and training materials.</p> <p>h. Consultation of the owner's manual, repair manual and spare parts catalogue with CD/DVD to be taught to the trainees.</p> <p>j. On completion of the training, a certificate to be provided by the instructor/supplier to the trainees mentioning their performance and level of expertise attained.</p>	

38.	The bidder is to mention <b>comply/not comply/appropriate remarks</b> against each clause/serial-number of the technical specification and terms & conditions as per the sequence. Mentioning 'Comply' against any tender specification will be considered that the bidder is fully agreed with the requirement of that particular clause.	
39.	BAF may disqualify a bidder/supplier without any notice who has previous record of poor performance such as abandoning the job, not properly completing the contract, significant delay to supply the contracted items, litigation history of financial failures and non-submission of required certificates/ documents with the offer.	
40.	In case of failure to supply the contracted goods within stipulated time, BAF may cancel the contract.	
41.	No price increment at any stage after submission of offer will be accepted by BAF.	
42.	Offer must remain valid till 30 June 2025 of the tender. Within the validity of the offer, withdrawal of offer or showing unwillingness to deliver the items by the bidder will not be accepted and in such cases subsequent action would be taken against the bidder as per DGDP rules.	
43.	Any other terms and conditions not covered here will be dealt with as per DGDP rules and regulations.	
44.	Air Headquarters has the right to increase/ decrease the quantity of the vehicle in the indent and also reserve the right to cancel the indent without specifying reason.	

**MISC TERMS AND CONDITIONS**

Ser no	Miscellaneous Terms and Conditions	Filled by the bidder
01.	The bidder must mention their full address including telephone number, Fax number and e-mail address. They also to mention the name and full address of their local agent (if any) in the offer.	
02.	Item with changed/ dissimilar part no/description (if any) is to be mentioned during submission of offer.	
03.	If any changes required in contract/LC due to the fault of supplier, all expenses shall be borne by the supplier.	
04.	Normally transshipment is not allowed. If the bidder needs transshipment, they are to mention clearly about their requirement. In case of such requirement, the transshipment may be allowed under single AWB/BL.	
05.	The bidder is to mention country of origin, country of manufacture, port shipment and country of shipment in the offer.	
06.	No increase of the price at any stage after submission of offer will be accepted by BAF. The offered unit price and total price against each item must be correct. If the unit price and total price of an item is found incorrect, that unit price or total price will be taken into consideration which will be benefited to BAF.	
07.	The bidder is to quote <b>FCA/FOB</b> cost and freight charges (by both Air & Sea) separately & clearly in financial offer. Any price/ cost quoted in the pages of quotation other than financial offer will not be considered.	
08.	For failure to supply the contracted items in time, DGDP may cancel the contract with nec punitive action.	
09.	Offer must remain valid up to 30 <sup>th</sup> Jun 2025. Within the validity of the offer, withdrawal of offer or un-willingness to sign the contract by the bidder will not be accepted and in such cases actions would be taken against the principal supplier and local agent as per DGDP rules. Delivery schedule if mention in the tender specifications may be changed by DGDP/BAF due to delay in concluding the contract. In this case, the contract would be signed within offer validity period. DGDP/BAF also reserves the right to get the offer validity extended with the consent of the supplier.	

10.	The bidder is to mention Contract/Purchase order number on the Air way bill (AWB)/Bill of lading (BL) and commercial invoices and also cross linking between AWB/BL and invoices.	
11.	Part shipment: Not allowed.	
12.	Part payment: Not allowed except mentioned in the payment terms.	
13.	<p><b>Payment Terms.</b> 100% Payment in foreign currency will be made through an irrevocable Letter of Credit (LC) opened with scheduled bank in Bangladesh and negotiating bank recommended by the supplier under following terms and conditions:</p> <p>a. 80% of CFR/CPT value will be released on production of shipping documents to the bank.</p> <p>b. Rest 20% CFR/CPT value will be released on satisfactory acceptance of 100% items by BAF after inspection/functional test (as applicable), on production of Certificate Receipt Voucher (CRV) and written clearance from DGDP.</p> <p>c. 100% cost of training will be paid on completion of training and on production of training completion certificate signed by the competent authority of BAF.</p>	
14.	AWB/BL must be in the name of consignee.	
15.	Bidders are requested to submit soft copy of Financial Offer in a CD according to the given proforma along with the hard copy of Financial Offer in closed envelop.	
16.	Compliance of tender terms & conditions should be mentioned in the quotations by the bidder as per sequence above. Bidder is to provide appropriate information against each clause clearly (where necessary) instead of 'complied'/'not complied'. No contradictory/hypothetical sentence/word/ (like, quote is subject to availability/prior to sell/subject to export license approval or words so) will be accepted by BAF.	
17.	Any other terms and conditions not covered here will be as per DGDP rules and regulations.	

**ANNEX E TO  
TENDER NO 06.06.0000.279.07.179.24  
DATED 24 NOVEMBER 2024**

**FORMAT FOR SUBMISSION OF FINANCIAL OFFER (DP-6)**

Subject	Qty	Price	Remarks
Procurement of 5 Door Hard Top Jeep (GS), Group-A	01 Ea		
Sea/Air Freight			
CFR/CPT Value			
Special Service Tools (SST) and Special Service Materials (SSM) as per clause 13 of Annex D (Technical Terms & Conditions)			Details may be shown in appendix
Cost of Fast and slow-moving Spare Parts as per clause 14 & 15(C) of Annex D (Technical Terms & Conditions)			Details may be shown in appendix
Cost of Local Training as per clause number 37 of Annex D (Technical Terms & Conditions)			Details may be shown in appendix
<b>Total Value</b>			

Local Agent's Commission:

Validity \_\_\_\_\_ :  
 Delivery \_\_\_\_\_ :  
 Country of Origin \_\_\_\_\_ :-  
 Warranty \_\_\_\_\_ :  
 PG Amount \_\_\_\_\_ :

**Remarks.**

1. Each column must be filled in by the Principal and submitted with application.
2. All above information's must be in principal's invoice quotations.
3. Write in column NOT APPLICABLE (NA) if not asked in tender conditions and NOT QUOTED (NQ) if not quoted by principal.

**Signature of the Tenderer  
With Full Name, Address and Seal of the Company**