FOR OFFICIAL USE ONLY

Directorate General Defence Purchase Ministry of Defence New Airport Road Tejgaon, Dhaka-1215 Telephone: Military 5036

Civ: 48111625

E-mail: adp1army1@dgdp.gov.bd

15 Srabon 1430

06.06.0000.214.eval.23/wksp lorry (med)

30 July 2023

EVALUATION OF WORKSHOP LORRY (MEDIUM)

Reference:

- A. Army Headquarters, Engineer in Chief's Branch, Engineer Directorate letter number 23.01.901.055.02. 192.03.26.07.23 Dated 26 July 2023.
- 1. Please be informed that, Bangladesh Army is planning to procure Workshop Lorry (Medium) for Bangladesh Army. In this regard, you are requested to provide offer, Brochure, Catalogue, technical/training/operational/maintenance manuals and budgetary offers etcetera for standardization of models Workshop Lorry (Medium). Offered models should be compatible with general technical specification attached herewith and submits directly to Army Headquarters, Engineer in Chief's Branch, Engineer Directorate, Dhaka Cantonment by 16 August 2023 with intimation to this office. You are also requested to provide enlistment certificate of DGDP along with technical offer.
- 2. Forwarded for your information and necessary action please.

MD SHAHARIARE KHAN Lieutenant Colonel For Director General

Annexure:

A. Technical Specification of Workshop Lorry (Medium) - 01 (One) Set only.

Distribution: External:

Action:

(All Concerned Supplier/Firm)

Information:

Army Headquarters, General Staff Branch, Weapon Equipment and Statistic Directorate

Army Headquarters, Engineer in Chief's Branch, Engineer Directorate

Army Headquarters, Master General of the Ordnance Branch, Ordnance Directorate

Internal:

IT Section - (For sending to enlisted Supplier/Firm with DGDP through e-mail). Also publish in web site.

Notice Board

ANX A TO FNGR DTE LTR NO. LTR NO. 23.01.901.055.02.192.02.26.07.23 DT: 26 JULY 2023

TECHNICAL SPECIFICATION OF WORKSHOP LORRY (MEDIUM) (Approved in General Staff Policy Committee Meeting 8/2018)

Ser	Description	Required Technical Specification	Remarks
	Part-1: General Specification	The same of the sa	
	Name of the Equipment	Workshop Lorry (Medium)	
	Name and Complete Address of the Local Agent	To be mentioned	
	Name and Complete Address of the Principal	To be mentioned	
	Name and Complete Address of the Manufacturer	To be mentioned	<u> </u>
	Make & Model	To be mentioned	
	Country of Origin	Group A & B Countries	
	Country of Assembly		
	Country of Manufacturer		
	Year of production	Not before the year of contract	
	Part-2: Technical Specification	The year in contract	
),	Truck Specification		
	a. Make & Model	To no manuaged	
	b. Country of Origin	To be mentioned	
	c. Country of Manufacturer	Crown A. R. D. Countries	
	d. Country of Assembly	Group A & B Countries	
		The second secon	
·	Type of Drive	(ii)	
	Configuration	Manaman 4x4	
٠.,	Vehicle Dimensions (mm)		
	a. Length	To be mentioned	
	b. Width	To be mentioned	
	c. Height	To be menuoned	
	Load Body Dimension (mm)	• 10 10 10 10 10 10 10 10 10 10 10 10 10	
	a. Length	To be mentioned	
	b. Width	To be mentioned	
	c. Height	To be mentioned	
	Weights	To be mentioned	
		The latest the second s	
		To be mentioned	
	b. Kerb Weight (Kg) Chassis	To be mentioned	
	Kerb Weight complete Workshop Lorry	To be mentioned	
	d. Gross Vehicle Weight (Kg)	To be mentioned	
	Wheel Base	To be mentioned	The same of the sa
·	Minimum Ground Clearance (Front & Rear)	Minimum 300 mm	
٠.,	Angle of Approach (degree)	Minimum 25°	
	Angle of Departure (degree)	Minimum 25°	
	Gradebility	Minimum 30°	
. ,	Minimum Turning Radius	Maximum 9.5 m	
	Maximum Fording ability	Minimum 600 mm	
	Engine		
	a. Make & Model	To be mentioned	
	b. Type	1 22 2	
	the court of the contract of t	Details to be mentioned	
	c Country of Origin	Group A & B Countries	-
	d. Country of Manufacturer		
1	e. Country of Assembly		
	f. Year of Production	Not before the year of contract	
1	g. Horse Power with rpm	Minimum 201 HP with rpm to be mentioned	
İ	h. Number of cylinder	Minimum 6 Cylinder	
[j. Maximum Torque with rpm	To be mentioned	
	k. Bore and Stroke	To be mentioned	
ĺ	I. Fuel injection pump	To be mentioned	
	m. Piston displacement	To be mentioned	
	n. Compression Ratio	To be mentioned	
	p. Cooling System	Water cool	
Ī	q. Type of Fuel	Diesel	
	r. Fuel consumption per 100 km	To be mentioned	
1	s. Turbo charger available or not	TOTAL CONTRACT OF THE CONTRACT	
	**	Details to be mentioned	
	t. Engine test bench certificate	During msp Engine test bench report (for the contracted model) which was prepared by manufacturer during	
		production of engine at factory premises must be	
ĺ		produced and submitted to the team (duly signed and	
		stamped by the manufacturer) Other engine	
	*	(mentioning engine number) of the same model must be	
		cert confirming the engine test bench report by the manufacturer (duly signed and stamped)	

Details to be mentioned To be mentioned To be mentioned Manual Group A & B Countries 6 Speed forward + 1 reverse (Minimum) To be mentioned Two line trailer brake coupling at rear with 2 pro electrical connector NATO standard for Trailer Details to be mentioned Power Steering To be mentioned To be men	Ser	Description	Required Technical Specification	Remarks
To be mentioned Manual Group A & B Countries 6 Speed forward + 1 reverse (Minimum) To be mentioned Ar & Hydraulic Details to be mentioned Vort & Amp to be mentioned Vort & With the trailer brake coupling at rear with To hine trailer brake coupling at rear with To he trailer brake coupling at rear with To be mentioned To be mentio	24.	Fuel Tank Capacity (The vehicle to be able to run	Minimum 200 Liters	Kemarks
To be mentioned Manual Group A & B Countries 6 Speed forward + 1 reverse (Minimum) To be mentioned Ar & Hydraulic Details to be mentioned Ar & Hydraulic Details to be mentioned To hine trailer brake coupling at rear with To he trailer brake coupling at rear with To he mentioned To be mentioned To		minimum 500 km)		
To be mentioned Manual Group A & B Countries 6 Speed forward + 1 reverse (Minimum) To be mentioned Arr & Hydraulic Details to be mentioned Voit & KW to be mentioned Arr & Hydraulic Details to be mentioned	25.	Power/Weight ratio	Details to be mentioned	
To be mentioned Manual Group A & B Countries 6 Speed forward + 1 reverse (Minimum) To be mentioned Ar & Hydraulic Details to be mentioned Two line trailer brake coupling at rear with 12 pin electrical connector NATO standard for Trailer Details to be mentioned Two line trailer brake coupling at rear with 12 pin electrical connector NATO standard for Trailer Details to be mentioned To be menti	26.	Ground pressure		
Manual Group A & B Countries	27.	Transmission System	TO THE HEIGHT CO	ļ
Manual Group A & B Countries		a. Make & Model	To be montioned	
Group A & B Countries 6 Speed forward + 1 reverse (Minimum) To be mentioned 24 Volt 2x1 2Volt & AH to be mentioned Volt & Amp to be mentioned Volt & Amp to be mentioned Are & Hydraulic Details to be mentioned Two line trailer brake coupling at rear with 12 pin electrical connector NATO standard for Trailer Details to be mentioned Power Steering To be mentioned USA. Japan. EU Countries. Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Non directional, Ground Grip & Cross country (ND, GG & CC) To be mentioned USA. Japan. EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Non directional, Ground Grip & Cross country (ND, GG & CC) To be mentioned USA. Japan. EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Details to be mentioned 11 2x Blackout light at front to be provided 2 2x Riackout light at rear to be provided 3 1x Blackout driving to be provided 1x Tords box and 1x double jerry can carrier to be provided 1x Tords box and 1x double jerry can carrier to be provided Towng brook with capacity of 8 Tons at front		b. Type of Transmission		ļ
6 Speed forward + 1 reverse (Minimum) To be mentioned 24 Voit 23 2 2 Voit & AH to be mentioned Voit & Amp to be mentioned Voit & With to be mentioned Arr & Hydraulic Details to be mentioned Two line trailer brake coupling at rear with 2 pin electrical connector NATO standard for Trailer Details to be mentioned Hodge-stone/Huntop/Goodycar/Yokohama/Topo/ Huntopal/Continental/Michelm/Plonda/Firestone/ Armstrong/AMTEJ/Furbl USA, Japan. EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grap & Cross country (ND, GG & CC) To be mentioned USA Lapan. EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea USA Lapan. EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Details to be mentioned (1) 2x Blackout light at front to be provided (2) 2x Blackout light at rear to be provided (3) 1x Blackout crowy to be provided (4) 1x Blackout troving to be provided (5) Fare wheel with Jack up facilities & hanger to be provided Towing hook with capacity of 8 Tons at front		C. Country of origin		
To be mentioned 24 Volt 2x12Volt & AH to be mentioned Volt & Amp to be mentioned Volt & May to be mentioned Volt & With the mentioned Volt & With the mentioned Arr & Hydraulic Details to be mentioned Two line trailer brake coupling at rear with 12 pin electrical connector NATO standard for Trailer Details to be mentioned Power Steering To be mentioned Power Steering To be mentioned Redgestone/Huntony/Goodyear/Yokohama/Toyo/ Huntoyal/Continental/Michelm/Plonda/Firestone/ Arristrong/AMILIS/ Purell USA, Japan. EU Countries, Russia, Brazil, Indonesia, Malavisa, Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & CC) Tabe mentioned USA, Japan. EU Countries, Russia, Brazil, Indonesia, Malavisa, Philippines, Singapore, Thailand and South Korea Details to be mentioned USA, Japan. EU Countries, Russia, Brazil, Indonesia, Malavisa, Philippines, Singapore, Thailand and South Korea Details to be mentioned (1) 2x Blackout light at front to be provided (3) 1x Blackout tronying to be provided (4) 1x Blackout tronying to be provided (5) 2x Blackout light at rear to be provided (6) 1x Tools box and 1x double jerry can carrier to be provided Spare wheel with pack up facilities & hanger to be provided Towing hook with capacity of B Tons at front		personnell all transport train a property of the personnel of the personne	Group A & B Countries	
To be mentioned 24 Volt 2x12Volt & AH to be mentioned Volt & Amp to be mentioned Volt & May to be mentioned Volt & With the mentioned Arr & Hydraulic Details to be mentioned Two line trailer brake coupling at rear with To pin electrical connector NATO standard for Trailer Details to be mentioned Power Steering To be mentioned USA, Japan, EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & CC) Ta be mentioned USA, Japan, EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Details to be mentioned (1) 2x Blackout light at front to be provided (3) 1x Blackout trony to be provided (4) 1x Blackout tronying to be provided (5) 2x Blackout light at rear to be provided (6) 1x Tools bisk and 1x double jerry can carrier to be provided Towing hook with capacity of 8 Tons at front		d. Country of Assembly		
To be mentioned 24 Volt 2x12Volt & AH to be mentioned Volt & Amp to be mentioned Volt & May to be mentioned Volt & With the mentioned Arr & Hydraulic Details to be mentioned Two line trailer brake coupling at rear with To pin electrical connector NATO standard for Trailer Details to be mentioned Power Steering To be mentioned USA, Japan, EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & CC) Ta be mentioned USA, Japan, EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Details to be mentioned (1) 2x Blackout light at front to be provided (3) 1x Blackout trony to be provided (4) 1x Blackout tronying to be provided (5) 2x Blackout light at rear to be provided (6) 1x Tools bisk and 1x double jerry can carrier to be provided Towing hook with capacity of 8 Tons at front		e. Country of Manufacturer		
To be mentioned 24 Volt 2x12Volt & AH to be mentioned Volt & Amp to be mentioned Volt & May to be mentioned Volt & With the mentioned Arr & Hydraulic Details to be mentioned Two line trailer brake coupling at rear with To pin electrical connector NATO standard for Trailer Details to be mentioned Power Steering To be mentioned USA, Japan, EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & CC) Ta be mentioned USA, Japan, EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Details to be mentioned (1) 2x Blackout light at front to be provided (3) 1x Blackout trony to be provided (4) 1x Blackout tronying to be provided (5) 2x Blackout light at rear to be provided (6) 1x Tools bisk and 1x double jerry can carrier to be provided Towing hook with capacity of 8 Tons at front		f. Number of gears	6 Speed forward + 1 reverse (Minimum)	
To be mentioned Group A & B Countries To be mentioned 24 Volt 24 12Volt & AH to be mentioned Volt & Amp to be mentioned Volt & KW to be mentioned Air & Hydraulic Details to be mentioned Two line trailer brake coupling at rear with 12 pin electrical connector NATO standard for Trailer Details to be mentioned Power Steering To be mentioned ISA lapan. Ell Countries Russia, Brazil, Indonesia, Malaysia Philippines, Singapore, Thailand and South Korea Non directional, Ground Grip & Cross country (ND, GG & GC) To be mentioned ISA, Lapan. Ell Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Non directional, Ground Grip & Cross country (ND, GG & GC) To be mentioned ISA, Lapan. Ell Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Details to be mentioned [1] 2x Blackout light at front to be provided [2] 2x Blackout light at rear to be provided [3] 1x Blackout triving to be provided [4] 1x Blackout triving to be provided [5] 1x Tools box and 1x double perry can carrier to be provided Fowing book with capacity of 8 Toos at front		g. Gear ratio		
To be mentioned 24 Volt 2x 12Volt & AH to be mentioned Volt & Amp to be mentioned Volt & Amp to be mentioned Volt & KW to be mentioned Are Hydraulic Details to be mentioned Two line trailer brake coupling at rear with 12 pin electrical connector NATO standard for Trailer Details to be mentioned Power Steering To be mentioned To be mentioned Hodgestone/Bundop/Gendyear/Yokohama/Toyo/ Introval/Lontinental/Michelin/Florida/Firestone/ Aristrong/ AM 181/ Direll USA, Japan. Ell Countries. Russia. Brazil, Indonesia, Malaysia Philippines, Singapore, Thailand and South Korca Non-directional, Ground Grip & Cross country (ND, GG & CC). To be mentioned USA, Japan. Ell Countries. Russia. Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korca Non-directional, Ground Grip & Cross country (ND, GG & CC). To be mentioned USA, Japan. Ell Countries. Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korca Non-directional, Ground Grip & Cross country (ND, GG & CC). To be mentioned USA, Japan. Ell Countries. Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korca Non-directional, Ground Grip & Cross country (ND, GG & CC). To be mentioned USA, Japan. Ell Countries of the provided (1) 2x Blackout light at front to be provided (2) 2x Blackout light at rear to be provided (3) 1x Blackout driving to be provided (4) 1 x Blackout driving to be provided (5) 1x Tools box and 1x double jerry can carrier to be provided (6) 1x Tools box and 1x double jerry can carrier to be provided (7) Towing book with capacity of 8 Tons at front	8.	Transfer Case	TO BE THE TOTAL OF THE PARTY OF	
To be mentioned 24 Volt 2x 12Volt & AH to be mentioned Volt & Amp to be mentioned Volt & Amp to be mentioned Volt & KW to be mentioned Are Hydraulic Details to be mentioned Two line trailer brake coupling at rear with 12 pin electrical connector NATO standard for Trailer Details to be mentioned Power Steering To be mentioned To be mentioned Hodgestone/Bundop/Gendyear/Yokohama/Toyo/ Introval/Lontinental/Michelin/Florida/Firestone/ Aristrong/ AM 181/ Direll USA, Japan. Ell Countries. Russia. Brazil, Indonesia, Malaysia Philippines, Singapore, Thailand and South Korca Non-directional, Ground Grip & Cross country (ND, GG & CC). To be mentioned USA, Japan. Ell Countries. Russia. Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korca Non-directional, Ground Grip & Cross country (ND, GG & CC). To be mentioned USA, Japan. Ell Countries. Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korca Non-directional, Ground Grip & Cross country (ND, GG & CC). To be mentioned USA, Japan. Ell Countries. Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korca Non-directional, Ground Grip & Cross country (ND, GG & CC). To be mentioned USA, Japan. Ell Countries of the provided (1) 2x Blackout light at front to be provided (2) 2x Blackout light at rear to be provided (3) 1x Blackout driving to be provided (4) 1 x Blackout driving to be provided (5) 1x Tools box and 1x double jerry can carrier to be provided (6) 1x Tools box and 1x double jerry can carrier to be provided (7) Towing book with capacity of 8 Tons at front		a. Type	To be wentled	
To be mentioned 24 Volt 24 EVOIT & All to be mentioned Volt & Amp to be mentioned Volt & Amp to be mentioned Air & Hydraulic Details to be mentioned Two line trailer brake coupling at rear with 12 pin electrical connector NATO standard for Trailer Details to be mentioned Power Steering To be mentioned To be mentioned To be mentioned Herdgestone/Dunlop/Goodyear/Yokohama/Toyo/ Harrow/J.Continental/Michelin/Florida/Firestone/ Armstrong/ AMTEL/ Pirell USA, Japan. Ell Countries. Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & CC) To be mentioned USA, Japan. Ell Countries. Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & CC) To be mentioned USA, Japan. Ell Countries. Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Details to be mentioned [1] Zx Blackout light at front to be provided [2] Zx Blackout light at rear to be provided [3] Ix Blackout riving to be provided [4] Ix Blackout riving to be provided Ix Tools box and Ix double jerry can carrier to be provided Spare wheel with jack up facilities & hanger to be provided Towing hook with capacity of 8 Tons at front		b. Make & Model		
To be mentioned 24 Volt 24 12 Volt & AH to be mentioned Volt & Amp to be mentioned Volt & KW to be mentioned Ar & Hydraulic Details to be mentioned Two line trailer brake coupling at rear with 12 pin electrical connector NATO standard for Trailer Details to be mentioned Power Steering To be mentioned To be mentioned To be mentioned To be mentioned Redgestone/Dunton/Goodyear/Yokohama/Toyo/ Harrowal/Lootinental/Michelin/Florida/Firestone/ Armstrong/AMTEL/Pirelli USA, Japan. EU Countries. Russia, Brazil, Indonesia, Malavsia. Philippines. Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & GC) To be mentioned USA, Lapan. EU Countries. Russia. Brazil, Indonesia, Malaysia. Philippines. Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & GC) To be mentioned USA, Lapan. EU Countries. Russia. Brazil, Indonesia, Malaysia. Philippines. Singapore. Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & GC) To be mentioned USA, Lapan. EU Countries. Russia. Brazil, Indonesia, Malaysia. Philippines. Singapore. Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & GC) To be mentioned USA, Lapan. EU Countries Russia. Brazil, Indonesia, Malaysia. Philippines. Singapore. Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & GC) To be mentioned USA, Lapan. EU Countries Russia. Brazil, Indonesia, Malaysia. Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & GC) To be mentioned USA, Lapan. EU Countries Russia. Brazil, Indonesia, Malaysia. Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & GC) To be mentioned USA, Lapan. EU Countries Russia. Brazil, Indonesia, Malaysia. Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & GC) To be mentioned USA, La	* *	to the second se	The state of the s	
To be mentioned To be mentioned To be mentioned 24 Volt 24 Volt & All to be mentioned Volt & Amp to be mentioned Volt & My to be mentioned Arr & Hydraulic Details to be mentioned Two line trailer brake coupling at rear with 12 pen electrical connector NATO standard for Trailer Details to be mentioned Power Steering To be mentioned To be mentioned To be mentioned Hodgestone/Dunlop/Gondyear/Yokohama/Toyo/ Universit/Continental/Michelin/Florida/Firestone/ Armstrong/ AMTEL/ Pirelli USA, Japan. EU Countries. Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & CC) To be mentioned USA, Japan. EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Details to be mentioned (1) 2x Blackout light at front to be provided (2) 2x Blackout light at rear to be provided (3) 1x Blackout convoy to be provided (4) 1x Blackout convoy to be provided (5) 1x Blackout convoy to be provided (6) 1x Tools box and 1x double jerry can carrier to be provided (8) 1x Blackout driving to be provided (9) 1x Blackout driving to be provided (1) 1x Blackout driving to be provided (1) Tools box and 1x double jerry can carrier to be provided (1) Tools box and 1x double jerry can carrier to be provided (1) Tools box and 1x double jerry can carrier to be provided (1) Tools box and 1x double jerry can carrier to be provided (2) Tools box and 1x double jerry can carrier to be provided		Country of Origin	Group A & B Countries	
To be mentioned To be mentioned To be mentioned 24 Volt 28/12Volt & All to be mentioned Volt & Amp to be mentioned Volt & W to be mentioned Arr & Hydraulic Details to be mentioned Two line trailer brake coupling at rear with 12 pen electrical connector NATO standard for Trailer Details to be mentioned Power Steering To be mentioned To be mentioned To be mentioned Hedgestone/Duntop/Gondyear/Yokohama/Toyo/ Unrowal/Continental/Michelin/Florida/Firestone/ Armstrong/ AMTEL/ Pirelli USA, Japan. ED Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & CC) To be mentioned USA, Japan. EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Details to be mentioned (1) 2x Blackout light at front to be provided (2) 2x Blackout light at rear to be provided (3) 1x Blackout convoy to be provided (4) 1x Blackout convoy to be provided (5) 1x Blackout convoy to be provided (6) 1x Tools hos and 1x double jerry can carrier to be provided (8) 1x Blackout driving to be provided (9) 1x Blackout driving to be provided (1) 1x Blackout driving to be provided (1) Tools hos and 1x double jerry can carrier to be provided (1) Tools hos and 1x double jerry can carrier to be provided (1) Tools hos and 1x double jerry can carrier to be provided (1) Tools hos and 1x double jerry can carrier to be provided (2) Tools hos and 1x double jerry can carrier to be provided		d. Country of Manufacturer	1	
To be mentioned To be mentioned To be mentioned 24 Volt 28/12Volt & All to be mentioned Volt & Amp to be mentioned Volt & W to be mentioned Arr & Hydraulic Details to be mentioned Two line trailer brake coupling at rear with 12 pen electrical connector NATO standard for Trailer Details to be mentioned Power Steering To be mentioned To be mentioned To be mentioned Hedgestone/Duntop/Gondyear/Yokohama/Toyo/ Unrowal/Continental/Michelin/Florida/Firestone/ Armstrong/ AMTEL/ Pirelli USA, Japan. ED Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & CC) To be mentioned USA, Japan. EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Details to be mentioned (1) 2x Blackout light at front to be provided (2) 2x Blackout light at rear to be provided (3) 1x Blackout convoy to be provided (4) 1x Blackout convoy to be provided (5) 1x Blackout convoy to be provided (6) 1x Tools hos and 1x double jerry can carrier to be provided (8) 1x Blackout driving to be provided (9) 1x Blackout driving to be provided (1) 1x Blackout driving to be provided (1) Tools hos and 1x double jerry can carrier to be provided (1) Tools hos and 1x double jerry can carrier to be provided (1) Tools hos and 1x double jerry can carrier to be provided (1) Tools hos and 1x double jerry can carrier to be provided (2) Tools hos and 1x double jerry can carrier to be provided		e. Country of Assembly		
To be mentioned To be mentioned To be mentioned 24 Volt 28/12Volt & All to be mentioned Volt & Amp to be mentioned Volt & W to be mentioned Arr & Hydraulic Details to be mentioned Two line trailer brake coupling at rear with 12 pen electrical connector NATO standard for Trailer Details to be mentioned Power Steering To be mentioned To be mentioned To be mentioned Hedgestone/Duntop/Gondyear/Yokohama/Toyo/ Unrowal/Continental/Michelin/Florida/Firestone/ Armstrong/ AMTEL/ Pirelli USA, Japan. ED Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & CC) To be mentioned USA, Japan. EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Details to be mentioned (1) 2x Blackout light at front to be provided (2) 2x Blackout light at rear to be provided (3) 1x Blackout convoy to be provided (4) 1x Blackout convoy to be provided (5) 1x Blackout convoy to be provided (6) 1x Tools hos and 1x double jerry can carrier to be provided (8) 1x Blackout driving to be provided (9) 1x Blackout driving to be provided (1) 1x Blackout driving to be provided (1) Tools hos and 1x double jerry can carrier to be provided (1) Tools hos and 1x double jerry can carrier to be provided (1) Tools hos and 1x double jerry can carrier to be provided (1) Tools hos and 1x double jerry can carrier to be provided (2) Tools hos and 1x double jerry can carrier to be provided	9.	Maximum Axle Weight/Load	The state of the s	
To be mentioned To be mentioned To be mentioned 24 Volt 24 Volt & All to be mentioned Volt & Amp to be mentioned Volt & My to be mentioned Arr & Hydraulic Details to be mentioned Two line trailer brake coupling at rear with 12 pen electrical connector NATO standard for Trailer Details to be mentioned Power Steering To be mentioned To be mentioned To be mentioned Hodgestone/Dunlop/Gondyear/Yokohama/Toyo/ Universit/Continental/Michelin/Florida/Firestone/ Armstrong/ AMTEL/ Pirelli USA, Japan. EU Countries. Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & CC) To be mentioned USA, Japan. EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Details to be mentioned (1) 2x Blackout light at front to be provided (2) 2x Blackout light at rear to be provided (3) 1x Blackout convoy to be provided (4) 1x Blackout convoy to be provided (5) 1x Blackout convoy to be provided (6) 1x Tools box and 1x double jerry can carrier to be provided (8) 1x Blackout driving to be provided (9) 1x Blackout driving to be provided (1) 1x Blackout driving to be provided (1) Tools box and 1x double jerry can carrier to be provided (1) Tools box and 1x double jerry can carrier to be provided (1) Tools box and 1x double jerry can carrier to be provided (1) Tools box and 1x double jerry can carrier to be provided (2) Tools box and 1x double jerry can carrier to be provided		a. Front axle load (kg)	To be mentioned	
To be mentioned To be mentioned 24 Volt 2x12Volt & AH to be mentioned Volt & Amp to be mentioned Volt & Two be mentioned Art & Hydraulic Details to be mentioned Two line trailer brake coupling at rear with 12 pin electrical connector NATO standard for Trailer Details to be mentioned Power Steering To be mentioned To be mentioned To be mentioned Hongestion/Dunting/Goodyear/Yokohama/Toyo/ Hinroval/Continental/Michelin/Florida/Firestone/ Armstrong/AMTEL/ Pirelli USA, Japan. EU Countries. Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & CC) To be mentioned USA, Japan. EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Details to be mentioned (1) 2x Blackout light at front to be provided (2) 2x Blackout light at rear to be provided (3) 1x Blackout convoy to be provided (4) 1x Blackout convoy to be provided (5) 1x Blackout convoy to be provided (6) 1x Tools hos and 1x double jerry can carrier to be provided (8) Spare wheel with jack up facilities & hanger to be provided Towing hook with capacity of 8 Tons at front		b. Rear axle load (kg)	The state of the s	
To be mentioned 24 Volt 2x12Volt & AH to be mentioned Volt & Amp to be mentioned Volt & KW to be mentioned Ar & Hydraulic Details to be mentioned Two line trailer brake coupling at rear with 12 pin electrical connector NATO standard for Trailer Details to be mentioned Power Steering To be mentioned To be mentioned Bridgestone/Dunlop/Goodyear/Yokohama/Toyo/ Hirroyal/Continental/Michelin/Florida/Firestone/ Armstrong/ AMTEL/ Pirell USA, Japan. EU Countries. Russia, Brazil, Indonesia, Malavsia, Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & CC) To be mentioned USA, Japan. EU Countries, Russia, Brazil, Indonesia, Malavsia, Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & CC) To be mentioned USA, Japan. EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Details to be mentioned (1) 2x Blackout light at front to be provided (2) 2x Blackout light at rear to be provided (3) 1x Blackout convoy to be provided (4) 1x Blackout driving to be provided Spare wheel with Jack up facilities & hanger to be provided. Spare wheel with Jack up facilities & hanger to be provided Towing hook with capacity of 8 Tons at front	0.	Vehicle Speed	The second secon	
To be mentioned 24 Volt 2x12Volt & AH to be mentioned Volt & Amp to be mentioned Volt & KW to be mentioned Ar & Hydraulic Details to be mentioned Two line trailer brake coupling at rear with 12 pin electrical connector NATO standard for Trailer Details to be mentioned Power Steering To be mentioned To be mentioned Bridgestone/Punlop/Goodyear/Yokohama/Toyo/ Imroval/Continental/Michelin/Florida/Firestone/ Armstrong/ AM LEL/ Pirelli USA, Japan. EU Countries, Russia, Brazil, Indonesia, Malavsia, Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & CC) To be mentioned USA, Japan. EU Countries, Russia, Brazil, Indonesia, Malavsia, Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & CC) To be mentioned USA, Japan. EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Details to be mentioned (1) 2x Blackout light at front to be provided (2) 2x Blackout light at rear to be provided (4) 1x Blackout convoy to be provided (5) 1x Blackout convoy to be provided (6) 1x Tools box and 1x double jerry can carrier to be provided. Spare wheel with Jack up facilities & hanger to be provided Towing hook with capacity of 8 Tons at front		a. High Way	To be montioned	
24 Volt 2x12Volt & AH to be mentioned Volt & Amp to be mentioned Volt & KW to be mentioned Air & Hydraulic Details to be mentioned Two line trailer brake coupling at rear with 12 pin electrical connector NATO standard for Trailer Details to be mentioned Power Steering To be mentioned To be mentioned To be mentioned Hindgestone/Buntop/Goodyear/Yokohama/Toyo/ Hinroval/Continental/Mirchelin/Florida/Firestone/ Armstrong/ AM IEJ/ Pirelli USA, Japan. EU Countries. Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & CC) To be mentioned USA, Japan, EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Outh Korea Details to be mentioned (1) 2x Blackout light at front to be provided (2) 2x Blackout light at rear to be provided (3) 1x Blackout convoy to be provided (4) 1 x Blackout driving to be provided (4) 1 x Blackout driving to be provided (5) Spare wheel with jack up facilities & hanger to be provided. (6) Spare wheel with jack up facilities & hanger to be provided (7) Towing book with capacity of 8 Tons at front		b. Cross Country		
2x12Volt & AHI to be mentioned Volt & Amp to be mentioned Volt & KW to be mentioned Air & Hydraulic Details to be mentioned Two line trailer brake coupling at rear with 12 pin electrical connector NATO standard for Trailer Details to be mentioned Power Steering To be mentioned To be mentioned To be mentioned To be mentioned Redgestone/Bunlop/Goodyear/Yokohama/Toyo/ Hinroval/Continental/Michelin/Florida/Firestone/ Arnstrong/AMTEL/ Pirelli USA, Japan. EU Countries. Russia, Brazil, Indonesia, Malavsia. Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & CC) To be mentioned USA, Japan. EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & CC) To be mentioned USA, Japan. EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Details to be mentioned (1) 2x Blackout light at front to be provided (2) 2x Rlackout light at rear to be provided (3) 1x Blackout convoy to be provided (4) 1 x Blackout driving to be provided (5) 1x Blackout driving to be provided (6) 1x Tools box and 1 x double perry can carrier to be provided (7) 1x Blackout with jack up facilities & hanger to be provided (8) 1x Tools box and 1 x double perry can carrier to be provided (9) 1x Blackout with jack up facilities & hanger to be provided (1) 1x Blackout with jack up facilities & hanger to be provided	l.		to be mentioned	
2x12Volt & AHI to be mentioned Volt & Amp to be mentioned Volt & KW to be mentioned Air & Hydraulic Details to be mentioned Two line trailer brake coupling at rear with 12 pin electrical connector NATO standard for Trailer Details to be mentioned Power Steering To be mentioned To be mentioned To be mentioned To be mentioned Redgestone/Bunlop/Goodyear/Yokohama/Toyo/ Introval/Continental/Michelin/Florida/Firestone/ Aristrong/ AMTEL/ Pirelli USA, Japan. EU Countries. Russia, Brazil, Indonesia, Malavsia. Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & CC) To be mentioned USA, Japan. EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Details to be mentioned (1) 2x Blackout light at front to be provided (2) 2x Blackout light at rear to be provided (3) 1x Blackout convoy to be provided (4) 1 x Blackout driving to be provided (5) Pare wheel with jack up facilities & hanger to be provided Towing hook with capacity of 8 Tons at front	·	Electrical System	* * * * * * * * * * * * * * * * * * * *	
Volt & Amp to be mentioned Voit & KW to be mentioned Arr & Hydraulic Details to be mentioned Two line trailer brake coupling at rear with 12 pen electrical connector NATO standard for Trailer Details to be mentioned Power Steering To be mentioned To be mentioned To be mentioned Indgestine/Bunlop/Goodyear/Yokohama/Toyo/ Univoxit/Continental/Michelin/Florida/Firestone/ Armstrong/ AMTEL/ Pirelli USA, Japan. EU Countries. Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & CC) To be mentioned USA, Japan. EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Details to be mentioned (1) 2x Blackout light at front to be provided (2) 2x Blackout light at rear to be provided (3) 1x Blackout convoy to be provided (4) 1x Blackout convoy to be provided (5) 1x Blackout driving to be provided (6) 1x Tools box and 1x double jerry can carrier to be provided. Spare wheel with jack up facilities & hanger to be provided Towing hook with capacity of 8 Tons at front		a. Volt		
Volt & Amp to be mentioned Voit & KW to be mentioned Arr & Hydraulic Details to be mentioned Two line trailer brake coupling at rear with 12 pen electrical connector NATO standard for Trailer Details to be mentioned Power Steering To be mentioned To be mentioned To be mentioned Indgestine/Bunlop/Goodyear/Yokohama/Toyo/ Univoxit/Continental/Michelin/Florida/Firestone/ Armstrong/ AMTEL/ Pirelli USA, Japan. EU Countries. Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & CC) To be mentioned USA, Japan. EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Details to be mentioned (1) 2x Blackout light at front to be provided (2) 2x Blackout light at rear to be provided (3) 1x Blackout convoy to be provided (4) 1x Blackout convoy to be provided (5) 1x Blackout driving to be provided (6) 1x Tools box and 1x double jerry can carrier to be provided. Spare wheel with jack up facilities & hanger to be provided Towing hook with capacity of 8 Tons at front		b. Battery (Volt & All)	2x12Volt & AH to be mentioned	
Voit & KW to be mentioned Arr & Hydraulic Details to be mentioned Two line trailer brake coupling at rear with 12 pin electrical connector NATO standard for Trailer Details to be mentioned Power Steering To be mentioned To be mentioned To be mentioned Bradgestone/Dunlop/Goodyear/Yokohama/Toyo/ Burroval/Continental/Michelin/Florida/Firestone/ Armstrong/AMTEL/Pirelli BSA, Japan. EU Countries. Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & CC). To be mentioned BSA, Japan. EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & CC). To be mentioned BSA, Japan. EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Details to be mentioned (1) 2x Blackout light at front to be provided (2) 2x Blackout light at rear to be provided (3) 1x Blackout convoy to be provided 1 x Blackout convoy to be provided 1 x Blackout convoy to be provided 1 x Blackout driving to be provided 1 x Blackout driving to be provided Spare wheel with jack up facilities & hanger to be provided Towing hook with capacity of 8 Tons at front		c. Alternator (Volt & Amp)	Volt & Amp to be mentioned	
Air & Hydraulic Details to be mentioned Two line trailer brake coupling at rear with 12 p.n. electrical connector NATO standard for Trailer Details to be mentioned Power Steering To be mentioned To be mentioned To be mentioned Hindgestone/Buntop/Goodyear/Yokohama/Toyo/ Hinroad/Continental/Michelin/Florida/Firestone/ Armstrong/ AMTEL/ Pirelli HSA, Japan. ED Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & CC) To be mentioned USA, Japan. EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Details to be mentioned (1) 2x Blackout Eight at front to be provided (2) 2x Blackout light at rear to be provided (3) 1x Blackout driving to be provided (4) 1 x Blackout driving to be provided (5) 1x Blackout driving to be provided (6) 1 x Tools box and 1 x double jerry can carrier to be provided. Spare wheel with jack up facilities & hanger to be provided Towing hook with capacity of 8 Tons at front		d. Starter (Volt & KW)	Voit & KW to be mentioned	
Details to be mentioned Two line trailer brake coupling at rear with 12 pin electrical connector NATO standard for Trailer Details to be mentioned Power Steering To be mentioned To be mentioned Bridgestone/Duntop/Goodyear/Yokohama/Toyo/ Unroyal/Continental/Michelin/Florida/Firestone/ Armstrong/AMTEL/ Pirelli USA, Japan, EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & CC) To be mentioned USA, Japan, EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Details to be mentioned USA, Japan, EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Details to be mentioned (1) 2x Blackout light at front to be provided (2) 2x Blackout light at rear to be provided (3) 1x Blackout convoy to be provided (4) 1 x Blackout convoy to be provided (5) 1x Blackout driving to be provided (6) 1 x Tools box and 1 x double jerry can carrier to be provided (6) Spare wheel with jack up facilities & hanger to be provided (7) Towing hook with capacity of 8 Tons at front	2.	Brake system		
Details to be mentioned Two line trailer brake coupling at rear with 12 pm electrical connector NATO standard for Trailer Details to be mentioned Power Steering To be mentioned To be mentioned To be mentioned Redgestone/Duntop/Goodyear/Yokohama/Toyo/ flinroyal/Continental/Michelin/Florida/Firestone/ Armstrong/AMTEL/ Prelli USA, Japan, EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & CC) To be mentioned USA, Japan, EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Details to be mentioned USA, Japan, EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Details to be mentioned (1) 2x Blackout light at front to be provided (2) 2x Blackout light at rear to be provided (3) 1x Blackout convoy to be provided (4) 1 x Blackout convoy to be provided (5) 1x Blackout convoy to be provided (6) 1 x Tools box and 1 x double jerry can carrier to be provided (6) Spare wheel with jack up facilities & hanger to be provided Towing hook with capacity of 8 Tons at front		a. Service brake	Air & Hydraulic	
Two line trailer brake coupling at rear with 12 pin electrical connector NATO standard for Trailer Details to be mentioned Power Steering To be mentioned To be mentioned To be mentioned Bridgestine/Duntop/Goodyear/Yokohama/Toyo/Uniroyal/Continental/Michelin/Florida/Firestone/Armstrong/ AMTEL/ Pirelli USA. Japan. EU Countries. Russia, Brazil, Indonesia, Malaysia. Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & CC). To be mentioned USA, Japan. EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Details to be mentioned USA, Japan. EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Details to be mentioned (1) 2x Blackout light at front to be provided (2) 2x Blackout driving to be provided (3) 1x Blackout driving to be provided (4) 1 x Blackout driving to be provided (5) 1x Tools box and 1x double jerry can carrier to be provided. Spare wheel with jack up facilities & hanger to be provided Towing hook with capacity of 8 Tons at front		b. Parking brake		
To be mentioned Tro be mentioned	}			
for Trailer Details to be mentioned Power Steering To be mentioned To be mentioned To be mentioned To be mentioned Bridgestone/Duntop/Goodyear/Yokohama/Toyo/ Innroyal/Continental/Michelin/Florida/Firestone/ Armstrong/ AMTEL/ Pirelli USA, Japan. EU Countries. Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & CC). To be mentioned USA, Japan. EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Details to be mentioned (1) 2x Blackout Philippines, Singapore, Thailand and South Korea Details to be mentioned (1) 2x Blackout light at front to be provided (2) 2x Blackout light at rear to be provided (3) 1x Blackout convoy to be provided (4) 1 x Blackout driving to be provided 1 x Tools box and 1 x double jerry can carrier to be provided. Spare wheel with jack up facilities & hanger to be provided Towing hook with capacity of 8 Tons at front		c. Trailer Brake	wo line trailer brake coupling at rear with	
Details to be mentioned Power Steering To be mentioned To be mentioned To be mentioned To be mentioned Bridgestone/Duntop/Goodyear/Yokohama/Toyo/ Uniroyal/Continental/Michelin/Florida/Firestone/ Armstrong/ AM IEL/ Pirelli USA, Japan. EU Countries. Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & CC) To be mentioned USA, Japan. EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Details to be mentioned (1) 2x Blackout light at front to be provided (2) 2x Blackout light at rear to be provided (3) 1x Blackout convoy to be provided (4) 1 x Blackout driving to be provided 1 x Tools box and 1 x double jerry can carrier to be provided Spare wheel with Jack up facilities & hanger to be provided Towing hook with capacity of 8 Tons at front	!			
To be mentioned Redgestone/Dunlop/Goodyear/Yokohama/Toyo/ Hinroyal/Continental/Michelin/Florida/Firestone/ Armstrong/ AMTEL/ Pirelli USA, Japan. EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & CC) To be mentioned USA, Japan. EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Phant feet Details to be mentioned (1) 2x Blackout light at front to be provided (2) 2x Blackout light at rear to be provided (3) 1x Blackout convoy to be provided (4) 1 x Blackout driving to be provided (4) 1 x Blackout driving to be provided Tools box and 1 x double jerry can carrier to be provided Towing hook with capacity of 8 Tons at front	}		, for Trailer	
To be mentioned Bridgestone/Duntop/Goodyear/Yokohama/Toyo/ Uniroval/Continental/Michelin/Florida/Firestone/ Armstrong/AMTEL/ Pirelli USA, Japan. EU Countries. Russia, Brazil, Indonesia, Malaysia. Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & CC). To be mentioned USA, Japan. EU Countries, Russia, Brazil, Indonesia, Malaysia. Philippines, Singapore, Thailand and South Korea phant feet Details to be mentioned (1) 2x Blackout light at front to be provided (2) 2x Blackout light at rear to be provided (3) 1x Blackout driving to be provided (4) 1 x Blackout driving to be provided 1 x Tools box and 1 x double jerry can carrier to be provided. Spare wheel with jack up facilities & hanger to be provided Towing hook with capacity of 8 Tons at front		d Any other brake	Details to be mentioned	
To be mentioned To be mentioned To be mentioned Redgestone/Duntop/Goodyear/Yokohama/Toyo/ (Imroyal/Continental/Michelin/Florida/Firestone/ Armstrong/AMTEL/ Pirelli USA, Japan. EU Countries. Russia, Brazil, Indonesia, Malaysia. Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & CC). To be mentioned USA, Japan. EU Countries, Russia, Brazil, Indonesia, Malaysia. Philippines, Singapore, Thailand and South Korea phant feet Details to be mentioned (1) 2x Blackout light at front to be provided (2) 2x Blackout light at rear to be provided (3) 1x Blackout driving to be provided (4) 1 x Blackout driving to be provided 1 x Tools box and 1 x double jerry can carrier to be provided. Spare wheel with Jack up facilities & hanger to be provided Towing hook with capacity of 8 Tons at front	3.	Steering System	Power Steering	
To be mentioned To be mentioned To be mentioned Redgestone/Duntop/Goodyear/Yokohama/Toyo/ (Imroyal/Continental/Michelin/Florida/Firestone/ Armstrong/AMTEL/ Pirelli USA, Japan. EU Countries. Russia, Brazil, Indonesia, Malaysia. Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & CC). To be mentioned USA, Japan. EU Countries, Russia, Brazil, Indonesia, Malaysia. Philippines, Singapore, Thailand and South Korea phant feet Details to be mentioned (1) 2x Blackout light at front to be provided (2) 2x Blackout light at rear to be provided (3) 1x Blackout driving to be provided (4) 1 x Blackout driving to be provided 1 x Tools box and 1 x double jerry can carrier to be provided. Spare wheel with Jack up facilities & hanger to be provided Towing hook with capacity of 8 Tons at front	1.	Suspension		
To be mentioned To be mentioned To be mentioned Redgestone/Duntop/Goodyear/Yokohama/Toyo/ (Imroyal/Continental/Michelin/Florida/Firestone/ Armstrong/AMTEL/ Pirelli USA, Japan. EU Countries. Russia, Brazil, Indonesia, Malaysia. Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & CC). To be mentioned USA, Japan. EU Countries, Russia, Brazil, Indonesia, Malaysia. Philippines, Singapore, Thailand and South Korea phant feet Details to be mentioned (1) 2x Blackout light at front to be provided (2) 2x Blackout light at rear to be provided (3) 1x Blackout driving to be provided (4) 1 x Blackout driving to be provided 1 x Tools box and 1 x double jerry can carrier to be provided. Spare wheel with Jack up facilities & hanger to be provided Towing hook with capacity of 8 Tons at front		a. Front	To be mentioned	
To be mentioned To be mentioned Redgestone/Duntop/Goodyear/Yokohama/Toyo/ (Imroyal/Continental/Michelin/Florida/Firestone/ Armstrong/AMTEL/ Pirelli USA, Japan. EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & CC) To be mentioned USA, Japan. EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea phant feet Details to be mentioned (1) 2x Blackout light at front to be provided (2) 2x Blackout light at rear to be provided (3) 1x Blackout driving to be provided (4) 1 x Blackout driving to be provided 1 x Tools box and 1 x double jerry can carrier to be provided. Spare wheel with Jack up facilities & hanger to be provided Towing hook with capacity of 8 Tons at front	[b Rear	The state of the s	
To be mentioned Bridgestone/Bunlop/Goudyear/Yokohama/Toyo/ (Imroyal/Continental/Michelin/Florida/Firestone/ Armstrong/AMTEL/ Pirelli USA, Japan. EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & CC) To be mentioned USA, Japan. EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea phant feet Details to be mentioned (1) 2x Blackout light at front to be provided (2) 2x Blackout light at rear to be provided (3) 1x Blackout driving to be provided (4) 1 x Blackout driving to be provided 1 x Tools box and 1 x double jerry can carrier to be provided. Spare wheel with Jack up facilities & hanger to be provided Towing hook with capacity of 8 Tons at front	5.	Tyre	TO THE INCIDENCE	
To be mentioned Bridgestone/Bunlop/Goudyear/Yokohama/Toyo/ (Imroyal/Continental/Michelin/Florida/Firestone/ Armstrong/AMTEL/ Pirelli USA, Japan. EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & CC) To be mentioned USA, Japan. EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea phant feet Details to be mentioned (1) 2x Blackout light at front to be provided (2) 2x Blackout light at rear to be provided (3) 1x Blackout driving to be provided (4) 1 x Blackout driving to be provided 1 x Tools box and 1 x double jerry can carrier to be provided. Spare wheel with Jack up facilities & hanger to be provided Towing hook with capacity of 8 Tons at front		a. Number of Tyre including spare tyre	To be mentioned	
Rridgestone/Duntop/Goodyear/Yokohama/Toyo/ Hinroyal/Continental/Michelin/Florida/Firestone/ Armstrong/AMTEL/ Pirelli USA, Japan.		b. Size of Tyre		
Introval/Continental/Michelin/Florida/Firestone/ Armstrong/AMTEL/Pirelli USA, Japan. EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & CC) To be mentioned USA, Japan. EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea phant feet Details to be mentioned	1			
Armstrong/AMTEL/ Pirelli USA, Japan. EU Countries. Russia, Brazil, Indonesia, Malaysia. Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & CC). To be mentioned USA, Japan. EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Phant feet Details to be mentioned (1) 2x Blackout light at front to be provided (2) 2x Blackout light at rear to be provided (3) 1x Blackout convoy to be provided (4) 1 x Blackout driving to be provided 1 x Tools box and 1 x double jerry can carrier to be provided. Spare wheel with jack up facilities & hanger to be provided Towing hook with capacity of 8 Tons at front		c. Tyre Brand	Bridgestone/Dunlop/Goodyear/Yokohama/Toyo/	
USA, Japan. EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & CC) To be mentioned USA, Japan. EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea phant feet Details to be mentioned (1) 2x Blackout light at front to be provided (2) 2x Blackout light at rear to be provided (3) 1x Blackout driving to be provided (4) 1 x Blackout driving to be provided 1 x Tools box and 1 x double jerry can carrier to be provided. Spare wheel with Jack up facilities & hanger to be provided Towing hook with capacity of 8 Tons at front				
Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea Non-directional, Ground Grip & Cross country (ND, GG & CC) To be mentioned USA, Japan, EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea phant feet Details to be mentioned (1) 2x Blackout light at front to be provided (2) 2x Blackout light at rear to be provided (3) 1x Blackout driving to be provided (4) 1 x Blackout driving to be provided 1 x Tools box and 1 x double jerry can carrier to be provided. Spare wheel with Jack up facilities & hanger to be provided Towing hook with capacity of 8 Tons at front		d. Country of Origin	102 4	
South Korea Non-directional, Ground Grip & Cross country (ND, GG & CC) To be mentioned USA, Japan, EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea phant feet Details to be mentioned (1) 2x Blackout light at front to be provided (2) 2x Blackout light at rear to be provided (3) 1x Blackout convoy to be provided (4) 1 x Blackout driving to be provided 1 x Tools box and 1 x double jerry can carrier to be provided. Spare wheel with Jack up facilities & hanger to be provided Towing hook with capacity of 8 Tons at front	Ì	e. Country of Manufacturer	The state of the s	
Non-directional, Ground Grip & Gross country (ND, GG & CC) To be mentioned USA, Japan, EU Gountries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea phant feet Details to be mentioned (1) 2x Blackout light at front to be provided (2) 2x Blackout light at rear to be provided (3) 1x Blackout driving to be provided (4) 1 x Blackout driving to be provided 1 x Tools box and 1 x double jerry can carrier to be provided. Spare wheel with Jack up facilities & hanger to be provided Towing hook with capacity of 8 Tons at front		Some your rian marking		
To be mentioned USA, Japan, EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea phant feet Details to be mentioned (1) 2x Blackout light at front to be provided (2) 2x Blackout light at rear to be provided (3) 1x Blackout convoy to be provided (4) 1 x Blackout driving to be provided 1 x Tools box and 1 x double jerry can carrier to be provided. Spare wheel with Jack up facilities & hanger to be provided Towing hook with capacity of 8 Tons at front	}			
To be mentioned USA, Japan, EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea phant feet Details to be mentioned (1) 2x Blackout light at front to be provided (2) 2x Blackout light at rear to be provided (3) 1x Blackout driving to be provided (4) 1 x Blackout driving to be provided 1 x Tools box and 1 x double jerry can carrier to be provided. Spare wheel with Jack up facilities & hanger to be provided Towing hook with capacity of 8 Tons at front		f. Tyre of pattern	Non-directional, Ground Grip & Cross country (ND, GG &	
USA, Japan, EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea phant feet Details to be mentioned (1) 2x Blackout light at front to be provided (2) 2x Blackout light at rear to be provided (3) 1x Blackout convoy to be provided (4) 1 x Blackout driving to be provided 1 x Tools box and 1 x double jerry can carrier to be provided. Spare wheel with Jack up facilities & hanger to be provided Towing hook with capacity of 8 Tons at front	ł	g. Rim size		
Indonesia, Malaysia. Philippines, Singapore, Thailand and South Korea phant feet Details to be mentioned (1) 2x Blackout light at front to be provided (2) 2x Blackout light at rear to be provided (3) 1x Blackout convoy to be provided (4) 1 x Blackout driving to be provided 1 x Tools box and 1 x double jerry can carrier to be provided. Spare wheel with jack up facilities & hanger to be provided Towing hook with capacity of 8 Tons at front		g. Rim size h. Country Origin of Rim	1014	
phant feet Details to be mentioned (1) 2x Blackout light at front to be provided (2) 2x Blackout light at rear to be provided (3) 1x Blackout convoy to be provided (4) 1 x Blackout driving to be provided 1 x Tools box and 1 x double jerry can carrier to be provided Spare wheel with jack up facilities & hanger to be provided Towing hook with capacity of 8 Tons at front		o. Gooday Origin of Kim		
phant feet Details to be mentioned (1)			South Korea	
(1) 2x Blackout light at front to be provided (2) 2x Blackout light at rear to be provided (3) 1x Blackout convoy to be provided (4) 1 x Blackout driving to be provided 1 x Tools box and 1 x double jerry can carrier to be provided. Spare wheel with jack up facilities & hanger to be provided. Towing hook with capacity of 8 Tons at front		Heavy duty hydraulic outrigger with elephant feet	The state of the s	* ***
(1) 2x Blackout light at front to be provided (2) 2x Blackout light at rear to be provided (3) 1x Blackout convoy to be provided (4) 1 x Blackout driving to be provided 1 x Tools box and 1 x double jerry can carrier to be provided. Spare wheel with jack up facilities & hanger to be provided Towing hook with capacity of 8 Tons at front		at four corners of workshop body	a allow to be inclining	
(1) 2x Blackout light at front to be provided (2) 2x Blackout light at rear to be provided (3) 1x Blackout convoy to be provided (4) 1 x Blackout driving to be provided 1 x Tools box and 1 x double jerry can carrier to be provided. Spare wheel with jack up facilities & hanger to be provided Towing hook with capacity of 8 Tons at front		Standard Accessories	THE PART OF THE PA	
(1) 2x Blackout light at front to be provided (2) 2x Blackout light at rear to be provided (3) 1x Blackout convoy to be provided (4) 1 x Blackout driving to be provided 1 x Tools box and 1 x double jerry can carrier to be provided. Spare wheel with jack up facilities & hanger to be provided Towing hook with capacity of 8 Tons at front	T	a. Towing attachment (including trailer	Details to be mentioned	
(2) 2x Blackout light at rear to be provided (3) 1x Blackout convoy to be provided (4) 1 x Blackout driving to be provided 1 x Tools hox and 1 x double jerry can carrier to be provided. Spare wheel with jack up facilities & hanger to be provided. Towing hook with capacity of 8 Tons at front.		electrical brake and coupling).		
(2) 2x Blackout light at rear to be provided (3) 1x Blackout convoy to be provided (4) 1 x Blackout driving to be provided 1 x Tools box and 1 x double jerry can carrier to be provided. Spare wheel with jack up facilities & hanger to be provided. Towing hook with capacity of 8 Tons at front		b. Blackout lights	(1) 2x Blackout light at front to be provided	
(3) 1x Blackout convoy to be provided (4) 1 x Blackout driving to be provided 1 x Tools box and 1 x double jerry can carrier to be provided. Spare wheel with jack up facilities & hanger to be provided. Towing hook with capacity of 8 Tons at front			(2) 2x Blackout light at rear to be provided	
(4) Ex Blackout driving to be provided 1 x Tools box and 1 x double jerry can carrier to be provided. Spare wheel with jack up facilities & hanger to be provided. Towing hook with capacity of 8 Tons at front.			The second secon	
1 x Tools hox and 1 x double jerry can carrier to be provided. Spare wheel with jack up facilities & hanger to be provided. Towing hook with capacity of 8 Tons at front.			(4) 1 x Blackout driving to be provided	
provided. Spare wheel with jack up facilities & hanger to be provided. Towing hook with capacity of 8 Tons at front.	ĺ	c. Tool box and Jerrican	1 x Tools box and 1 x double jerry can carrier to be	
provided Towing hook with capacity of 8 Tons at front			provided.	
provided Towing hook with capacity of 8 Tons at front		d.' Spare Wheel	Spare wheel with jack up facilities & hanger to be	
Towing hook with capacity of 8 Tons at front centre and two shackles of 4.5 tons each on	_	The second secon	provided	
centre and two shackles of 4.5 tons each on		e. Towing hook	Towing hook with capacity of 8 Tons at front	
The state of the s			centre and two shackles of 4.5 tons each on	
humper to be provided.	-	y was grand and a second a second and a second a second and a second a second and a second and a second and a	humper to be provided.	
Rear rotary pintle hook at 7.5 tons capacity to be		f. Pintle hook at rear	Rear rotary pintle hook at 7.5 tons capacity to be	
provided(NATO Type)			provided(NATO Type)	
To be mentioned		g. Any other standard accessories	To be mentioned	
bumper to be provided. Rear rotary pintle hook at 7.5 tons capacity to be provided(NATO Type)			bumper to be provided. Rear rotary pintle hook at 7.5 tons capacity to be provided(NATO Type) To be mentioned	

Ser 18.	. Description Accessories	Required Technical Specification	Remarks
	a. Tyre inflator	Tyre inflator complete with 12 meters high pressure hose, adopter and nozzle (from the	4 4 4
,		main air compressor to all wheels)	
	b. Wind screen washer unit and sun visors	To be provided	
	c. 02x rear view mirrors with down view	To be provided	
	mirrors (out of side)		
	d. Drivers and Co-drivers Seat belt	Seat belt for driver and co-driver to be provided	
	e. Attachment points/hooks	Attachment points/hooks for load restraint traps and chain for securing ammunition boxes and conventional loads	
	f. Fire extinguishers	Fire extinguisher A B C type (suitable for E type fire) 3 kg complete with chemical & fitting bracket to be provided	
	g. Hydraulic jack with handle	One hydraulic jack of 15 ton to be provided.	
	h Inspection lamp complete with minimum	Inspection lamp complete 10 meter cable,	
	10 meters cable	plug and socket in the vehicle to be provided.	· ·
	j. Wheel wrench with handle	To be provided	
	k. Standard maintenance tools with each vehicle	Provided with each vehicle, which is enough for standard maintenance of the vehicle.	MET I PROTE AND A STREET AND ADDRESS OF A STREET
	L. Rifle clip for placing two Fifles inside the cabin	Two rifle clips to be provided inside the cabin	
	m. Vehicle First Aid Box	To be provided	
	n. Any other	To be mentioned	
),	Cabin	The second secon	
	a. Type of Cabin	· To be mentioned	
	b. Number of Passenger	· · · · · · · · · · · · · · · · · · ·	
	c. Number of Bed		
	d. Air Condition (AC)	Reinforced structure, hard top, insulated with	
	d. Int condition (12)	thermal controller (AC)	
	(1) Make & Model	To be mentioned	
	(2) Country of Origin	Group A & B Country	
	(c) Capacity	To be mentioned	
),	Colour	As per inventors requirement	
I.	Workshop Portion		
	a Dimension of Store Bin	Provision of installation of 1500 mm (II) x575 mm (B) x 610 mm (W) steel welded construction for housing one 300 mm x 400 mm x 68 mm, four 1050 mm x 575 mm drawer and 500 mm x 300 mm x1150 mm store space	
	h Layout of Workshop	Tack which are easily removable. A separate layout paper with necessary diagram, location and drawing of various equipments and tools of workshop to be provided with the offer.	
	c Doors and Flaps	Double door at the rear fitted with glass window	
2.	Body and Floor		THE RESERVE THE PERSON NAMED IN COLUMN TWO
	a. To be provided		7 THE RE OF RE AS ASSESSMENT OF THE
	a. Hard top steel body with anti skid floor	To be provided	
	b. Two side flops fitted with boosted power	To be provided	
	facilities for easy opening and closing		
	c. Minimum four windows fitted with that Aluminum sliding glass	To be provided	
	d. A collapsible light weight stairs with checkered aluminum.	To be provided	
	e. 02x Fan on 2 sides of the working cargo to be fitted	To be provided	
3.	Equipment for Each Vehicle. Fitted with modern light weight but durable handy equipment to be able to perform repair of general purpose ancillary jobs. Equipment to be installed are:		
	a. Generator 6 KVA, 230v, 50 Hz with self starter & battery	To be provided	
	b. Lathe machine 4' with both mm and inch- type. Height of center 8" length of lathe 60". Country of Manufacture To be mentioned c. Tools kit 'B' vehicle 154 lines complete as	To be provided To be provided	
** * *	per Appendix-1. d. Tools kit 'C' and Special vehicle 64 line	To be provided	
	complete as per Appendix-2 . d. Artificer Engineer and Machinist tools box	To be provided	
•	38 line items complete as per Appendix-3. e. Electrician tools box 22 line items	To be provided	
***	complete as per Appendix-4 . f. Welding tools box 20 line items complete	To be provided	
	as per Appendix-5.	A · 3	l

Ser 44.	Description Electrical Wiring	Required Technical Specification	Remarks
	a. The unit should have provision of getting supplied form single/three phase local electrical sources	To be provided	
	b. Sufficient receptacles to get all electrical equipments connected	To be provided	
	c. Safety measures with earthling system/main switch must be complied with	To be provided	
45.	Air Circulation and Lighting system	Adequate an circulation and lighting system should be available	
46.	Weapon Stowage	Should be equipped with stowage of at least three personal weapons	
47.	Petrol Oil & Lubricant (POL) Information	The following information must be submitted with the offer.	
	Detail maintenance schedule of equipment & Engine	Information to be submitted	
	b. Grade of diesel used in equipment	Information to be submitted the equipment should be compatible with the diesel available in Bangladesh	
40	c. Type of Engine oil used in equipment d. Type of gear oil used in equipment	Information to be submitted in compatible with Bangladesh Army	
48. 49.	Operational Temperature Maintenance	5°C to +55°C Details to be mentioned, Manual to be	
50.	ISO Certificate or Similar Rating	provided ISO Certificate to be provided by the manufacturer	
51.	Part-3 Training Requirement	manuracturer	
	a. User training (For Engineers)	To be provided as per requirement of Engineer Directorate	
	b. Operation repair and maintenance training (For Electrical and Mechanical Engineers)	To be provided as per requirement of Electrical and Mechanical Engineers Directorate	٧.
	c. Equipment Management Training (For Ordnance)	To be provided as per requirement of Ordnance Directorate	
52.	<u>Part.4</u> . Repair and maintenance requirement list of spares:		
	Book & Publication (For each Motor Grader) Owners/Operators manual in English (Book Type)		
	and CD/DVD Workshop/Repair manual in English (Book Type) See CD/DVD	To be provided as per requirement of Electrical and Mechanical Engineers Directorate	
	100% updated Master Spare Parts catalogue in Fagush (Book Type) and CD/DVD Complete and updated Master Spare Parts Price list	Threctorate -	
53	Eastalogue in English (Book Type) and CD/DVD Part-5.		***************************************
	a List of standard spares	Separate list of fast and slow moving spare parts to be provided as per requirement of Electrical and Mechanical Engineers Directorate	
54.	Part-6 Tools list for different level of maintenance		
	a Analyzer, measuring & testing/ fault finding and diagnostic set b. Special Service Tools (SST)	To be provided as per requirement of Electrical and Mechanical Engineers Directorate	
55.	c. Special Service Materials (SSM) Certificate on spare parts availability in Bangladesh	Certificate to be submitted from	
56.	List and certificate on usage of the equipment by other organizations or agencies in Bangladesh	manufacturer List and certificate to be submitted from manufacturer	
57.	List and certificate of local after-sales-service workshop in Bangladesh who can provide spares of the equipment	To be confirmed by the manufacturer as the technical requirement	
58.	readily Detailed address of after-sales service workshop in Bangladesh	Details address to be mentioned	
59.	Location of Stage Inspection/ Pre-Shipment Inspection	Stage .inspection/Pre-Shipment Inspection with address of respect of major components (manufacturing plant/assembly plant or in both)	
	Note: Following information's/documents to be		
	a. Details of working principleb. Functional/Users training in country to be p		
•	c Provision of supply of major spaces for mini d. Provision of supply fast and slow moving sp.		
	e. Model validity in years (minimum 10 years) f. List of spares, Special Service Tools (SST)/S		
	g. Any other relevant technical information ma	y also be enclosed	

APPX:1 TO ANX A TO ENGR DTE LTR NO. 23.01.901.055.02.192.02.26.07.23 DT: 26 JULY 2023

LIST OF TOOL KIT 'B' VEHICLE WORKSHOP PORTION - (154 LINE)

Ser	r		
	Nomenclature	A/U	Qty
1	Tool chest with drawer compartment	No	01
2.	Hammer engineer Ball Pin with handle 24 OZs	No	01
3.	Hammer engineer Ball Pin with handle 8 OZs	No	01
4.	Hammer Plastic tip	No	01
5.	File all purpose (Magneto) 31/5"	No	01
6.	File bastd 12"	No	01
7.	File half round 8"	No	01
i 8.	File half round 2 nd cut 6"	No	01
9.	File half round smooth 4"	No	01
10.	File square 2 nd cut 6"	No	01
11.	File three square 2nd cut 4"	No	01
12.	File round bastd 8"	No	01
13.	File round smooth 6"	No	01
14.	File handle for 4" & 6" files	No	01
15.	File handle for 8" files	No	01
16.	File handle for 12" files	No	01
17.	Screw driver 4" blade length	No	01
18.	Screw driver Phillips No '0'	No	
19.	Screw driver Phillips No '1'	No	01
20.	Screw driver Philips No. 2'	The second secon	01
21.	Screw driver Philips No. 3'	No No	01
22.	Screw driver Phillips No '4'		01
23.	Screw driver electric 4" blade length	No	01
24.	Screw driver electric 3/16"	No	01
25	Scrow driver engineer 7-5/8" B/length	No	. 01
26.	Have duly engineer 7-5/8 bytength	No	01
27	Heavy duty engineer screw driver 11 13/16" B/length	No	01
28	Screw driver 15/16" blade length Chubby (Carburctor)	No	01
29.	Round nose Pillar 6" length	No	01
30	lieavy duty engineer comb pliers w/side cutting 7"	No	01
	Needle nose pliers w/side cutting PVC grip handle 7-5/8"	No	01
31	Heavy duty diagonal cutting 6" length	No	01
32	Circlip pliers nose 18 to 75mm PVC	No	01
33.	Water pump pliers slip joint 10"	No	01
34	Circlip pliers nose 40 to 100mm	No	01
35.	Water grip pliers adjustable 7"	No	01
36.	Metal box for "SD Tools	No	01
.37.	Ratchet spa '4" SD w/plastic handle	No	01
38.	Extension bar 2" SD	No	01
39.	Ratchet revisable ¼"	No	01
40.	Universal joint 1/4"	No	01
41.	Flexible extension 1/4"	No	01
42.	'T' handle ¼"	No	01
43.	Extension bar 4"	No	01
44.	Hex socket ¼" x 3/16"	No	01
45.	Hex socket ¼" x 7/32"	No	01
46.	Hex socket ¼" x 9/32"	No	01
47.	Hex socket 1/4" x 5/16"	No	01
48.	Hex socket '4" x 11/32"	No	01
	Hex socket '4" x 3/8"	. No	01
	Hex socket ¼" x 6mm	No	01
	Hex socket ¼" x 5mm	No	01
52.	Hex socket '4" x 7mm	No	01
		the second secon	

A 1 1 RESTRICTED

Ser	Nomenclature	A/U	Qty
53.	Hex socket ¼" x 8mm	No	01
54.	Hex socket ¼" x 9mm	No .	01
55.	Hex socket ¼" x 7/16"	No	01
56.	Hex socket ¼" x ¼"	No	01
57.	Spanner OTDE MM size 6x7	No	. 01
58.	Spanner OTDE MM size 8x9	No	01
59.	Spanner OTDE MM size 10x11	No	01
60.	Spanner OTDE MM size 12x13	No	01
61.	Spanner OTDE MM size 14x15	No	01
62.	Spanner OTDE MM size 16x17	No	01
63.	Spanner OTDE MM.size 18x19	No	01
64.	Spanner OTDE MM size 20x22	No	01
65.	Spanner OTDE MM size 22x23	No	01
66.	Spanner OTDE MM size 24x26	No	01
67.	Spanner OTDE MM size 27x30	No	01
68.	Spanner OZDE inch ¼" x 5/16"	No	01
69.	Spanner OZDE inch 3/8" x 7/16"	No	01
70.	Spanner OZDE inch ½" x 9/16"	No .	01
71.	Spanner 02DE inch 5/8" x 11/16	No	01
72.	Spanner OZDE inch 3/4" x 7/8"	No	
73.		201-0-11	01
	Spanner OZDE inch 7/8" x 15/16"	No .	01
74.	Spanner OZDE inch 1" x 1 / ¼"	No	01
75.	Spanner OZDE inch 11/16" x 1 / ¼ "	No	01
76.	Spanner ring type double ended 6x7mm	No	01
77	Spanner ring type double ended 8x9mm	No	01
78.	Spanner ring type double ended 10x11mm	No_	01
79.	Spanner ring type double ended 12x13mm	No	01
80.	Spanner ring type double ended 14x15mm	No	01
81.	Spanner ring type double ended 17x19mm	No	01
82.	Spanner ring type double ended 20x22mm	No	01
83.	Spanner ring type double ended 34 x 7/16 Inch	» No	01
84.	Spanner ring type double ended 1/2 x 9/16 Inch	No	01
85.	Spanner ring type double ended 5/8x 11/16 Inch	No	01
86.	Spanner ring type double ended 3/4 x 7/8 Inch	No	01
87.	Spanner ring type double ended 1" x 15/16 Inch	No	01
88.	Spanner ring type double ended ¼ x 11/16 Inch	No	01
39.	Spanner socket 1/2" x 10mm	No	01
20.	Spanner socket ½" x 11mm	No	01
91.	Spanner socket 1/2" x 12mm	No	01
92.	Spanner socket ½" x 13mm	No	
93.	Spanner socket ½" x 14mm		01
94.	Spanner socket ½" x 15mm	No	01
25. 95.	Spanner socket 1/2" x 15mm	No	01
		No	01
96.	Spanner socket ½" x 17mm	No	01
)7.	Spanner socket 1/2" x 18mm	No	01
98.	Spanner socket 1/2" x 1/9mm	No	01
) 9.	Spanner socket 1/3" x 20mm	No	01
100.	Spanner socket ½" x 21mm	No	01
101.	Spanner socket ½" x 22mm	No	01
102.	Spanner socket ½" x 23mm	No	01
103.	Spanner socket ½" x 24mm	No	01
140.	Spanner socket 1/2" x 25mm	No	01
105.	Spanner socket 1/2" x 26mm	No	01
06.	Spanner socket 1/2x 3/8" Inch	No	01
107.	Spanner socket 1/2x7/16"	No	01
108.	Spanner socket ½ x ½"	No	01
09.	Spanner socket ½ x 9/16"	No	01
10.	Spanner socket 1/2 x 19/32"	No	01
111.	Spanner socket ½ x 5/8"	No	01
112.	Spanner socket ½ x 11/16"	No	01

Ser	Nomenclature	A/U	Qty
	Spanner socket ½ x ¾"	No	01
113.	Spanner socket 19 x 74 Spanner socket 1/9 x 13/16"	No	01
114.	Spanner socket ½ x 7/8"	No	01
115.	Spanner socket ½ x 15/16"	No	01
116.	Spanner socket ½ x 1 3/10 Spanner socket ½ x 1"	No	01
117.	Spark plug socket 14 mm 13/16"	No	01
118.	Spark plug socket 14 min 13/10 Spark plug socket 14 min 13/10	No	01
119.	Spark plug socket 1/2 18mm Opening 26mm	No	01
120.	Spark plug socket W Lamin Opening Roman	No	01
121.	Spark plug gauge	No	01
122.	Spark plug gauge Combination filler & Ignition gauge (inch size) 26 blades	Set	01
123.	Combination filler & Ignition gauge (men size) 23 blades	Set	01
124.	Combination filler & Ignition gauge (mm size) 13 blades	No	01
125.	Breaker bar with plastic handle 15"	No	01
126.	Ratchet reversible with plastic handle 10"	No	01
127.	Braches bar with plastic handle 16"	No	01
128.	"T" handle 11-5/8" length	No	01
129.	Adopter 1/2" SD to 1/4" SD (3/4" plug 1/3" Socket)	No	01
130.	Extension bar 6" with drilled head	No	01
131.	Extension bar 12" with drilled head	No	01
132.	Torque wrench 50-250 lbs capacity	No	01
133.	Piston ring expender 3 ½ " to 5"	No	01
134.	Piston ring compressor 2.3/8" to 5"	No	01
135.	Puller triptle grip Jaw opening 3 1/8" max	Set	01
136.	Ignition spanner set 3/26", 7/32" 9/32 5/16 11/32" 3/8" & 7/16"		
137.	Ignition spanner set (4 mm to 7 mm)	Set	01
138.	Allen key set 1/16, 3/64, 3/32 3/16, 7/32, 14, 5/16 & 3/8 (set of 10) (Inch)aa	Set	01
139.	Allen key set 2,2,3,4,5,6,7,8,9 &10 mm	Set	01
140.	Chisel cold flat 6"	No	01
141.	Chisel cold cross cut 7/8"	No	01
141.	Punch centre 4 tool steel 4 ½	No	01
143	Punch starter tool steel 4 1/4	No	01
144	Punch starter tool steel 7"	No	01
145.	Drift brass paralled 6"	No	01
146.	Rule steel graduate 12"	No -	01
147.	Carbon scraper 9 3/4 "	No	01
and the second s		No	01
		No	01
Acres 144 Tr. 19		No	01
148. 149. 150. 151. 152. 153.	Scriper double ended 9" Automatic light tester Oil can ½ pt Cleaning brush 6" long Hack saw frame 10" to 12" Pad lock Universal Joint	No No No No	01 01 01 01 01

A 1 3 RESTRICTED

APPX: 2 TO ANX A TO ENGR DTE LTR NO. 23.01.901.055.02.192.02.26.07.23 DT 26 JULY 2023

LIST OF TOOL KIT 'C' & SPECIAL VEHICLE WORKSHOP PORTION - (64 LINE)

Ser No	Nomenclature	Δ/11	05:	D
1.	Tool Chest with three Drawers, Compartment four heavy rubber tured	A/U No	Qty	Remark
	with fitting nut & holts Carrying handle and locking system	INO	01	
2.	Ratchet handle I"SD reversible overall length 28"	No	01	+
3.	'T' Handle I" SD	No	01	
4.	Universal Joint I"SD	No	01	
5.	Bar Extension 8" x ¾" SD	No		
6.	Bar Extension 18" x 1" SD	No	01	
7.	Convertor /Adopter ¾" Sqr Plug x 1" Stocked	No	01	
8.	Convertor /Adopter 3/4" Sqr Socket x 1" Plug	No	01	+
9.	Spanner Socket 3/4" SD x 1 1/16" (AF)	No		+
10.	Spanner 3/4" SD x 1 1/8 (AF)	No	01	ļ
11.	Spanner Socket 5/4" SD x 1 1/4" (AF)	No		ļ
12.	Spanner Socket 3/4" SD x 1-5/16" (AF)	No	01	
13.	Spanner Socket 3/4" SD x 1 7/16" (AF)		01	<u> </u>
14.	Spanner Socket 1/4" SD x 1 1/5" (AF)	No	01	
15.	Spanner Socket 34" SD x 1 5/8" (AF)	No	01	
16.	Spanner Socket 1/4" SD x 1 · 11/16" (AF)	No	01	ļ
17.	Spanner Socket 3/4" SD x 1 3/4" (AF)	No	01	
18.	Spanner Socket 34" SD x 1 13/16 (AF)	No	01	
19.	Spanner Socket 3/4" SD x 1- 7/8 (AF)	No	01	
20.	Spanner Socket 3/4" SD x 2" (AF)	No	01	
21.	Socket 3/4" SD x 27 MM (AF)	No	01	<u>-</u>
22.	Socket 3/4" SD x 29 mm (AF)	No	01	
23.	Socket 34 SD x 30 mm (AF)	No	01	
24.	Socket ¼"SD x 32 mm (AF)	No	01	
25.	Socket %" SD x 38 mm (AF)	No	01	
26.	Socket 3/4" SD x 41 mm (AF)	No	01	
27.	Socket ¾" SD x 42 mm (AF)	No	01	
28.	Socket 3/4" SD x 46 mm (AF)	No	01	
29.	Socket 3/4" SD x 50 mm (AF)	No	01	
30.1	Socket with 1" SD x 2 = 1/16" (AF)	No	01	
31.	Socket with 1" SD x 2 1/8" (AF)	No	01	
32.	Socket with 1" SD x 2 3/16" (AF)	No	01	
33.	Socket with 1" SD x 2 - ¼" (AF)	No	01	
34.	With 1" SD x 2 - 3/8" (AF)	No	01	
35.	With 1" SD x 2 '\(\text{\text{\text{MF}}}\)" (AF)	No	01	
36.	With 1" SD x 2 9/16" (AF)	No	01	
37.	with 1"SD x 2 5/8" (AF)	No	01	
14.1	with 1 21/2 x 2/9 (VL)	No	01	

A 2 -1 RESTRICTED

Ser No	Nomenclature	A/U	Qty	Remark
38.	With 1" SD x 2 - 3/4" (AF)	No	01	
39.	With 1" SD × 2 - 15/16" (ΛF)	No	01	
40.	With 1" SD x 3 1/8" (AF)	No	01	
41.	With SD x 55 mm (AF)	No	01	
42.	With 1" SD x 60 mm (AF)	No	01	
42.	With 1" SD x 65 mm (AF)	No	01	
44.	With 1" SD x 70 mm (AF)	No	01	
45.	With 1" SD x 75 mm (AF)	No	01	
46.	With 1" SD x 80 mm (AF)	No	01	
47.	Torque Multiplier (75' Ft Lbs Input and 750' Ft lbs output)	No	01	
48.	Ceiling Ton 03 Ton	No	01	
49.	Pipe Wrench 18"	No	01	
50.	Pipe Wrench 36"	No	01	
51.	Pipe Wrench 39"	No	01	
52.	Hammer 5lb	No	01	
53.	Hammer 10lb	No	01	
54.	Spanner Open Jaw Double ended 46-50mm	No	01	
55.	Spanner Open Jaw Double ended 55-60mm	No	01	
56.	Spanner Open Jaw and R/T Combination 15/8" 11/5",	No	01	
57.	Spanner Open Jaw and R/T Combination 17/16" 13/8",	No	01	
58.	Spanner Open Jaw and R/T Combination 1 ¾" - 2",	No	01	
59.	Spanner Open Jaw and R/T Combination 2 3/8" 2 5/16",	No	01	
60.	Spanner Open Jaw and R/T Combination 2 7/16 - 21/2",	No	01	
61.	Spanner Open Jaw and R/T Combination 2 5/8 2 11/16",	No	01	
62.	Spanner Open Jaw and R/T Combination 2 3/4" 2 25/32,	No	01	
63.	Spanner Open Jaw and R/T Combination 2 15/16 3"	No	01	
64.	Allen Key 9/16" 2"	No	23 Pcs	

A 2 2 RESTRICTED

APPX -3 TO ANX A TO ENGR DTE LTR NO. 23.01.901.055.02.192.02.26.07.23 DT: 26 JULY 2023

LIST OF ARTIFICER ENGINEER AND MACHINIST TOOLS (39 LINE)

	Name of Tools	۸/۱۱	Quantity	Rnık
Ser	Artificer Engineer and Machinist Tools			
	Artificer Engineer and Machinist 10015	No	01	
1.	Power Saw Machine	No	01	
2.	Electric Bench Drill Machine	No	01	
3.	Mini Lathe Machine	No	01	
4.	Power Angle Grinder	No	01	
5	Electric Bench Grinder Machine	No	01	
6.	Vertical Drill Machine	No	01	
7.	Electric Power Hack Saw Machine	No	01	
8.	Mini Shaper Machine	No	01	
9.	Mini Milling Machine	No.	01	
10.	Tools & Cutter Grinding Machine		01	
11.	Electric & Hand Grinding Machine	No No	01	
12.	Pliers Side Cutting	No	01	
13.	Four Field Roller	No	01	
14.	Hack Saw Blade with Frame	No	01	
15.	Micrometer	No	01	+
16,	Freed Cutter Set Box	Set		
17.	Adjustable Wrench	No	01	
18.	Ring Spanner	No	01	
19.	Circular Saw Machine	No	01	+
20.	Sear Machine	No	01	
2.1.	Venire Slide Caupers	No	01	
	Grease Gur	No.	01	
22.	Hand Vice	No	01	
23.		No	01	
24.	Table Vice	No	01	
25.	Bench Vice	No	01	
26.	Threat Gaze	Set	01	
27.	Drill Bit Sct	Set	01	
28.	Tap & Die Set	No	01	
29.	Rod Cutter (Heavy Duty)	Set	01	
30.	Socket Wrench Set	Set	01	
31.	Tri Square Set	Set	01	
32.	X-Cut Chisel Set	4	01	
33.	File Set	Set Set	01	
34.	Screw Driver Set	the second contract the second contract to the second contract to	01	
35.	Glass Cutter Diamond Glazer	Set	01	
36.	Tin Cutter	Set	01	
37.		Set		
38.	Wire Gauge	Cm	01	
39.	Steel Foot Ruler	No	01	

APPX 4.TQ ANX A.TQ ENGR DTE LTR.NQ, 23.01.901.055.02.192.02.26.07.23 DT: 26 JULY 2023

LIST OF ELECTRICAL TOOLS (24 LINE)

Ser	Name of Tools	A/U	Quantity	Rmk
	Electrical Tools			
1.	Mini Battery Charging Set	Set	01	
2.	Volt Meter	Nο	01	
3.	Mini Air Compressor (220V Motor)	No	01	
4.	Oil/Fuel Filling Machine Complete	No	01	
5.	Ampier Meter	No	01	
6.	AVO Meter	No	01	
7.	Switch Board	No	01	
8.	Mini Transformer	No	01	
9.	Motor (Single-Phase)	Nο	01	
10.	Auto Starter, Delta Starter	No	01	
11.	Motor, Three phase, 10 HP	No	01	
12.	Change Over Switch	No	. 01	
13.	Contester Digital	No	01	
14.	Pliers	No	01	
15.,	Tester	No	01	
16.	Screw Driver	No	01	
17.	Chisel	No	01	
18.	Ball Pin Hammer	No	01	
19.	Soldering Iron	No	01	
20.	Nose Plier	No	01	
21.	Cutting Plier	No	01	
22.	Nipper Cutter Diagonal	No	01	
23.	Soft Hammer	No	01	
24.	Digital Tong Tester/Clamp on meter	No	01	

A 4-1 RESTRICTED

APPX:-5 TO ANX A TO ENGR DTE LTR NO. 23.01.901.055.02.192.02.26.07.23 DT: 26 JULY 2023

LIST OF WELDING TOOLS (20 LINE)

Ser	Name of Tools	Λ/U	Qty	Rmk
	Welding Tools		X Cy	RIIIK
1.	Arc Welding Machine	No	0.1	
2.	Welding Machine Dom trolley	No	01	-
3.	Mini Welding Generator Set	Set	01	
4.	Drill Machine	No	01	
. 5.	Mini Cutting Machine	No	01	
6.	Hand Grinding Machine (Small)	No	01	
7.	Hand Grinding Machine (Big)	No	01	
8.	Gas Cylinders	No	01	
9.	Gas Regulator	No.	01	
10.	Gas Welding Set Complete	Set	01	
11.	Mini Angle Iron Cutting Machine	No	01	
12.	Gas Cutting Nozzle	No	01	
13.	Balance Spring 100 Kg	No	01	
14.	Eye Shield	Pair	01	
15.	Eye Goggles	Pair	01	
16.	Cutting Stone	No	01	
17.	Electric Compass Wing 7 inches	No	01	
18.	Pipe Bending Machine (Hydraulic)	No	01	
19.	Hand Gloves	No	10	
20.	Sledge Hammer 7/8 lbs	No	01	

A 5-1 RESTRICTED