ANNEX D TO TENDER NO 06.06.0000.279.07.179.24 DATED 24 NOVEMBER 2024

TECHNICAL SPECIFICATION AND TERMS & CONDITIONS (DP-5)

TECHNICAL SPECIFICATION FOR PROCUREMENT OF 5-DOOR HARD TOP JEEP (GS) GROUP A QUANTITY-01 EACH FOR BAF THROUGH DGDP IN FY (2024-2025)

Ser	Description	Specification Specified	To be filled up by the Principal/ Manufacturer
1.	Type of the Vehicle	5-Door Hard Top Jeep (GS) Group A	4
2.	Name of the Local Agent with full Address	To be mentioned	;
3.	Name of the Principal with full Address	To be mentioned	. 7.
4.	Name of the Manufacturer with full Address	To be mentioned To be mentioned Toyota Lovus LX 570 // stort Production Model: not	
5.	Brand	Toyota *** *** *** ***	
6.	Model	before the year of 2025)	
7.	Country of Origin	Japan A A A A A A A A A A A A A A A A A A A	
8.	Country of Assembly	Japan A A A A A A A A A A A A A A A A A A A	Jan 19 24 14
9.	Country of Manufacturer	Japan Picht hand drive (PUD)	A STATE OF THE STA
10.	Drive	Right halid drive (RhD)	or the belong the second
11.	Configuration	4x4 All-Wheel drive (Full Time)	5 4 5 7 7 1 1 1 1
12.	Roof & Door	Hard Top, 5-Door	THE STATE OF THE STATE OF
	<u>Dimensions:</u>	Minimum 5065 mm Minimum 1980 mm Minimum 1865 mm	The second secon
	a. Overall length	Minimum 5065 mm	
13.	b. Overall width	Minimum 1980 mm	
10.	c. Overall height	Minimum 1865 mm	1904 - 1904 - 1904 - 1904 - 1904 - 1904 - 1904 - 1904 - 1904 - 1904 - 1904 - 1904 - 1904 - 1904 - 1904 - 1904
	d. Interior dimension	Length: 2615 mm, Width: 1655 mm & Height:1200 mm Minimum 2850 mm	
14.	Wheel base	Minimum 2850 mm	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
15.	Ground clearance	Minimum 225 mm	San
	Wheel Track (Tread)	第三个的 的 就会的对象。	新型表现在 (主题表)
16	a. Front	Minimum 1640 mm	推广设在社会。
	b. Rear	Minimum 1640 mm Minimum 1635 mm	
17.	Gradient	45° (grade ability 100%)	A Marine Strain
18.	Angle of approach	Minimum 25 degrees	3. 原始整理内型,2003
18.	Angle of departure	Minimum 20 degrees	Rate Control
19.	Fording depth	Minimum 700 mm	
	<u>Weights</u>		
	a. Kerb weight (kg)	Minimum 2685 kg	
	b. Pay load (kg)	Minimum 715 kg	427 BERTON
20.	c. Gross Vehicle Weight (GVW) (kg)	Minimum 3400 kg	· · · · · · · · · · · · · · · · · · ·
	d. Power to Weight Ratio	To be mentioned	
	e. Towed Load off Road (Cross Country)	To be mentioned	

D-1 of 14

(DAM)

, 4°2

	1	1975 Assets (including driver) Seating	
21.	Seating capacity and seating	VIP 4-seater (including driver). Seating arrangement to be mentioned. Height of seat	
21.	arrangement	should be comfortable for passengers.	1
2.	Maximum turning radius	5.9 m	
<u> </u>	Engine		
		4 stroke Gasoline Engine, 5.7 liters V8 four	
	a. Type	cam 32-valve, DOHC with Dual VVT-i	
	b. Brand	Toyota	2
	c. Model	3UR-FE (Gasoline Engine) Latest Production Model (not before the year of 2025)	
	d. Country of origin	Japan	
	e. Country of Assembly	Japan	7 . ;
	f. Country of Manufacturer	Japan	<u> </u>
	g. No of cylinder	Minimum 8 cylinders	1
	h. Bore and Stroke	Minimum 94.0 x 102.0 mm	
	j. Piston Displacement	Minimum 5663 cc	3
	k. Compression ratio	Minimum 10.2:1	1
	I. Horse Power (HP)	Minimum 362 HP (270 KW)/5600 rpm	
	m. Torque	Minimum 530 N-m (54.0kg-m)/3200 rpm 🧀	· · ·
	n. Injection type (direct/indirect)	Direct Type ** ** ** ** ** ** ** ** ** ** ** ** **	The transfer of
		Life expectancy of new engine up to	39 20 30 4
	p. Life Expectancy	1 st overhauling not less than 1,00,000 km	
	p. Life Expeciancy	(certificate to be provided by manufacturer	
		along with quotation)	7 × 7 1 V
	,	1. Engine Test Bench Report for all engines	
	,	prepared by manufacturer during production of engine at manufacturing factory must be	
	,	submitted to the SI/PSI team for each model.	
23.	1	Submitted to and one of the state of the sta	
	g. Engine Test Bench Report	2. If Engine Test Bench Report of all engines	
	d. Eligino 1991 2 allana,	cannot be submitted, in that case, for other	· Salah balan
		engines of the same model must be	
		certificate and confirmed with the engine Test	
		Bench Report (mentioning engine number)	
		by the manufacturer duly signed and stamped	1 2 1 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	r. Emission Standard	Euro-III/Equivalent	12/30 9/35/59 1 5 1 14/30 30 50 19 39 1
	s. Fuel tank capacity: In built tank		TEN 的基础
	capacity for minimum cruising range of 500 Km (310 miles) on level	138 Liters (93+45 sub fuel tank)	
	1st class road		
	t. Cruising range	More than 500 km	122 8000
	u. Fuel System:	Word than 500 km s	A. S. 194 1975
	(1) Fuel System	EFI (Electronic Fuel Injection)	A British Colored
		16 liter/100 km (approx) subject to road load	
	(2) Fuel consumption (for 100 km)	and driving condition	A CONTRACTOR OF THE
	(3) Type of Fuel	To be mentioned	
	(4) Fuel Injection Pump:	The transfer of the second	
	(a) Manufacturer name		The second
	or brand name of injection pump		有感染物质。 #
	(b) Type Rotary/VE/Common Rail	To be mentioned	See Sept 1 Sept 19 19 19
	v. Maximum Speed:		
	***	Minimum 210 km/h	1 20m 以前的第三人

		To i // / outlined to read	
	(2) Cross Country (Veh must	Minimum 70 km/h (approx) subject to road load and driving condition	
	have cross country mob)	Square + pre-cleaner	
	w. Air Cleaner Type	Paper filter element type	
	x. Fuel Filter Type	Water cooled	
	y. Cooling system	Water cooled	
	<u>Transmission:</u>	2 Canad Auto Transmission	
	a. Type	8 Speed Auto Transmission	
24.	b. Gear box Model	AE80F Latest Production Model (not before the year of 2025)	
	c. Gear Ratio	1 st - 4.795, 2 nd - 2.811, 3 rd - 1.844, 4 th - 1.429, 5 th - 1.213, 6 th - 1.000, 7 th -0.817, 8 th -0.672 and reverse-3.786 or to be mentioned	
	Steering System:		ļ
~ =	a. Type of steering	Electronic power steering with tilting facility	, 14
25.	b. Steering audio switch	To be provided	3 " "
	c. Steering remote control	To be provided	a ay so to
	Transfer case:	A 3 & 4 A 5 A 4 A 4 A 4 A 4 A 4 A 4 A 4 A 4 A	george Sylver of States
	a. Type	Full time transfer	الأقوار
26.	b. Model	02 speed, full time transfer Latest Production Model (not before the year of 2025)	rac En 1
	- Lich Coor Potio	1.000	
	c. High Gear Ratio	2.618	2 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	d. Low Gear Ratio	2.010	
	Suspension details:		
27.	a. Front	Double wishbone shock absorber with stabilizer bar	18 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	b. Rear suspension	4-link rigid axle, shock absorber with stabilizer bar	
	Brake system:	Front: Ventilated disc	AND SECTION
		Front: Ventilated disc	以新疆工业的
28.	a. Service brake	Rear: Ventilated disc	
20.	b. Parking brake	EPB, Centre console	
	c. Parking Sensors (front & rear)	To be provided	The state of the state of
	d. Emergency brake (if available)	To be mentioned	The state of
	Wheel & Tyre:	A Company of the Man o	WW STONE
	a. Tyre size (front, rear & spare)	265/50R22 Premium Metallic Coating	
	b. Tyre Brand	Bridgestone/Yokohama/Continental/Michelin	
	c. Manufacturing country	UK/USA/Japan/Canada/ EU Countries	1000000000
	d. Tyre Pattern	Lexus standard	Company of the control of the contro
	e. Wheel size	8J	The State of the S
29.	f. Wheel Pattern	Aluminum alloy wheel for all wheel	10 may 2 - 7 Mg
	g. 01 x spare wheel complete with	Addition aloy whose for sure	1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	fitting attachment on the rear door		19. 30 m
	with lock and key & wheel	To be provided	
	cover/Case	· · · · · · · · · · · · · · · · · · ·	
	h. Tyre pressure monitoring system (TPMS)	To be provided	
	Electrical system:		· · · · · · · · · · · · · · · · · · ·
	a. Battery (Volt & AH)	12 Volt & AH to be mentioned	10 10 10 10 10 10 10 10 10 10 10 10 10 1
30.		Single battery	
ĺ	b. No of Battery	12 Volt, 1800 watts (150 Amp)	The state of the s
l	c. Alternator (Volt, Amp)	D-3 of 14	1 1 1

CONFIEDNTIAL ·

	d. Starter (KW)	2.0 KW	
	e. Lights:		
	(1) 02 x Signature Dual Barrel Headlamps (Dual barrel LED projector), 04 x LED turn indicator (ORVM) (front & rear), 02 x Stop/brake Lights, 02 x Reverse Light, 01 x Cabin Light, all gauges and meters in dashboard fuel gauges, hazard warning lights etc as required for proper functioning of all system of the vehicle	To be mentioned	
	(2) 02 x LED Projector Fog lamps at front for driving during foggy weather	To be mentioned	
	(3) Sting like LED Daytime Running Lamps	To be mentioned	
	(4) LED Sequential turn indicator	To be mentioned to the second	***
	(5) Roof lamp for 1st and 2nd row	3 25 77 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	`
	(6) Auto Head lamp and auto wiper	To be provided:	
	(7) High mount stop lamp	Mary Mary and the second of th	the state of the s
	(8) Roof mount cabin lamp (inside cabin).	man fill that a think is a to a find a second and a second	
31.	Noise Suppressor	To be mentioned	1500
	Wind Shield:	Francisco Compart on the second	2. 2. 2
	a. Laminated Windshield Glass	Laminated acoustic glass with rain drop sensor to be provided	
	b. other window glasses	To be mentioned	*/ ,
32.	c. Glass tint	35% black tinf in all windows 50% black tinf in rear windshield (not compromising driver's visibility) To be provided	art market sa
	d. Rear windshield with Defogger.	To be provided	
	e. Intermittent windshield wiper 2 x front & 1 x rear.	To be mentioned	
33.	Rear Doors	To be mentioned	1
34.	Clutch Details (if available)	To be mentioned	A V
35.	Type of Gear Shifting Lever	To be mentioned	The second second
	Front Axle:	Bethe to the Walker with the Control	
36.	a. Type	Full-floating	
	b. Capacity	Minimum 1620 kg	Fare 1
	Rear Axle:		The second of the second
37.	a. Type	Full-floating	12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
J	b. Capacity	Minimum 2650 kg	All long of the fi
	c. Differential Lock	To be mentioned	77.
38.	<u>Colour</u> :	Vehicle to be painted from manufacturer's factory. (chips for interior seat material colour and exterior body colour sample plate is to be submitted before painting for BAF selection)	
39.	Accessories: Following accessories are to be provided with the vehicle:		
		D-4 of 14	7

D-4 of 14 CONFIEDNTIAL

Daval

٠,٤

a. Fire Extinguisher: 01 kg capacity A B C & E type or A, B, C type which capable of extinguishing A, B, C & E type fire with bracket and chemical to be fitted at the side of driver seat	To be provided	,
 b. Seat belt for driver and other passengers 	To be provided	3
c. Seat belt warning	To be provided	
d. Inspection lamp complete with cable (10 meter), plug & arrangement of socket in the vehicle for using inspection lamp	To be provided	
e. Floor mat front & rear complete	To be provided	٠,
f. 02 x Sun visors with bracket	To be provided	\$
g. 01 x Inside rear-view mirror	To be provided	*
h. 02 x Chrome plated outside power door rear view mirror with folding function	To be provided	
j.· Cigarette lighter & Detachable Ashtray	To be provided	And American
k. Radio & DVD player with LCD monitor (back rest of driver & codriver)	To be provided	
Digital quartz clock at dash board	To be provided	
m. Both side door: Full size normal door with power operated windows	To be provided	
n. Type of Seat: Original leather seat luxurious comfort quality	To be provided (seat colour is to be mentioned)	
p. Tachometer with engine RPM meter and speedometer (MKS system) in dashboard	To be provided	
 q. Boost ventilator with central fresh, cool & air circulation (dual type air condition) with climate control system 	To be provided	
r. Air conditioner	Dual zone AC Vent with climate control (front & rear row separately), hot & cold air circulation and auto 4 seats independent control (dual type) system to be provided.	
s. Steering wheel cover (Leather warp type).	To be provided	
t. Door locks: Auto door lock operated from driver seat for all door.	To be provided	
u. Driver seat: Double side front & rear height adjustable with full tilting system of backrest for driver & 2 nd seater	To be provided	
v. Front, Rear and overhead console box	To be provided	
	D.5 of 1/4 2000	三記 世紀 ダスパぞくじ

ひとうとうかんとう といろいろ かんかん ないない かんしょう かんしんかん

w. Cup holders on consul box front & other rows for water/soft drink	To be provided	
cups.	10 be provided	
x. Cooler box.	To be provided	
y. Glove box with lamp	To be provided	
	To be provided	
z. Rear spoiler	To be provided	
aa. Child protector	<u> </u>	
ab. Assist grip	To be provided	
ac. Sun glass holder	To be provided :	-
ad. Accessory connector (Front & Rear)	To be provided	a salah sala
ae. Seating arrangement	Front facing to be provided	
af. Axle breather and gear breather & wiring distributor box to be raised	To be provided	
higher than that of the fording depth		
ag. Wiring harness parts which will		
be in contact with water to be wrapped by special adhesive and covered by flexible pipe	To be provided	
ah. 40 liters sub fuel tank/spare fuel jerrican (fitted on the rear door with fitting attachment) if available	To be provided	
aj. Towing Hook facility	To be provided	. 53
ak. Front foot lamps & lighting for side step (both side)	To be provided	the first of the second of the
al. Cargo room accessory socket	To be provided	The state of the s
am. Multimode/ABS with EBD or equivalent	To be provided	
an. ASTC (Active stability traction control system) or equivalent	To be provided	
ap. Coat hook	To be provided	
aq. Pintle hook at rear	To be provided A A A A A A A A A A A A A A A A A A	The Control of the start
ar. Rear door opening system	To be provided	The transfer of the
as. Front & Rear grill guard/bull bar	To be provided	State of the state
at. 360° Camera with front & rear	To be provided	
Camera recorder au. Fold Type Arm Rest in 2nd row with cup holder	To be provided	
av. Hill Hold control + Hill Descent Control	To be provided	
aw. Driver Drowsiness Detection (DDD)	To be provided	Die Control
ax. Sufficient number of Airbags to ensure driver and both front and rear passenger's safety (SRS)	To be provided	
ay. SD Card Qty-01 with each vehicle	To be provided	
az. Wireless door lock	To be provided	The second of
aaa. Sun & Moon roof	To be provided	2.75 A 2.63 A 2.63
aab. Heavy-Duty Stainless-Steel Bumper at Front & Rear	To be provided	
aac. Roof rail in both side	To be provided	
aad. Multi information display	To be provided State of the sta	\$ P.

	aae. BA + VSC + ARTC + CRAWL control or equivalent	To be provided	
Ì	aaf. GPS/Navigation System	To be provided	
	aag. USB and Bluetooth Connectivity with USB charging C port (2nd row)	To be provided	
	aah. Android Auto ™ + Apple CarPlay Compatibility	To be provided	•
	aaj. Touchscreen Infotainment	To be provided	
	aak. Infotainment display for rear passenger seat	To be provided	. ,
	aal. Wireless charging for rear passenger seat	To be provided	t.
	aam. SONY ® 3D Immersive Audio 12 Speakers with Dual Channel Sub-woofer	To be provided	7, W. 2, W. 3, W.
	aan. Back Camera with monitor to avoid collision while reversing	To be provided	
	aap. Laser Sensor with provision of audio warning while reversing	To be provided	1 1 1 1 1 1 1
	aaq. Collision avoidance control system	To be provided	N. Million Co.
	aar. ISOFIX/i-SIZE Compatibility	To be provided	
	aas. Push Button Start	To be provided	200
	aat. 4XPLOR - Intelligent 4x4 System with selectable Terrain Modes (Normal, Snow, Mud & Ruts, Sand)	To be provided	
	aav. A Pillar Grab Handle (both sides)	To be provided	
	aaw. Ski-rack	To be provided	
	aax. Skid plates	To be provided	
	aay. 8-way Driver power seat	To be provided	and the second
	aaz. Multi terrain display	To be provided	with the late of
	aaaa. Seat Heater for rear passenger seats	To be provided	
	aaab. Anti-theft provision	To be provided	₩ ₩.61 × 100 × 100
	aaac. Any other accessories (if available)	To be mentioned	
	Tools set: Following tools set are to be provided with the vehicle:		
	a. 01 x std Jack (hydraulic type) with handle	To be provided	
	b. 01 x wheel wrench with handle.	To be provided	
	c. 01 x adjustable wrench	To be provided	A COLUMN TO
40.	d. 01 x Pliers e. 01 set x screw driver (+/-) with	To be provided. To be provided.	A CANADA
	handle f. 02 Nos double ended spanner.	To be provided	· · · · · · · · · · · · · · · · · · ·
	g. Grease gun with replaceable trip	To be provided	, ,
			1
	h. Tyre pressure gauge	To be provided To be provided	* 49

CONFIEDNTIAL

4.4	Fact and clay maying spares	Quote separately for each item	
41.	Fast- and slow-moving spares	If required, quote separately for each item	
42.	Special Service Tools (SST)	If required, quote separately for each item	
43.	Special Service Materials (SSM)	ii required, quote separatery for each term	
44.	Analyzer Measuring & Testing/Fault Finding & Diagnostic Set for Engine (01 set)	Quote separately	
	Publication/Manuals: Following publication/technical manuals are to be provided free of cost with the vehicle.		
•	a. Drivers / Owner's manual in English complete set book type qty-01.	To be provided	
45.	b. Updated Maintenance/ Repair/ Workshop manual for engine, chassis, body, electrical system & all	To be provided	
	other in-built accessories in English complete book type qty-01		and the second
	c. Complete updated master spare parts catalogue for engine, chassis, body, electrical system & all other accessories in English complete book type qty-01	See the second	A STATE OF THE STA
	Petrol Oil Lubricant (POL) information: The following information must be submitted with the offer:		
	a. Details maintenance schedule of vehicle and engine	To be mentioned	
46.	b. Grade of fuel used in vehicle (High speed petrol) should be compatible with available fuel used in Bangladesh	To be mentioned	
	c. Type of engine oil used in vehicle, engine oil confirming to API C14 Plus, (SAE 15W-40) or higher-grade engine oil	To be mentioned	
	d. Type of gear & differential oil used in vehicle	To be mentioned	A 2" 7 W
47.	Production date	To be manufactured not before the year of contract production date must be mentioned of the veh identification (ID) plate by the Manufacturer/assembler or certificate of production from the manufacturer must be provided.	
48.	Any other specification (if any)	To be mentioned	

 $\mathbb{E}_{(\mathcal{A})}\mathbb{V}_{\mathcal{A}}=\mathbb{E}_{\mathcal{A}}$

TECHNICAL TERMS AND CONDITIONS FOR PROCUREMENT OF 5-DOOR HARD TOP JEEP (GS) GROUP-A, QTY-01 EA FOR BAF THROUGH DGDP IN FY 2024-25

	The bidder is to mention "Comply/Not comply/Appropriate remarks agains	t each Technical	
	Specification and Terms & Conditions. Otherwise, the quotation will not be accepted. The T		
	Conditions are mentioned below:	To be filled up	
Ser	Description	by the Principal/	
1.	Item must be brand new, unused and latest product (not earlier than the year of 2025) with necessary accessories and standard fittings. Original Equipment Manufacturers (OEM) certificate (mentioning the year of production) must be enclosed with the quotation and proforma invoice.		
2.	Authorization certificate (Original) in favour of the Principal by the OEM is to be submitted along with the offer.		
3.	Authorization certificate (Original) in favour of the local agent by the principal is to be submitted along with the offer.	1,	
4.	Technical specification and all terms and conditions with tender form must be filled up by the local agent, principal & manufacturer (As per guide line/instruction against each annex) and must be submitted with the offer.	A STATE	
5.	Offered technical specifications must conform to the specifications mentioned in the submitted brochure/catalogue. Fax/photocopy/hand-written offer/catalogue/brochure and catalogue without marking/signing will not be considered.		
6.	Hand written offer and any written clarification will be rejected. It must be typed and printed in the original pad of the manufacturer, principal and local agent duly signed by the authority.		
7.	Original offer (duly signed at every page) along with original brochure in English (02 x original copies for DGDP and 01 x original copy for Directorate of Engineering and 01 x copy for Directorate of Supply) of vehicle having all the relevant information including colour photographs of the vehicle and equipment along with details of technical information with proper marking and sign, name, designation, telephone number, fax number, email and mail address must be submitted.		
8.	Manufacture's Original parts Catalogue/Spare parts Catalogue/Brochure/Manuals and other publications associated with the equipment are to be provided by the supplier and these publications to be produced during the Pre Shipment Inspection.		
9.	The bidder is to mention in the offer whether the manufacturer is ISO certified or not. A certificate in this regard is to be submitted along with the offer.		
10.	All types of marks/indications/instruction must be engraved on the body of the vehicle.		
11.	nomenclature of stores along with supply of spare parts must be provided in English language.		
12.	updated/superseded/changed catalogue of spare parts for the main vehicle on routine basis till the equipment is in use in Bangladesh. Supplier must intimate well in advance, if further production of the item is discontinued.		
13.	The bidder is to quote separately for each item of standard Special Service Tools (SST) and Special Service Materials (SSM) required for the vehicle. BAF has the option to accept/ reject part or entire list of the SST and SSM. The bidder is to offer multiple options for interior decoration, position of seats and other optional accessories of the vehicle. BAF will have the option to choose and select the final configuration. Bidder is also to quote item-wise price of such options.		
	, 35¢r		

14.	The bidder is to quote separate costs for fast and slow-moving consumable	
	spares with unit price separately which will be required for the first two years of	
	maintenance. BAF has the option to accept/ reject part or entire list of the	
	spares	
15.	the state of the s	
13.	separately mentioning as follows.	
	i a company	. 1
	learning the financial part of the	
	b. Cost of training (which will be included in the infancial part of the	
	contract. BAF has the option to accept/reject the training).	
	c. Price of fast and slow-moving spares, Standard Special Service	•
	Tools (SST) and Special Service Materials (SSM) separately.	,
16.	All items/parts with the vehicle must be manufactured within the same country.	y
	If the country of manufacture of any item is different, then it is to be certified by	
	the manufacturer and is to be mentioned in the offer.	
17		, , ,
17.	The port of snipment mast be from the managed of soundy.	" ;
18.	The vehicle must be supplied in standard Air/Sea worthy packing.	* (> %
19.	The vehicle is to be delivered within 270 days after signing the contract.	
20.	The bidder is to deliver the vehicle at 201 MU, BAF within one month after	J. Mary in
	customs clearance at Chattogram by the Embarkation Unit, BAF.	, , , , , , , , , , , , , , , , , , ,
21.	The vehicle is to be brought from Chattogram to Dhaka by the supplier's/ local	' '
	agent's expense and arrangement. Any damage/pilferage or discrepancies	
	arise during transportation will be fulfilled by the supplier/local agent.	
- 22	-	3 4
22.	Inspection of the vehicle in Dangladesh will be carried out combinedly by 1.1.	W. W. W. W. C.
	MU BAF and CQC (U) BAF with the presence of supplier's representative.	1
23.	The following documents should be supplied along with the vehicle during	The State of the s
	inspection at 201/212 MU by CQC(U) BAF:	We will all
	a. Shipping invoice/ documents mentioning the name of the ship and	100 m 100 m 100 m
	port.	A 12-09%
	b. Manufacturer's certificates stating that the vehicles are	
1	manufactured by them.	
	c. Quality Assurance Certificate of the vehicle is to be signed by the	The second secon
	manufacturer's quality control inspector and the year of production is to	
	he mantioned in the Quality Accurance Cartificate	1. 學校、學學院、科
<u> </u>	be mentioned in the Quality Assurance Certificate.	
24.	If any item is found unserviceable/ damaged during the inspection at the	1
1	consignee's premises, it must be replaced with a new one by the supplier's	
1	expense within 60 days of reporting/ detection of unserviceability/ damage and	Anna and the second
1	forwarding of discrepancy report.	
25	. The Quality Assurance Certificate (QAC) is to be provided by the quality control	13 15 15 15 15
	department of the manufacturer for equipment and spares and to be handed	
1	over during delivery of the equipment to BAF.	
26		1.20.10 ACC 10
20	1 WO-Intelliber pre-simplified inspection team to a x-inginion of the	
	01 x Airmen of MTOF (MTF) trade} will visit the factory for inspection of the	
	vehicle for 05 working days (excluding journey) before the vehicle is made ready	· (1)
	for shipment. The bidder is to arrange a pre-shipment inspection for the BAF	14年 14年 14年 14日
	team at the convenience of both parties. BAF will bear all necessary	
	expenditures for the pre-shipment inspection. The supplier is to arrange local	
	transport and all the admin formalities of the team. The supplier is to extend all	
	possible assistance to the team for checking the documentation including	TELL STANSON
	physical checking of the vehicle. BAF will have the option to decide whether a	1學學問題的
	pre-shipment inspection will be done or not. The supplier should inform about	The state of the s
	the date of the pre-shipment inspection at least 08 weeks prior to the exact date	中學學學學學習了企
	1 or the second the same ables and inconcation 3000 3000 3000	朝城 "海绿
İ	of carrying out the pre-shipment inspection.	The same of the same
	Following will be inspected by the PSI team:	上的"Men Wall To
	(1) The PSI team will carry out visual checking of 100% equipment	The state of the state of
	(1) The Folleant will carry out visual checking of too to equipment	1 1
	(Vehicle, Tools and Accessories, Fast and slow moving Spares, SST,	,,
	SSM and Publications) as per contract specification.	I'm " while oil
1	and the state of t	1 / 4 TB() #

	(2) Performance/ Functional test (by static run of all equipment and road	
	test drive of 20% equipment i.e. test drive, test of transmission system, brake system, operational employment, air conditiontest, performance of tyre etc) to be carried out by the PSI team according to PSI criteria. Quantity may vary considering the available facility. weather condition and duration of PSI.	
	(3) For the component imported from another factories the PSI team will check the shipping document and quality assurance certificate from the quality control department of manufacturer.	
	(4) During Pre-shipment Inspection Engine Test Bench Report (for each model) must be produced and submitted to the team (duly signed and stamped by the manufacturer) which was prepared by manufacturer during production of engine at factory premises. Other the same model must be engine (mentioning engine number) of certified confirming the engine Test Bench Report by the manufacturer (duly signed and stamped).	
	(5) Any deviations in major components from contract must be spelled out clearly in the PSI report and to be informed BAF (if possible during PSI).	
27.	a Quality Assurance Certificate (QAC) is to be provided by the quality control department of the manufacturer for equipment, and for spares, the same is to be provided by the supplier's principal/ manufacturer.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
28.		
29.		
	b. 100% visual inspection will be carried out as per technical specification of subject Equipment, spare parts, SST SSM and Publications.	
	c. Brand, make and model, year of production and country of origin, manufacture and assembly will be checked and confirmed against main equipment and related major components during Joint post shipment inspection.	
	d. Performance/ Functional test will be carried out by the JPSI team according to JPSI criteria.	
	e. The major components which are shipped/assembled/manufactured from other countries as per contract, related shipment documents and necessary certificates (original QAC) from manufactures (duly signed and stamped) and must be placed for checking by the JPSI team (if necessary).	
	necessary).	
30.	If any supplied item is found not as per contract during Post-shipment inspection, it will not be accepted. The supplier must take back the item at their own cost.	
30. 31.	 If any supplied item is found not as per contract during Post-shipment inspection, it will not be accepted. The supplier must take back the item at their own cost. One set of necessary shipment documents must be submitted to Special Directorate (Directorate of Engineering) for equipment. 	

33.	A warranty/ Guarantee for 12 months/ 20,000 km (whichever comes earlier) of trouble-free operation with provide routine maint incl free supply of lubricants	
	and spares (oil filter) during warranty period. The maint would be in 02 (two)	
	phases at 5,000 km and 10,000 km during warranty period. 03 x free minor	
	servicing and 01 x free major servicing including replacement of necessary	
	spares free of cost is to be provided by the supplier from the date of acceptance	
	of the vehicle in BAF. If any item is found defective within the warranty period, it	
	must be replaced with new serviceable one by supplier's expenses including	
	both ways freight and insurance charges at the shortest possible time but not	}
	later than 60 days from the date of reporting the defect to the supplier. Periods	
	of unserviceability for more than 60 days will be added to the total warranty	
	period.	
34.	A guarantee of spare availability for 10 years is to be provided by the supplier	
	after the warranty period. In this regard, the bidder is to submit a certificate from	
	the manufacturer (OEM).	
35.	Urgent spare parts to be made available by the principal to user within 30 days	
	of placing the demand subject to stock holding. In case stoke is not readily	
	available immediate action will be taken on priority to manufacture/procure the	e.
	same and will be supplied at the earliest (Certificate by principal)	: '
36.	After sales service should be available with the lacal agent of the supplier and	
	is to be provided as and when required for indefinite period (Free of charge up	
	to warrenty period and there after with payment). A guarantee certificate in this	i i
	regard is to be provided by the local agent along with the offer.	
37.	a. On-site familiarization training on repair, maintenance and troubleshooting	
	is to be conducted by the engineer/ specialist of the manufacturer/ supplier for a group of BAF personnel for 05 working days in Bangladesh. In this regard, BAF	CANA SALE
	would appreciate an offer of familiarization training at free of cost. However, if	
	the bidder cannot afford a free training then the bidder is to quote the training	1. 1 ft. 1 f
	cost separately which will be included in the financial part of the contract. In case	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	of a foreign specialist, all other expenditures including air tickets, food,	1 SEPT. 1 34
	accommodation, medical care and transportation (both internal and external) for	
	the engineer/ specialist are to be arranged and borne by the bidder. BAF has	
Ì	the option to accept/ reject the familiarization training.	
	Following topics have to be included in the training syllabus:	·
	(1) Tools & Accessories operation.	
	(2) Operating System.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	(3) Fault & Alarming System.	[[·][[6]][[4]][[6]][[6]][[6]][[6]][[6]][
	(4) Oil, Lubricant, Coolant Liquid Change System.	The state of the s
	(5) Electric Connection System.	
	(6) Probable fault likely Shooting.	
	(7) Fault Finding & Trouble Shooting.	
	(8) Use of Analyzer & other Assotiated issue.	
	(9) Consulatation of owners functional manual	
	b. Provide training with Block Diagrams and Flow Chart of different control	
	system. Block Diagrams and Flow Charts to be supply to trainees.	The state of the control of
	c. Language of instructor sould be English/Bangla. All the training handout/books/presentation should be in English/Bangla.	1 The State of
	1	
	d. 70% class will be practical.e. Training will commerce after successful functional test/inspection.	
	f. Routine maintenance schedule to be supply in tabular form.	A A CONTRACT OF THE CONTRACT O
	g. Provide all Power Point presentations and training materials.	· 多种种类型
	h. Consultation of the owner's manual, repair manual and spare parts	16 Months
	catalogue with CD/DVD to be taught to the trainees.	
	i. On completion of the training, a certificate to be provided by the	
	instructor/supplier to the trainees mentioning their performance and level of	The state of the s
	expertise attained.	The Control of the Co

38.	The bidder is to mention comply/not comply/appropriate remarks against each clause/serial-number of the technical specification and terms & conditions as per the sequence. Mentioning 'Comply' against any tender specification will be considered that the bidder is fully agreed with the requirement of that particular clause.	
39.	BAF may disqualify a bidder/supplier without any notice who has previous record of poor performance such as abandoning the job, not properly completing the contract, significant delay to supply the contracted items, litigation history of financial failures and non-submission of required certificates/ documents with the offer.	s, 4
40.	In case of failure to supply the contracted goods within stipulated time, BAF may	, ,
41.	No price increment at any stage after submission of offer will be accepted by BAF.	, /
42.	Offer must remain valid till 30 June 2025 of the tender. Within the validity of the offer, withdrawal of offer or showing unwillingness to deliver the Items by the bidder will not be accepted and in such cases subsequent action would be taken against the bidder as per DGDP rules.	
43.	Any other terms and conditions not covered here will be dealt with as per DGDP rules and regulations.	
44.	the months of the webicle	

MISC TERMS AND CONDITIONS

Ser	Miscellaneous Terms and Conditions	Filled by the bidder
01.	The bidder must mention their full address including telephone number, Fax number and e-mail address. They also to mention the name and full address of their local agent (if any) in the offer.	
02.	Item with changed/ dissimilar part no/description (if any) is to be mentioned during submission of offer.	The Mark
03.	If any changes required in contract/LC due to the fault of supplier, all expenses shall be borne by the supplier.	
04.	Normally transshipment is not allowed. If the bidder needs transshipment, they are to mention clearly about their requirement. In case of such requirement, the transshipment may be allowed under single AWB/BL.	
05.	The bidder is to mention country of origin, country of manufacture, port shipment and country of shipment in the offer.	The officeral
06.	No increase of the price at any stage after submission of offer will be accepted by BAF. The offered unit price and total price against each item must be correct. If the unit price and total price of an item is found incorrect, that unit price or total price will be taken into consideration which will be benefited to BAF.	
07.	The bidder is to quote FCA/FOB cost and freight charges (by both Air & Sea) separately & clearly in financial offer. Any price/ cost quoted in the pages of quotation other than financial offer will not be considered.	
08.	For failure to supply the contracted items in time, DGDP may cancel the contract with nec punitive action.	
09.	Offer must remain valid up to 30 th Jun 2025. Within the validity of the offer, withdrawal of offer or un-willingness to sign the contract by the bidder will not be accepted and in such cases actions would be taken against the principal supplier and local agent as per DGDP rules. Delivery schedule if mention in the tender specifications may be changed by DGDP/BAF due to delay in concluding the contract. In this case, the contract would be signed within offer validity period. DGDP/BAF also reserves the right to get the offer validity extended with the consent of the supplier.	

10.	The bidder is to mention Contract/Purchase order number on the Air way bill (AWB)/Bill of lading (BL) and commercial invoices and also cross linking between AWB/BL and invoices.	
11.	Part shipment: Not allowed.	
12.	Part payment: Not allowed except mentioned in the payment terms.	
	Payment Terms. 100% Payment in foreign currency will be made through an irrevocable Letter of Credit (LC) opened with scheduled bank in Bangladesh and negotiating bank recommended by the supplier under following terms and conditions:	
13.	a. 80% of CFR/CPT value will be released on production of shipping documents to the bank.	
10.	b. Rest 20% CFR/CPT value will be released on satisfactory acceptance of 100% items by BAF after inspection/functional test (as applicable), on production of Certificate Receipt Voucher (CRV) and written clearance from DGDP.	
	c. 100% cost of training will be paid on completion of training and on production of training completion certificate signed by the competent authority of BAF.	٠,
14.	AWB/BL must be in the name of consignee.	· > 4, 1, 1, 1,
15.	Bidders are requested to submit soft copy of Financial Offer in a CD according to the given proforma along with the hard copy of Financial Offer in closed envelop.	e e e
16.	Compliance of tender terms & conditions should be mentioned in the quotations by the bidder as per sequence above. Bidder is to provide appropriate information against each clause clearly (where necessary) instead of 'complied'/ not complied'. No contradictory/hypothetical sentence/word/ (like, quote is subject to availability/prior to sell/subject to export license approval or words so) will be accepted by BAF.	Maria de la companya della companya della companya de la companya de la companya della companya
17	Any other terms and conditions not covered here will be as per DGDP rules and regulations.	2 1 90 500 1

ANNEX E TO TENDER NO 06.06.0000.279.07.179.24 DATED 24 NOVEMBER 2024

FORMAT FOR SUBMISSION OF FINANCIAL OFFER (DP-6)

Subject	Qty	Price	Remarks
Procurement of 5 Door Hard Top Jeep (GS), Group-A	01 Ea		
Sea/Air Freight		4 . **	
CFR/CPT Value			
Special Service Tools (SST) and Special Service Materials (SSM) as per clause 13 of Annex D (Technical Terms & Conditions)		,	Details may be shown in appendix
Cost of Fast and slow-moving Spare Parts as per clause 14 & 15(C) of Annex D (Technical Terms & Conditions)			Details may be shown in appendix
Cost of Local Training as per clause number 37 of Annex D (Technical Terms & Conditions)			Details may be shown in appendix
Total Value		77.5	1

Local Agent's Commission:		Remarks.		
Validity	:	Each column must be filled in by the Principal and submitted with application.		
Delivery	:	All above information's must be in principal's invoice		
Country of Origin	:-	quotations. 3. Write in column NOT APPLICABLE (NA) if not asked in tender conditions and NOT QUOTED (NQ) if not quoted by		
Warranty	:	principal.		
PG Amount :				

Signature of the Tenderer With Full Name, Address and Seal of the Company

E-1 of 1

CONFIEDNTIAL

Common of the co

ANNEX F TO TENDER NO 06.06.0000.279.07.179.24 **NOVEMBER 2024**

FORMAT OF PERFORMANCE GUARANTEE (PG) (DP-7)

Senior Finance Controller (Defence Purchase)

2.

3.

DGDP Building (3rd Floor) New Airport Road Tejgaon, Dhaka-1215	
•	DATED
OUR BANK GUARANTEE NO	5.
Road, Tejgaon, Dhaka-1215 (herein-after called pr	(herein after called supplier) against Tender
Number	for supply of
governing the contract between the purchaser and us to issue a bank guarantee for an amount of only) we	s per attached list on the terms and conditions supplier and whereas the supplier has requested (in words(Name of Bank)
Hereby undertake and guarantee due performance	e of the contract by the supplier and hereby agree:
a. That we shall make an unconditional	payment of (in words only)
purchaser (DGDP) in writing, certifying that conditions of the contract.	ier immediately on the demand from you or the the supplier has failed to comply with terms and
 b. That we shall keep this guarantee validity. 	alid and in force till beyond expiry
 That we shall extend the period of the or the purchaser and intimated by you or the 	his guarantee if such extension is desired by you see purchaser and intimated to us in writing.
and shall be irrevocable. Our liability under	tee shall be binding on us and on our successor this guarantee is limited to beyond the said amount.
e. That we shall encash the said amoung you if the supplier fails to extend the PG Va	t without any reference to the supplier in favor of alidity of this guarantee.
2 Any claim under this guarantee must be pro	esented to us before expiry of its validity

Any claim under this guarantee must be presented to us before expiry of its validity

We hereby confirm that our bank is a schedule bank in Bangladesh.

ANNEX G TO TENDER NO 06.06.0000.279.07.179.24 DATED 24 NOVEMBER 2024

FORMAT OF EUC (DP-8)

"ACCOUNTABLE" Copy Number 1 of 1 Total Page 01

Government of the People's
Republic of Bangladesh
Directorate General Defence Purchase
Ministry of Defence
Phone:
E-mail:

Reference No	
	SER CERTIFICATE (EUC)
1. As per Directorate General De Quarters/Organization) Contract No/Purcl procurement/Repair/Overhaul of items ment	fence Purchase (DGDP), Bangladesh (Service Head hase No
Principal Supplier	Purchaser
(As mentioned in the Contract with address and other Contract information) Manufacturer	(As mentioned in the Contract with address and other Contract information) Name of End User
Marturacturer	(Bangladesh Air Force
(As mentioned in the Contract with address and other Contract information)	or as applicable) Address of Consignee (As mentioned in the Contract with address and other Contract information)
	et but limited to items for which this EUC is required. Separate

4. It is hereby certified that the above mentioned materials will be supplied for the sole use of the People's Republic of Bangladesh and that it will not authorize the re-export items/ re-sale, re-transfer of the possession of the above items/materials without the prior approval of the Government (name of country of origin).

For and on behalf of the Government of the People's Republic of Bangladesh

(Name) (Rank) (Designation)

(And

CONFIEDNTIAL

অঙ্গীকার নামা

আমি	প্রিতা/দ্বামী	
ঠিকান	প্রতিষ্ঠানের নাম	এই মর্মে অঙ্গীকার করছি যে,
	প্রতিষ্ঠান/আমাদের যৌথ মালিকানাধীন/লিমিডেট কোম্পানী এবং একই পুরিব	
প্রতিষ্ঠা	নসমূহ হতে ডিজিডিপির দরপত্র নং ০৬.০৬.০০০০.২৭৯.০৭.১৭৯.২৪ তারিখ	২৪ নভেম্বর ২০২৪ এর প্রতিটি অইটেমের
অনুক্	ল একটির বেশী প্রতিষ্ঠান হতে দরপত্রে অংশগ্রহন করবো না। যদি তথ্য গোপ	ন করে দরপত্তে অংশ্যাহন করা হয় সেক্ষেত্রে
আলব	গভুক্তি ও নিরাপত্তা জামানত বাতিলসহ ডিজিডিপি'র প্রচলিত বিধি-বিধান অনুয মাদের কোন আপত্তি থাকবে না।	યાંલા ખારનાનુંગ વાવણ ચરન જેલા રહેન ખામાંલ
বা আ	યાહ્યસ હ્યાન બાગાલ વાગલ્ય ગામ	and the second s

এই মর্মে আমি স্বজ্ঞানে নিম্নে স্বাক্ষর করলাম।

অঙ্গীকারকারীর স্বাক্ষর ও সীলমোহর তারিখঃ