ANNEX A TO DGDP TENDER NO 214.1524.24 DATED: 28 NOVEMBER 2024

### LIST OF COVER OUTER VARIOUS SIZES FOR DIFFERENT VEH (03 LINE ITEMS/QTY-5800 SET)

| Must be filled up by the manufacturer: |                                    |  |     |  |             |      |
|--|------------------------------------|--|-----|--|-------------|------|
| Ser                                    | Cat/<br>Part No                    | Nomenclature   | A/U | Applicability  | Reqr<br>Qty | Rmks |
| 01                                     | 7988/42605-<br>60300/127691        | Cover Outer complete 7.50 R16 (08/10PR), ND, GG & CC, Steel belted radial with tube inner and flap rust. Load Range: 114/116N, Pattern no. XZL or similar tread design/pattern (TT and TL dual purpose use)  | Set | Toyota Jeep & Pickup HZJ-7# & Jeep PZJ-70.   | 4000        |      |
| 02                                     | NIV-155500                         | Cover Outer 11.00 R20 (16 PR), ND, GG & CC, Steel belted radial with tube inner and flap rust. Load Range: 150/146K, Pattern No. XZL or similar tread design/pattern.  | Set | Arunima<br>Bolyan<br>FSS33G  | 1500        |      |
| 03                                     | 127730/<br>127652/<br>250-310-6011 | Cover Outer 365/85 R20 {Replacement size: 13.00 R20 (16PR) & 14.75/80 R20 (14PR)} Load Range: 164G, Off road tyre, ND, GG & CC, Steel belted radial with tube inner and flap rust, Pattern no. XZL (Dual purpose use TT & TL) or similar tread design/pattern. |     | Trk 3 Ton<br>Renault TRM-<br>180.11, Trk<br>Yanan 6.5 ton<br>SX250 &<br>Sx2150 LHD<br>C, M-Benz<br>1117A/3640 &<br>1117EA/3640 | 300         |      |
| Total Qty                              |                                    |  |     |  |             |      |



Ġ

ANNEX B TO DGDP TENDER NO 214.1524.24 DATED: 28 NOVEMBER 2024

## TECH SPEC OF COVER OUTER VARIOUS SIZES FOR DIFFERENT VEH (03 LINE ITEMS/QTY-5800 SET)

| Ser      | Cat/            | Nomenclature,                                  | Must be filled up by the Manufacturer |               | Rmks_     |           |          |
|----------|-----------------|--|---------------------------------------|---------------|-----------|-----------|----------|
| 1        | Part            | Required Tread                                 | Offered                               | Offered Size, | Country   | Catalogue | . 1      |
|          | No              | Design/Pattern &                               | Brand                                 | Tread design/ | of origin | page      | ĺ        |
|          |                 | Applicable Vehicles                            |                                       | Pattern, PR,  | &         | ,         |          |
|          |                 |  |                                       | Load          | manufact  |           | İ        |
|          |                 |  |                                       | capacity/     | urer      |           |          |
| 1        |                 |  |                                       | Range and     |           |           |          |
| 1        |                 |  | i '                                   | Speed         |           |           |          |
| <u> </u> | 7000/           | 7.50   |                                       | symbol.       |           |           |          |
| 01       | 7988/<br>42605- | Cover Outer comp 7.50<br>R16 (08/ 10PR), ND,   | 1                                     |               |           |           | <b>j</b> |
|          | 60300/          | GG & CC, Steel belted                          |                                       |               |           |           |          |
|          | 127691          | radial with tube inner                         |                                       |               |           |           |          |
|          | 127001          | and flap rust. Load                            |                                       |               |           |           |          |
|          |                 | Range: 114/116N,                               |                                       |               |           |           | 1        |
|          |                 | Pattern no. XZL or                             |                                       |               |           | <u> </u>  |          |
|          | 1               | similar tread                                  |                                       |               |           |           |          |
|          |                 | design/pattern (TT and                         |                                       |               |           |           |          |
| İ        |                 | TL dual purpose use)                           |                                       |               |           |           |          |
| 1        |                 | for Toyota Jeep &                              |                                       |               |           |           |          |
|          |                 | Pickup HZJ-7# & Jeep                           |                                       |               |           |           |          |
| 02       | NIV-            | PZJ-70.<br>Cover Outer 11.00 R20               |                                       |               |           |           |          |
| 02       | 155500          | (16 PR), ND, GG & CC,                          | į                                     |               |           | 1         |          |
|          | 1555500         | Steel belted radial with                       |                                       |               |           |           |          |
|          |                 | tube inner and flap rust.                      |                                       |               |           | İ         |          |
| İ        |                 | Load Range: 150/146K,                          | ŀ                                     |               |           |           |          |
|          |                 | Pattern No. XZL or                             |                                       |               |           |           |          |
|          |                 | similar tread                                  | 1                                     |               |           |           |          |
|          |                 | design/pattern for                             | 1                                     |               |           |           |          |
|          |                 | Arunima Bolyan                                 | Į.                                    |               |           |           |          |
|          | 407700          | FSS33G.  |                                       |               |           | <u> </u>  |          |
| 03       | 127730          | Cover Outer 365/85<br>  R20 {Replacement size: | 1                                     |               |           |           |          |
|          | 127652          | 13.00 R20 (16PR) &                             |                                       | ļ             | 1         |           |          |
|          | /250-           | 14.75/80 R20 (14PR)}                           |                                       | 1             |           |           |          |
|          | 310-            | Load Range: 164G, Off                          |                                       |               |           |           |          |
|          | 6011            | road tyre, ND, GG &                            | l .                                   |               |           |           |          |
|          |                 | CC, Steel belted radial                        |                                       |               |           |           |          |
| ŀ        |                 | with tube inner and flap                       | İ                                     |               | İ         | 1         |          |
|          |                 | rust, Pattern no. XZL                          |                                       |               |           |           |          |
|          |                 | (Dual purpose use TT &                         |                                       |               |           |           |          |
|          |                 | TL) or similar tread                           |                                       |               |           |           |          |
|          |                 | design/pattern for Trk 3                       | L                                     |               |           |           |          |
|          |                 | Ton Renault TRM-                               | I                                     |               |           |           |          |
|          |                 | 180.11 Trk Yanan 6.5                           | 1                                     |               |           |           |          |
|          |                 | ton SX250 & Sx2150<br>LHD C, M-Benz            | 1                                     |               |           |           |          |
|          |                 | LHD C, M-Benz                                  |                                       |               |           |           |          |
|          |                 | 1117EA/3640                                    | ` <b> </b>                            |               |           |           |          |
| L        | 1               | 1111 LA10040                                   |                                       | <u> </u>      |           |           |          |



ANNEX C TO DGDP TENDER NO 214.1524.24 DATED: 28 NOVEMBER 2024

# TERMS & CONDITIONS OF COVER OUTER VARIOUS SIZES FOR DIFFERENT VEH (03 LINE ITEMS/QTY-5800 SET) FOR FOREIGN CURRENCY

| Ser | Terms & Conditions as per requirement  | Must be filled up by the Manufacturer |      |
|-----|--|---------------------------------------|------|
| 1.  | Source of supply: Foreign.   |                                       |      |
| 2.  | Currency: Foreign  |                                       |      |
| 3.  | Approved Country of origin in BD Army: USA / Japan / EU Countries / Russia / Brazil / Indonesia / Malaysia / Philipines / Singapore / Thailand/South Korea.  |                                       |      |
| 4.  | Approved Brands in BD Army: Bridgestone / Dunlop / Goodyear / Yokohama / Toyo / Uniroyal/ Continental / Michelin / Folda / Firestone / Armstrong /Amtel/Pirelli/Hankook/Kumho (Total 15 brands).   |                                       |      |
| 5.  | Manufacturer Name and details address to be mentioned  |                                       |      |
| 6.  | Principal Name and details address to be mentioned   |                                       |      |
| 7.  | Inspecting Officer: CI, IV&EE or his authorised representative.  |                                       |      |
| 8.  | Inspection authority: IV&EE, Dhaka Cantonment.   |                                       |      |
| 9.  | Place of Inspection :  |                                       |      |
|     | a. <u>Pre-shipment inspection</u> : At firm's premises (manufacturing plant) if desired by the Bangladesh Army   |                                       |      |
|     | b. <b>Post-shipment inspection</b> : Will be carried out at Consignee's end, CMTD.   |                                       |      |
| 10. | Pre-Shipment Inspection:  a. Pre-Shipment Inspection will be done by 03 (Three)  |                                       |      |
|     | members for 04 (Four) days (excluding journey period) at the cost of Bangladesh Army if desired. Supplier should inform about the date of pre-shipment inspection at least 12 weeks to 15 weeks prior to the exact date of carrying out of pre-shipment inspection.  |                                       |      |
|     | b. All the necessary facilities, consumable and non-<br>consumable items, tools, gauges, instruments and any other<br>items required for operational test/inspection including the<br>arrangement for entry into the country and concerned area for<br>the pre-shipment inspection team are to be arranged by the<br>supplier without extra cost.      |                                       |      |
|     | c. If the Pre-Shipment Inspection is not carried out by Bangladesh Army, then Shipment clearance to be obtained from DGDP after furnishing the Quality Assurance Certificate by the Quality Control Department of Manufacturer then Video Tele Conference (VTC) to be  |                                       |      |
|     | conducted at manufacturer's premises/ warehouse as per Appx-2 of Anx C.  |                                       |      |
|     | d. Whether pre-shipment inspection done or not done, all items and spare parts must be shipped and supplied along with the equipments as per contract specifications. If the supplier fails to supply as per contract specifications then supplied equipments has to be replaced at the cost of supplier and also complete performance guarantee (PG). |                                       |      |
| 11. |  |                                       | 1210 |
|     | procurement of cover outer, tube inner & flap rust.  | S Cene                                |      |

Ministry of Dele

| Ser | Terms & Conditions as per requirement  | Must be filled up by |
|-----|--|----------------------|
|     |  | the Manufacturer     |
| 12. | Packing / Marking: a. As per std trade packing and Packing / Marking will be done  |                      |
|     | by the firm. All cover outer / tube inner / flap rust must be  |                      |
|     | packed by safe packages for safe transportation by Sea, Rail,  |                      |
|     | Road or Air. b. Preservative material (Powder etc.) as required must be  |                      |
|     | coated with all cover outer / tube inner / flap rust (as   |                      |
|     | applicable) and for preservation in BD Army storage.   |                      |
| 13. | Shipment:  a. Stores must be shipped from the country of origin and  |                      |
|     | transhipment is not allowed. Part shipment is allowed.   |                      |
|     | b. Safe packages of cover outer / tube inner / flap rust (as   |                      |
|     | applicable) must be shipped in sealed container (If shipped by   |                      |
|     | sea) & must be un-sealed / opened in presence of representative of IV&EE, Army Emb Unit / CMTD.                                |                      |
|     | c. Supplier / local agent must inform all concerned about the  |                      |
|     | arrival time and place before min 10 (ten) days, so that all   |                      |
| 14. | concerned be present in time.  Brand name along with cover outer tread design no., tube inner                                  |                      |
| ' ' | reference no., flap reference no. etc. and catalogue page no.  |                      |
| İ   | must be mentioned in the offer as per attached tech spec (Anx  |                      |
| 15. | B) by manufacturer.  A Certificate has to be provided as under for the proof of  |                      |
|     | genuineness of foreign supplier:   |                      |
|     | Certificate from the tyre / tube / flap manufacturer (mfc).  |                      |
|     | OR<br>Foreign organization appointed/authorised by the original  |                      |
|     | manufacturer. OR   |                      |
|     | Chamber of commerce of respective manufacturing country  |                      |
|     | that "The genuine supplier of cover outer / tube inner / flap rust".   |                      |
| 16. | Authorization certificate in favour of local agent by the principal  |                      |
| 17. | to be submitted along with the offer.  Authorization certificate in favour of <b>principal</b> by the                          |                      |
|     | Manufacturer to be submitted along with the offer.   |                      |
| 18. | Stores must be brand new, latest production and not before the signing date of contract.                                       |                      |
| 19. | a. Original offer with original brochure / catalogue (Must be  |                      |
|     | printed in current year) with proper marking and signature on  |                      |
|     | every pages (for each item) must be submitted by the supplier<br>at the time of opening of tender. Otherwise offer will not be |                      |
|     | considered during technical vetting.   |                      |
|     | b. Offered technical specifications must be conformed to   |                      |
|     | the specifications mentioned in the submitted brochure /catalogue. Fax/photocopy/hand written offer/catalogue/                 |                      |
|     | brochure and catalogue without marking/signing will not be   | · ·                  |
|     | considered during technical vetting.   |                      |
|     | c. Hand written offer and any hand written clarification will be directly rejected. It must be typed or computer printout in   |                      |
|     | original pad of the manufacturer, principal and local agent with   |                      |
| -   | sign of proper signing authority.  |                      |
| 20. | Fax / photocopy of offer / catalogue / brochure without marking / unsigned will not be considered during technical vetting.    |                      |
| 21. | Tempered offer will be directly rejected.  |                      |
| 22. | A set of necessary shipping document such as bill of lading,   |                      |
|     | invoice, packing list, manufacturer's inspection and the warranty / guarantee certificate, certificate of origin etc. in       |                      |
|     | original should be submitted to IV&EE for the proof of   |                      |
|     | genuineness of cover outer / tube inner / flap rust during inspection.   |                      |
|     | C 2 of 3   |                      |

atal of Defe

of Dele

| er         | FOR OFFICIAL USE ONLY  |  |
|------------|--|--|
| · · ·      | Terms & Conditions as per requirement  | Must be filled up by<br>the Manufacturer |
| 23.        | Warranty / Guarantee from Manufacturer :   |  |
|            | A Warranty / Guarantee certificate has to be provided by   |  |
|            | manufacturer for cover outer / tube inner / flap rust for a trouble  |  |
|            | free service as under:   |  |
|            | (1) 50,000 KM for steel belted radial tyre applicable  |  |
|            | for Toyota Jeep & Pickup HZJ-7# & Jeep PZJ-70, Arunima   |  |
|            | Bolyan FSS33G, Trk 3 Ton Renault TRM-180.11, Trk Yanan   |  |
|            | 6.5 ton SX250 & Sx2150 LHD C, M-Benz 1117A/3640 &  |  |
|            | 1117EA/3640  |  |
|            |  |  |
|            | (2) 12 months for all types of tube inner and flap rust.   |  |
| 24.        | Cover outer, nozzle and valve of all tubes inner must be   |  |
|            | properly fitted with the respective rim of applicable vehicle,   |  |
|            | otherwise cover outer/ tube inner (as applicable) will be  |  |
|            | rejected and rejected items must be replaced free of cost at the   |  |
|            | supplier's expense.  |  |
| 25.        | Payment Terms (Foreign Currency): The payment will be  |  |
|            | released as per DGDP rules.  |  |
| 26.        | Local agent :  |  |
|            | Warranty / Guarantee to be provided by local agent as per  |  |
|            | Appx-1 of Anx C.   |  |
| 27.        | Ply rating certificate from the manufacturer must be furnished   |  |
|            | in case ply rating not mentioned on cover outer.   |  |
| 28.        | Contract No, Date, Item Ser / No, Cover outer tread design no.   |  |
|            | and warranty / guarantee mileage should be mentioned on the  |  |
|            | body of the cover outer by white paint / water sticker / screen  |  |
|            | print by white colour.   |  |
| 29.        | The word of "BD Army" will be sealed in suitable place of the  |  |
|            | Cover Outer.   |  |
| 30.        | Inspection & Testing Facilities : The supplier/local agent   |  |
|            | shall pay all cost connected with the inspection and will provide  |  |
|            | without extra charge, all material, tools, instruments &   |  |
|            | assistances etc of every kind which the inspector may consider   |  |
|            | necessary for the inspection. Supplier & local agent shall also  |  |
|            | provide free of charge such material as may require for test.  |  |
|            | Cost of laboratory test will be borne by the supplier / local  | İ  |
|            | agent as per terms of clause 12(a) and (b) of DP-35.   |  |
| 31.        | J 3  |  |
|            | form must be filled up by the manufacturer. Otherwise offer  |  |
|            | will not be considered during technical vetting.   |  |
| 32.        | If the stores are not properly workable / fit it should be replaced  |  |
|            | and rejected items must be replaced free of cost at the  |  |
|            | supplier's expense.  |  |
| <u>33.</u> | I/Note will be issued after received NOC from consignee.   |  |
| 34.        | Delivery of items must be completed Maximum by 06 (Six)  |  |
|            | months (180 days) from date of signing the contract.   |  |
| 35.        | Performa invoice should be submitted directly by manufacturer  |  |
|            | on their latter head in original to DGDP and inspectorate  |  |
|            | (without price).   |  |
| 36.        | Severe punitive action will be taken (Including black list)  |  |
|            | against supplier who fails to supply the stores within delivery  |  |
|            | schedule of the contract.  |  |
| 37.        |  |  |
|            | and performance must be confirming to the manufacture  |  |
|            | technical specification and workmanship throughout.  |  |
|            |  |  |
| 38         | Certificate of origin from the competent authority of the  | 1  |
| 38.        | The state of the s |  |
|            | exporting country to be furnished.   |  |
| 38.<br>39. | exporting country to be furnished.   |  |

ANNEX D TO DGDP TENDER NO 214.1524.24 DATED: 28 NOVEMBER 2024

### TERMS & CONDITIONS OF COVER OUTER VARIOUS SIZES FOR DIFFERENT VEH (03 LINE ITEMS/QTY-5800 SET) FOR LOCAL CÚRRENCY

| er  | Terms & Conditions as per requirement  | Must be filled up by |
|---|--|----------------------|
| _   | O  | the Manufacturer     |
| <u>1.     </u><br>2.                          | Source of supply: Foreign.  Currency: Local  |                      |
| <u>2.                                    </u> | Approved Country of origin in BD Army:   |                      |
| ა.  | USA / Japan / EU Countries / Russia / Brazil / Indonesia /   |                      |
|   | Malaysia / Philipines / Singapore / Thailand / South Korea.  |                      |
| 4.  | Approved Brands in BD Army:  |                      |
| 7.  | Bridgestone / Dunlop / Goodyear / Yokohama / Toyo /  |                      |
|   | Uniroyal/ Continental / Michelin / Folda / Firestone / Armstrong   |                      |
|   | / Amtel/Pirelli/Hankook/Kumho (Total 15 brands).   |                      |
| 5.  | Manufacturer Name and details address to be mentioned  |                      |
| 6.  | Principal Name and details address to be mentioned   |                      |
| 7.  | Inspecting Officer: CI, IV&EE or his authorised  |                      |
| • •   | representative.  |                      |
| 8.  | Inspection authority: IV&EE, Dhaka Cantonment.   |                      |
| <del>9.</del>                                 | Place of Inspection :  |                      |
|   | a. Post-shipment inspection: Will be carried out at  |                      |
|   | Consignee's end, CMTD.   |                      |
| 10.   | a. 01 x Advance sample for each item must be   |                      |
|   | approved from IV&EE before bulk supply or Quality  |                      |
|   | Assurance Certificate (QAC) must be provided by the  |                      |
|   | Quality Control Department of manufacturer then video  |                      |
|   | tele conference (VTC) to be conducted at manufacturer's  |                      |
|   | premises/warehouse as Appx-2 of Anx D for shipment   |                      |
|   | clearance.   |                      |
|   | b. If the supplier fails to supply as per contract   |                      |
|   | specifications then action to be taken as per exiting policy.  |                      |
|   | c. 100% Visual inspection to the subject equipment and   |                      |
|   | accessories to be carried out as per technical specifications  |                      |
|   | and JPSI criteria. Fitting test of 01 x completed equipment (if  |                      |
|   | required) to be carried out by the joint post shipment team.   |                      |
|   | d. All the necessary facilities, consumable and non-   |                      |
|   | consumable items, tools, gauges, instruments and any other   |                      |
|   | items required for operational/fitting test/ inspection are to be  |                      |
| _   | arranged by the supplier without extra cost.   |                      |
| 1.  | All items and spare parts must be shipped and supplied along   |                      |
|   | with the equipments as per contract specifications. If the   |                      |
|   | supplier fails to supply as per contract specifications then   |                      |
|   | supplied equipments has to be replaced at the cost of supplier   |                      |
| 2.  | and also complete performance guarantee (PG).  |                      |
| ۷.  | Supplier / local agent address must be confirmed before  |                      |
|   | concluding contract. If any defect arises and the supplier does not replace the cover outer, tube inner & flap rust as per |                      |
|   | guarantee, the supplier / local agent will not be entertained for  |                      |
|   | the next tender. This condition will be strictly followed for  |                      |
|   | procurement of cover outer, tube inner & flap rust.  |                      |
| 3.  | Packing / Marking:   |                      |
| ٥.  | a. As per std trade packing and Packing / Marking will be done   |                      |
|   | by the firm. All cover outer / tube inner / flap rust must be  |                      |
|   | packed by safe packages for safe transportation by Sea, Rail,  |                      |
|   | Road or Air.   |                      |
|   | b. Preservative material (Powder etc.) as required must be   |                      |
|   | and with all assessment to the second made by  |                      |
|   | coated with all cover outer / tube inner / flap rust (as   | _                    |

D 1 of 3 FOR OFFICIAL USE ONLY

inistry of Dele

|          |   | <del></del>                           |
|----------|---|---------------------------------------|
| Ser      | Terms & Conditions as per requirement   | Must be filled up by the Manufacturer |
| 14.      | Shipment:   |                                       |
|          | a. Stores must be shipped from the country of origin and transhipment is not allowed. Part shipment is allowed.                 |                                       |
|          | b. Safe packages of cover outer / tube inner / flap rust (as  |                                       |
|          | applicable) must be shipped in sealed container (If shipped by  |                                       |
|          | sea) & must be un-sealed / opened in presence of  |                                       |
| <u> </u> | representative of IV&EE, Army Emb Unit / CMTD.  |                                       |
| 15.      | Brand name along with cover outer tread design no. ; tube   |                                       |
|          | inner reference no.; flap reference no. etc. and catalogue page no. must be mentioned in the offer as per attached tech spec    |                                       |
|          | sheet (Anx B) by manufacturer.  |                                       |
| 16.      | Conditions:   |                                       |
|          | A Certificate has to be provided as under for the proof of  |                                       |
|          | genuineness of foreign supplier:  |                                       |
|          | Certificate of genuineness from manufacturer (mfc) for  |                                       |
|          | tyre/tube/flap.   |                                       |
|          | OR  |                                       |
|          | Foreign organization appointed/Authorised by the original manufacturer.   |                                       |
|          | OR  |                                       |
|          | Chamber of commerce of respective manufacturing country   |                                       |
| <u></u>  | that "The genuine supplier of cover outer/tube inner/flap rust.   |                                       |
| 17.      | Authorization certificate in favour of local agent by the principal   |                                       |
| 12       | to be submitted along with the offer.   |                                       |
| 18.      | Authorization certificate in favour of <b>principal</b> by the <b>Manufacturer</b> to be submitted along with the offer.        |                                       |
| 19.      | Stores must be brand new, latest production and not before the  |                                       |
| .5.      | signing date of contract.   |                                       |
| 20.      | a. Original offer with original brochure/catalogue (Must be   |                                       |
|          | printed in current year) with proper marking and signature on   |                                       |
|          | every pages (for each item) must be submitted by the supplier   |                                       |
| 1        | at the time of opening of tender. Otherwise offer will not be considered during technical vetting.                              | 1                                     |
| <b> </b> | b. Offered technical specifications must be conformed to  |                                       |
|          | the specifications mentioned in the submitted   |                                       |
|          | brochure/catalogue. Fax/photocopy/hand written  |                                       |
|          | offer/catalogue/ brochure and catalogue without   |                                       |
|          | marking/signing will not be considered during technical vetting.  |                                       |
|          | c. Hand written offer and any hand written clarification will<br>be directly rejected. It must be typed or computer printout in |                                       |
|          | original pad of the manufacturer, principal and local agent with  |                                       |
|          | sign of proper signing authority.   |                                       |
| 21.      | Fax / photocopy of offer / catalogue / brochure without marking   |                                       |
|          | / unsigned will not be considered during technical vetting.   |                                       |
| 22.      | Tempered offer will be directly rejected.   |                                       |
| 23.      | A set of necessary shipping document such as bill of lading, invoice, packing list, manufacturer's inspection and the           |                                       |
|          | warranty/guarantee certificate, certificate of origin etc. in   |                                       |
|          | original should be submitted to IV&EE for the proof of  |                                       |
|          | genuineness of cover outer / tube inner / flap rust during  |                                       |
| 24       | inspection.   |                                       |
| 24.      | Warranty / Guarantee by Manufacturer and Principal: A Warranty / Guarantee certificate has to be provided by                    |                                       |
|          | manufacturer for cover outer / tube inner / flap rust for a trouble   |                                       |
|          | free service as under:  |                                       |
|          | (1) 50,000 KM for steel belted radial tyre applicable for Toyota  |                                       |
|          | Jeep & Pickup HZJ-7# & Jeep PZJ-70, Arunima Bolyan  |                                       |
|          | FSS33G, Trk 3 Ton Renault TRM-180.11, Trk Yanan 6.5 ton   |                                       |
|          | SX250 & Sx2150 LHD C, M-Benz 1117A/3640 & 1117EA/3640   |                                       |
|          | (2) 12 months for all types of tube inner and flap rust.  |                                       |
|          | D 2 of 3  | <del></del>                           |

D 2 of 3 FOR OFFICIAL USE ONLY

| Ser     | Terms & Conditions as per requirement                             | Must be filled up by the Manufacturer          |
|---------|---|--|
| 25.     | Cover outer, nozzle and valve of all tubes inner must be          |  |
|         | properly fitted with the respective rim of applicable vehicle,    |  |
|         | otherwise cover outer/ tube inner (as applicable) will be         |  |
|         | rejected and rejected items must be replaced free of cost at      |  |
|         | the supplier's expense.   |  |
| 26.     | Payment Terms (Local Currency): The payment will be               |  |
|         | released as per DGDP rules.                                       | •  |
| 27.     | Local agent: Warranty / Guarantee to be provided by local         |  |
|         | agent as per Appx-1 of Anx D.                                     |  |
| 28.     | Ply rating certificate from the manufacturer must be furnished    |  |
|         | in case ply rating not mentioned on cover outer.                  |  |
| 29.     | Contract No, Date, Item Ser / No, Cover outer tread design        |  |
| İ       | no. and warranty / guarantee mileage should be mentioned on       |  |
| 1       | the body of the cover outer by white paint / water sticker /      |  |
|         | screen print by white colour.                                     |  |
| 30.     | The word of "BD Army" will be sealed in suitable place of the     |  |
|         | cover outer.  |  |
| 31.     | Inspection & Testing Facilities: The supplier/local agent         |  |
|         | shall pay all cost connected with the inspection and will         |  |
|         | provide without extra charge, all material, tools, instruments &  |  |
|         | assistances etc of every kind which the inspector may             | ,  |
|         | consider necessary for the inspection. Supplier & local agent     |  |
|         | shall also provide free of charge such material as may require    |  |
|         | for test. Cost of laboratory test will be borne by the supplier / | !  |
|         | local agent as per terms of clause 12(a) and (b) of DP-35.        |  |
| 32.     | This terms & conditions form along with technical data sheet      |  |
|         | form must be filled up by the manufacturer. Otherwise offer       |  |
|         | will not be considered during technical vetting.                  |  |
| 33.     | If the stores are not properly workable / fit it should be        |  |
|         | replaced and rejected items must be replaced free of cost at      |  |
| <u></u> | the supplier's expense.   |  |
| 34.     | Severe punitive action will be taken (Including black list)       |  |
|         | against supplier who fails to supply the stores within delivery   |  |
|         | schedule of the contract.   |  |
| 35.     | Supplied items must fit in the main equipments. The quality       |  |
|         | and performance must be confirming to the manufacture             |  |
|         | technical specification and workmanship throughout.               |  |
| 36.     | Certificate of origin from the competent authority of the         |  |
|         | exporting country to be furnished.                                | <u>                                       </u> |
| 37.     | Date of manufacturer not before the year of contract (With        |  |
|         | certificate)  |  |
| 38.     | I/Note will be issued after received NOC from consignee end       |  |
|         | (CMTD).   |  |
| 39.     | Delivery of items must be completed Maximum by 06 (Six)           |  |
|         | months (180 days) from date of signing the contract.              |  |
| 40.     | Performa invoice should be submitted directly by                  |  |
|         | manufacturer on their latter head in original to DGDP and         |  |
| L       | inspectorate (Without price).                                     |  |

