TENDER SPECIFICATION OF INFLATABLE BOAT WITHOUT ENGINE

Ser		BN Specification	Supplier's Response/Offer
1.	Description	Inflatable Boat (IB) without Engine	
2.	Purpose	The boat will be carried on board naval ships for carrying out following duties in coastal waters and open sea: a. Carrying out diving operations b. Transferring personnel and stores at sea c. Relief operations d. Search and rescue duties e. Target, torpedo and mine recovery	
3.	Quantity	06 (Six)	
4.	Brand	To be mentioned	
5.	Model	To be mentioned	
6.	Country of Origin	Korea/USA/Italy/UK/Australia/EU Countries	
7.	Manufacturing Country	To be mentioned	
8.	Name and Address of Manufacturer	Address, telephone, facsimile number, e-mail address are to be mentioned.	
9.	Name of Principal and Address	To be mentioned	
10.	Supplier/Local Agent	To be mentioned	
11.	Year of Manufacture	2025 or Later	
12.	Port of Shipment	To be mentioned	
13.	Source of Supply	To be mentioned	
14.	Sea Keeping Ability	Should be capable to operate in minimum sea state 2 (Wave Height 2-3ft)	
15.	Qualification for Bidder	Only the genuine manufacturer/principal can submit quotation through authorized local agent enlisted in DGDP. In case of dealer, authorization certificate from the manufacturer must be provided with the offer.	
16.	Ambient Condition	The item should be allweather compatible. The general ambient condition in the area of operation are as under: a. Air Temperature : 5° to 50°C b. Sea Water Temperature : 5° to 40°C c. Humidity : Up to 95% d. Suspended solid/mud : Up to 20000 PPM content in sea water e. Salinity in Sea Water : Up to 34 gm/ltr	
17.	Scope of Supply	The Inflatable Boat (with engine) will be supplied as per the specifications mentioned in this document.	
<u>Deta</u>	iled Specification of t		
18.	Dimension	a. Overall Length 4.0 - 4.20 Mtr	
		b. Overall Width 1.75 - 2.20 Mtr	
		c. Inside Length To be mentioned	
ক্রয়	Va	d. Inside Width To be mentioned e. Buoyancy Tubes Diameter To be mentioned	<u>. </u>
	-X-3/2//	e. Buoyancy Tubes Diameter To be mentioned	

3.2navvvg/downloads/012.25-26 tender specification.doc

19. Capacity a. Carrying Capacity 6 to 8 persons (including 02 crew)	Supplier's Response/Offer
engine c. Total Weight (with crew and fuel tanks)	-
and fuel tanks d. Total Payload (fuel & water inclusive) expected e. Airtight Compartments To be mentioned e. Airtight Compartments To be mentioned e. Airtight Compartments To be mentioned The IB should be designed and manufactured/ constructed to fulfill the requirements and practices of an internationally reputed classification society (member of IACS).	
Inclusive) expected e. Airtight Compartments To be mentioned	
20. Construction	
Constructed to fulfill the requirements and practices of an internationally reputed classification society (member of IACS). 21. Hoisting/Lowering and Towing Arrangements Should be suitable for towing facilities, hoisting and lowering from ships deck by crane/davit with sling. 22. Colour Black/Grey/Dark Grey 23. Transom height (Meter) As suitable 24. Steering Aft (Manual) by Engine 25. Full load displacement To be mentioned 26. Motorization Maximum power allowed 40 - 50 HP Maximum engine weight allowed 88 - 110 Kg 27. Special The offer boats must have suitable facilities/ arrangement compitable for single 40 - 50 HP engine (Evinrude/Murcury/Yamaha). 28. Hull Construction a. Inflatable keel b. Quick fit aluminium deck/floor/bottom boards with integrated tie down rails/bar of aluminium stringer for both sides. Number of fixed/removable floorboards should be non-slip anodized aluminium and must offer adequate stability in rough weather. c. Aluminium engine support plate d. Self bailers 29. Hull Shape To be mentioned 30. Safety Requirement Safety requirement (number of water tight compartment, Inflatable keel, lower tube, valves etc is to be mentioned. The offered boats shall be designed, built and equipped in conformity with ISO/IMO/SOLAS standard. Document/proof certificate is to be provided to this effect: a. No of air tight compartment : 03 to 05 in no	
and Towing Arrangements lowering from ships deck by crane/davit with sling.	
23. Transom height (Meter) As suitable	
Motorization	
25. Full load displacement To be mentioned Maximum power allowed 40 - 50 HP Maximum engine weight allowed 88 - 110 Kg	
Motorization Maximum power allowed 40 - 50 HP	
Maximum engine weight allowed 88 - 110 Kg	
The offer boats must have suitable facilities/arrangement compitable for single 40 – 50 HP engine (Evinrude/Murcury/Yamaha). A	
Requirements	
b. Quick fit aluminium deck/floor/bottom boards with integrated tie down rails/bar of aluminium stringer for both sides. Number of fixed/removable floorboard is to be mentioned. Removable floorboards should be non-slip anodized aluminium and must offer adequate stability in rough weather. c. Aluminium engine support plate d. Self bailers 29. Hull Shape To be mentioned Safety Requirement (number of water tight compartment, Inflatable keel, lower tube, valves etc is to be mentioned. The offered boats shall be designed, built and equipped in conformity with ISO/IMO/SOLAS standard. Document/proof certificate is to be provided to this effect: a. No of air tight compartment : 03 to 05 in no	
d. Self bailers 29. Hull Shape To be mentioned 30. Safety Requirement Safety requirement (number of water tight compartment, Inflatable keel, lower tube, valves etc is to be mentioned. The offered boats shall be designed, built and equipped in conformity with ISO/IMO/SOLAS standard. Document/proof certificate is to be provided to this effect: a. No of air tight compartment : 03 to 05 in no	
29. Hull Shape To be mentioned 30. Safety Requirement Safety requirement (number of water tight compartment, Inflatable keel, lower tube, valves etc is to be mentioned. The offered boats shall be designed, built and equipped in conformity with ISO/IMO/SOLAS standard. Document/proof certificate is to be provided to this effect: a. No of air tight compartment : 03 to 05 in no	
30. Safety Requirement Safety requirement (number of water tight compartment, Inflatable keel, lower tube, valves etc is to be mentioned. The offered boats shall be designed, built and equipped in conformity with ISO/IMO/SOLAS standard. Document/proof certificate is to be provided to this effect: a. No of air tight compartment: 03 to 05 in no	
b. Inflatable Keel : 01	
c. Inflatable Valves : 02 for each	
31. Fabrics Hypalone 1670 dtx CSM/ Neoprene. Must be tough and abrasion resistant with reinforced heavy duty fabric.	
32. Floorboard Number of fixed/removable floorboard is to be mentioned. Removable floorboards should be non-slip	
anodized aluminum and must offer adequate stability	
in rough weather.	

d/downloads/012.25-26 tender specification.doc

Ser		BN Specification			Supplier's Response/Offer
33.	Transom Reinforced transom in varnished sandwich marine				
33. I	Hallsom	grad	e ash/ plywood (Grade to	be mentioned).	
			Thickness T	o be mentioned	
		b.	Number of Self Bailer T	o be mentioned	
		C.	Reinforcement Requirem	ent:	
		"			
			(1) Internal - Aluminium Engine support plate (2) External- Stainless steel		
			(3) Flanks - Fabric tens		<u> </u>
34.	Standard a. A list of Standard		A list of Standard access	ories is to be provided to	
	Accessories		the boat.Item wise price list is to be provided with the		
		опе	r for reference value only. Standard accessories mu	est include all items and	
		D.	essories, which are es	sential to operate the	
		offe	red Boat without En	gine to its maximum	
		fund	tions and capabilities. A	ny other item required,	
		bey	ond the list provided belo	w, for the functioning of	
		the	boat is to be included in th	ne offer.	
		C.	The price of standard	accessories will not be	
			ed separately and is to be	e included in offered Offic	
		Pric	e. Lifelines	Standard	
		a. b.	Oars	2 (two) pairs	
				1 in on	
		C.	Towing Points (fwd)	Standard	
		d.	Towing Sling		
		e.	Repair Kit	01 (One) set (With all maintenance items)	
		f.	Look Stoppers	Standard	
		<u> </u>	Leak Stoppers Towing Bridle	Standard	
		g.	Seating Thwarts	Standard	
		h.	Foot bellows/manual	02 (Two) in nos	
		j.	pump with hoses.	02 ()	
		k.	Lifting sling with gear	01 (One) set	
		I.	Fitting Kit	Standard	
			D. J		
		m.	deflated)	01 (0110) 000	
	*	n.	Over all cover for	01 (One) set	
			preservation (Water Proc	f)	
		p.	Boat Anchor	01 (one) in no	
		q.	Ladder	01 (one) in no	
35	Additional Spares	a.	Adequate spares for r	unning up to five years	5
33	Additional Spares	op	eration for boat are to be	quoted as option.	
		b. The list of spares should be recommended by the			9
		ma	manufacturers with price for each item considering serial no 34 (Standard accessories). c. The price of the additional spares will not be included in the main offer. The price of any or all		
		se			
		C.			
		Inc	additional items required by procurer will be added		d
			parately while contract.	, p. 000.0 20 mage	
36	. Information of	Dr Dr	awings/clear instructions	are to be provided.	
1 30	Installation			-	

Ser		Supplier's Response/Offer	
37.	Labeling	All labeling/safety warnings on boat and accessories must be in English. Nameplates shall bear the mode and serial number, name of manufacturer & country year of manufacture, ratings and other relevan information as appropriate. Safety warnings and any other information critical to the operation and maintenance of the boat, is to be attached.	1 t /
38.	Documents	a. Following documents are to be submitted with the offer in English: (1) Original Catalogue/Booklet/User Manual of offered boat with technical Specifications in English (2) List of standard accessories with item wise price (As mentioned in S.No 34) (3) List of 5 (five) years spares for boat with item wise price (As mentioned in S.No 35) b. One set of following documents (in English) are to	f n e
		b. One set of following documents (in English) are to be provided free of cost for the boat: (1) Boats hull assembly drawing (GA) (2) Maintenance manual of boat (Hull an fittings) (3) Spare parts catalogue of boat	
39.	Authorization Certificate	 Following certificates should also be provided (in English) a. Local agent must have authorization from his principal. In this regard Authorization Certificate is to be provided with the offer. b. Principal agent must have authorization from his manufacturer. In this regard Authorization Certificate is to be provided with the offer. 	s s
40.	Certificates	 Following certificate/proof documents are to be a. International recognized standard certificate for the boat and should fulfill IMO/ISO/SOLA standard (with offer) b. Manufacturer's Certificate on list of spares that the spares are recommended by the manufacturer and sufficient for 5 years running of boat (while delivery of the items). c. All items will be brand new and also be supplied from the current production (with offer) d. Warranty Certificate (with offer) e. Guarantee Certificate (with offer) f. Authenticity certificate by the manufacturer in case of principal (with Offer) 	e s' le e e e e e e e e e e e e e e e e e e
41.	Warranty	Warranty for trouble free operation is to be given by the principal/manufacturer for all the supplied items for period of 12 months from the date of acceptance by the buyer. During the warranty period, if the supplied boat engine remains non-operational for any action pending by the supplier, the warranty period will be extended the same period. The warranty will cover all parts at labour including service engineer's cost at user premise or any places designated by buyer.	a ne

Ser		Supplier's Response/Offer				
42.	Guarantee	 a. The manufacturer will mention the number of years of guarantee for which the offered model of boat with engine will remain in production. b. Guarantee by manufacturer to supply spares for at least 10 years with reasonable price. Yearly increase of price of spares should not be more than 5%. A certificate in this connection is required with 				
43.	Shipment	the offer. a. The supplier will arrange shipment of all items together by sea to Chattogram port, Bangladesh. All port handling charges are to be paid by b. All Items are to be delivered in sea-worthy packing to ensure safe transit by sea. c. All packages are to have packing notes showing				
		their contents in details and all packages shall be marked with the name and address of the consignee and gross weight.				
44.	Validity	30 June 2026				
45.	User List	A list of user Navy/Coast Guard along-with supporting documents is to be submitted, if there is any.				
46.	Delivery	The item is to be delivered within 09 months of signing the contract to the following consignee: THE COMMANDING OFFICER NAVAL STORES DEPOT, CHATTOGRAM NEW MOORING, CHATTOGRAM BANGLADESH				
47.	Inspection, Test and Trial	Inspection test and trial will be carried out by CINS Chattogram and user in presence of supplier's representative. After satisfactory test and trial an acceptance certificate will be signed between the supplier and the buyer.				
48.	Terms of Payment	80% of total CFR value will be paid on completion of shipment of the contracted goods. Remaining 20% will be made on production of "Acceptance Certificate" rendered by BN following successful test and trial upon delivery of all items as per contract.				
49.	LD	LD for late delivery will apply as per DGDP rules.				
50.	Compliance Statement	A clear and complete Compliance Statement of the tender specification for each Para and Sub-Para supported by original catalogue is to be submitted with the offer. Any deviation from this specification is also to be clearly mentioned in the offer. Incomplete compliance statement may attribute to cancellation of the offer. All documents, certificates, catalog as well as correspondences in respect to this tender are to be provided/ accomplished in English.				
51.	Price Quotation Name of Ite	Price is to be quoted excluding all import duties in foreign currency as those will be consigned against BN: Deno Qty Unit Price Total Price				
L	Inflatable Boat (IB) without Engine No 06					

Tusers/seç3/2navywg/downloads/012.25-26 tender specification.doc