

**TECHNICAL SPECIFICATION FOR PROCUREMENT OF 3-DOOR JEEP (HARD TOP), QUANTITY-10 UNITS FOR UN MISSION IN FY 2025-2026**

Ser	Description	Specification Specified		To be filled up by the Principal/Manufacturer
1.	Type of vehicle	3 Door Jeep (Hard Top) in CBU condition		
2.	Name of the Local Agent with full Address	To be mentioned		
3.	Name of the Principal with full Address	To be mentioned		
4.	Name of the Manufacturer with full Address	To be mentioned		
5.	Brand	Toyota Land Cruiser Land Rover Defender 90 HT		
6.	Model	HZJ71R-RJMRS (Latest Production Model, not before the year of 2026) L316 (Latest Production Model, not before the year of 2026)		
7.	Country of origin	Japan/UK		
8.	Country of Assembly	Japan/UK		
9.	Country of Manufacturer	Japan/UK		
10.	Drive	4 x 4, Right Hand Drive (RHD)		
11.	Configuration	4 x 4 Wheel Drive		
12.	Roof	Hard Top		
		<b>Toyota Land Cruiser</b>	<b>Land Rover Defender 90 HT</b>	
13.	<b>Dimensions (mm):</b>			
	a. Overall length	Minimum 4220 mm	Minimum 4323 mm	
	b. Overall width	Minimum 1795 mm	Minimum 2105 mm	
	c. Overall height	Minimum 1940 mm	Minimum 1969 mm	
14.	Wheel base (mm)	Minimum 2310 mm	Minimum 2587 mm	
15.	Ground clearance	Minimum 230 mm	Minimum 294 mm	
16.	<b>Wheel Track (Tread):</b>			
	a. Front	Minimum 1515 mm	Minimum 1706 mm	
	b. Rear	Minimum 1420 mm	Minimum 1702 mm	
17.	Gradient	More than 65%	Minimum 70% (38°)	
18.	Angle of approach	Minimum 35 degree	Minimum 380	
19.	Angle of departure	Minimum 30 degree	Minimum 42°	
20.	Fording depth (mm)	Minimum 650 mm	Minimum 900 mm	
	<b>Weight:</b>			
21.	a. Pay load (Kg)	Minimum 625 kg	Minimum 730 kg	
	b. Kerb weight (Kg)	Minimum 1975 kg	Minimum 2274 kg	
	c. GVW (Kg)	Minimum 2600 kg	Minimum 3005 kg	
	d. Power/weight ratio (HP/weight in ton) Kerb weight	Minimum 49.5 (128.7 HP/2.6 Ton)	Minimum 82	

Ser	Description	Specification Specified		To be filled up by the Principal/Manufacturer
	e. Towed load off road (Cross Country)	More than 600 kg	Minimum 750 kg (unbraked) 3500 kg braked	
22	Seating capacity	Minimum 03 Persons front and 04 persons rear	3 persons front, 4 seats rear (face to face seating)	
23	Turning radius	Minimum 5.5 meters (Tyre)	Minimum 5.6 M	
24.	<b>Engine:</b>			
	a. Type	4 stroke diesel Engine	4 Stroke, 6 Cylinder, Diesel Engine	
	b. Model	1 HZ (Latest Production Model, not before the year of 2026)	D250 Ingenium (Latest Production Model, not before the year of 2026)	
	c. Country of origin	Japan	UK	
	d. Country of Assembly	Japan	UK	
	e. Country of Manufacturer	Japan	UK	
	f. No of Cylinder	Minimum 6 Cylinders	Minimum 6 cylinders	
	g. Bore and Stroke	Minimum 94.0 mm x 100.0 mm	Minimum 83 x 92.3 mm	
	h. Piston Displacement	Minimum 4164 cc	Minimum 2997 cc	
	j. Compression ratio	22.4: 1	15.5 : 1	
	k. HP	Minimum 96 KW (128.7 BHP) at 3800 rpm	Minimum 183 Kw/246 HP at 4000 rpm	
	l. Maximum Torque	Minimum 285 N-m at 2200 rpm	Minimum 570 N-m at 1250-2250 rpm	
	m. Turbo charger	To be provided	To be provided	
	n. Fuel Tank Capacity	Minimum 90 liters	Minimum 89 liters	
	p. Fuel Injection Pump	(1) Type: Bosch distribution type fuel injection pump, Hydraulic automatic timer (Made by Denso Co, Japan) (2) <u>Warranty for VE pump</u> : Warranty for VE pump (Fuel injection for VE pump) to be provided for 70,000 km trouble free service from manufacturer/supplier.	(1) Type: Bosch Gen 3, Common Rail (2) <u>Warranty for VE pump</u> : Warranty for VE pump (Fuel injection for VE pump) to be provided for 70,000 km trouble free service from manufacturer/supplier.	
	q. Fuel consumption per 100 km	14 liters subject to road, load and driving condition	11.4 L/ 100 Km (extra urban)	
	r. <u>Max speed</u> :			
	(1) High Way	Minimum 150 km/hr	Minimum 188 kph (117 mph)	
	(2) Cross country	Minimum 100 km/hr	Minimum 100 km/hr	
	s. Engine oil capacity	8.2 liters	8.8 liters	
	t. Air cleaner	Square pre-cleaner	Cartridge type/Paper element	
	u. Fuel filter	Single fuel filter	Inline fuel filter	
	v. Cooling system	Water cooled	Water cooled	
	w. Coolant capacity	With heater 10.6 liters without heater 9.8 liters	11.6 liters	
	x. Lubrication	To be mentioned	To be mentioned	
	y. Cruising range	More than 500 km	1034 km	



Ser	Description	Specification Specified		To be filled up by the Principal/Manufacturer
	z. Life expectancy	Life expectancy of new engine up to 1 <sup>st</sup> overhauling will be 1,00,000 km (Certificate to be provided by manufacturer)	Life expectancy of new engine up to 1 <sup>st</sup> overhauling will be 1,00,000 km (Certificate to be provided by manufacturer)	
	aa. Engine Test Bench Report	1. Engine Test Bench Report for all engines prepared by manufacturer during production of engine at manufacturing factory must be submitted to the SI/PSI team for each model.  2. If Engine Test Bench Report of all engines cannot be submitted, in that case, for other engines of the same model must be certificate and confirmed with the engine Test Bench Report (mentioning engine number) by the manufacturer duly signed and stamped.	1. Engine Test Bench Report for all engines prepared by manufacturer during production of engine at manufacturing factory must be submitted to the SI/PSI team for each model.  2. If Engine Test Bench Report of all engines cannot be submitted, in that case, for other engines of the same model must be certificate and confirmed with the engine Test Bench Report (mentioning engine number) by the manufacturer duly signed and stamped.	
25.	<b>Transmission:</b>			
	a. Type	5 Forward & 1 reverse (all synchromesh)	To be mentioned	
	b. Brand	Toyota	To be mentioned	
	c. Model	To be mentioned ((Latest Production Model not before the year of 2026)	To be mentioned ((Latest Production Model not before the year of 2026)	
	d. Country of origin	Japan	UK	
	e. Country of Assembly	Japan	UK	
	f. Country of Manufacturer	Japan	UK	
	g. Gear Ratio	To be mentioned	To be mentioned	
	h. Transmission oil capacity	To be mentioned	To be mentioned	
26.	Type of steering	Power steering	Power steering	
27.	<b>Transfer case:</b>			
	a. Type	To be mentioned	To be mentioned	
	b. Brand	To be mentioned	To be mentioned	
	c. Model	To be mentioned (Latest Production Model not before the year of 2026)	To be mentioned (Latest Production Model not before the year of 2026)	
	d. Country of origin	Japan	UK	
	e. Country of Assembly	Japan	UK	
28.	<b>Chassis:</b>			
	a. Type	To be mentioned	To be mentioned	
	b. Country of origin	Japan	UK	

Ser	Description	Specification Specified		To be filled up by the Principal/Manufacturer
	c. Country of Assembly	Japan	UK	
	d. Country of Manufacturer	Japan	UK	
	e. Length X Width	To be mentioned	To be mentioned	
29.	<b>Suspension details:</b>			
	a. Front suspension	Coil Spring with stabilizer and telescopic shock absorber	Electronic Air Suspension Adaptive Dynamics with Torque Vectoring	
	b. Rear suspension	Leaf spring with telescopic shock absorber	Electronic Air Suspension Adaptive Dynamics with Torque Vectoring	
30.	<b>Brake system:</b>			
	a. Svc brake	Front wheel disc and Rear wheel drum	Front: Twin piston sliding fist caliper-Dia 349 mm Rear: Single piston sliding fist with iEPB and ventilated disc Dia 325	
	b. Parking brake	Mechanical brake operating on rear wheels	Integrated Electric Parking Brake (iEPB)	
	c. Emergency brake (if available)	To be mentioned	To be mentioned	
31.	<b>Wheel and Tyre:</b>			
	a. Tyre size front, rear & spare	7.50 R 16 (8 PR)	255/70R18 116H	
	b. Tyre brand	Bridgestone/Good Year/Yokohama/Continental/Michelin/Pirelli	Bridgestone/Good Year/Yokohama/Continental/Michelin/Pirelli	
	c. Manufacturing country	UK/USA/Japan/Canada/EU countries	UK/USA/Japan/Canada/EU countries	
	d. Tyre pattern	SP SAND GRIP "SAHARA" Non directional, Ground grip and Cross country (ND, GG & CC), "SP SAND GRIP (SAHARA)"	VMAX All Terrain non-directional	
	e. Wheel size	5.5F	8J x 18 ET41.5	
	f. 01 x spare wheel complete with fitting attachment on the rear door with lock and key & wheel cover/Case	To be provided	To be provided	
32.	<b>Electrical system:</b>			
	a. Volt	12 Volt	12 Volt, 95AH	
	b. Battery	12 Volt, 55 AH	12 Volt, 65 AH	
	c. Alternator	12 Volt, 80 AH	48V 250 AH	
	d. Starter	12 Volt, 2.5 kw	12V, 1.9 kw	
	e. Lighting System	To be mentioned	To be mentioned	
33.	Noise suppresser. All components producing noise and spark should be adequately cushioned/shield	To be provided	To be provided	






Ser	Description	Specification Specified		To be filled up by the Principal/Manufacturer
34.	<b>Windshield:</b>			
	a. Laminated Windshield Glass	Laminated acoustic windshield glass to be provided	Laminated acoustic windshield glass to be provided	
	b. Other window glasses	To be mentioned	To be mentioned	
	c. Glass tint	35% black tint in all windows 50% black tint in rear windshield (not compromising driver's visibility)	35% black tint in all windows 50% black tint in rear windshield (not compromising driver's visibility)	
	d. Rear windshield with Defogger	To be mentioned	To be mentioned	
	e. Intermittent windshield wiper 2 x front & 1 x rear	To be provided	To be provided	
35.	Front doors	Full size normal doors with automatic winding window	Full size normal doors with automatic winding window	
36.	Rear doors	Side hinged rear door with fitting attachment of spare wheel on rear door	Side Hinged single rear door with spare wheel mount	
37.	Both side window for rear compartment	To be provided	To be provided	
38.	<b>Dimension cargo bed interior:</b>			
	a. Length (interior)	Minimum 1050 mm (approx)	Minimum 1563 mm (approx)	
	b. Width (Interior)	Minimum 1510 mm (approx)	Minimum 1183 mm (approx)	
	c. Height (interior)	Minimum 1115 mm (approx)	Minimum 1030 mm (approx)	
39.	Clutch Type	Dry, Single plate, Diaphragm	3 multidisc clutches and 2 brakes	
40.	Gear shifting lever	Floor shift position. Manually operated	Dash mounted	
41.	<b>Front axle:</b>			
	a. Type	Full floating type rigid axle	Aluminium unibody independent type	
	b. Axle capacity	Minimum 1460 kg	Minimum 1500 kg	
42.	<b>Rear axle:</b>			
	a. Type	Full floating type	Aluminium unibody independent type locking with differentials in the center and rear	
	b. Axle capacity	Minimum 2500 kg	Minimum 1500 kg	
43.	Final drive ratio	4.300:1	3.31:1	
44.	<b>Colour:</b> To be painted in light blue colour (code T-35) from manufacturer's factory. (chips for interior seat material, colour and exterior body colour sample plate are to be submitted before painting for BAF selection)	To be provided	To be provided	



Ser	Description	Specification Specified		To be filled up by the Principal/Manufacturer
45.	<b>Publication/Manuals:</b> Following publication/technical manuals are to be provided free of cost with each vehicle:			
	a. Drivers / Owner's manual in English complete set book type	To be provided	To be provided	
	b. Updated Maintenance/ Repair/ Workshop manual for engine, chassis, body, electrical system & all other in-built accessories in English complete book type	To be provided	To be provided	
	c. Complete updated master spare parts catalogue for engine, chassis, body, electrical system & all other accessories in English complete book type	To be provided	To be provided	
46.	<b>Tools set:</b> Following tools set for each vehicle is to be provided:			
	a. One jack with handle (capacity minimum 10 ton)	To be provided	To be provided	
	b. 01 x wheel wrench with handle.	To be provided	To be provided	
	c. 01 x adjustable wrench	To be provided	To be provided	
	d. 01 x Pliers	To be provided	To be provided	
	e. 01 set x screw driver (+/-) with handle	To be provided	To be provided	
	f. 02 Nos double ended spanner.	To be provided	To be provided	
	g. Grease gun with replaceable trip	To be provided	To be provided	
	h. Tyre pressure gauge	To be provided	To be provided	
	j. 01 x tool bag/box for above tools.	To be provided	To be provided	
47.	Fast and slow moving spares	Quote separately for each item	Quote separately for each item	
48.	Special Service Tools (SST)	If required, quote separately for each item	If required, quote separately for each item	
49.	Special Service Materials (SSM)	If required, quote separately for each item	If required, quote separately for each item	



Ser	Description	Specification Specified		To be filled up by the Principal/Manufacturer
50.	<b><u>Petrol Oil Lubricant (POL) information. The following information must be submitted with the offer:</u></b>			
	a. Details maintenance schedule of vehicle and engine	To be mentioned		
	b. Grade of fuel used in vehicle should be compatible with available fuel used in Bangladesh	To be mentioned		
	c. Type of engine oil used in vehicle engine	To be mentioned		
	d. Type of gear and differential oil used in vehicle	To be mentioned		
51.	<b><u>Accessories:</u></b> Following accessories are to be provided with each vehicle:			
	a. 02 x sun visors with fitting brackets	To be provided	To be provided	
	b. Foot step in all side to be fitted with the vehicle	To be provided	To be provided	
	c. 01 x inside rear-view mirror	To be provided	To be provided	
	d. 02 x outside rear-view mirror	To be provided	To be provided	
	e. 01 x AM/FM radio, DVD player and USB port	To be provided	To be provided	
	f. 01 x set floor mat front & rear complete	To be provided	To be provided	
	g. Boost ventilator with central fresh, cool & hot air circulation and climate control system	To be provided	To be provided	
	h. Air conditioning system	To be provided	To be provided	
	j. Driver seat: sliding & reclining adjustable bucket seat with head rest to be equipped	To be provided	To be provided	
	k. Inspection lamp complete with cable (10 meter), plug & arrangement of socket in the vehicle for using inspection lamp	To be provided	To be provided	



Ser	Description	Specification Specified		To be filled up by the Principal/Manufacturer
	l. <b>Fire Extinguisher:</b> 01 kg capacity A B C & E type or A, B, C type which will be capable of extinguishing A, B, C & E type fire with bracket and chemical to be fitted at the side of driver seat	To be provided	To be provided	
	m. Steering wheel cover (Leather warp type)	To be provided	To be provided	
	n. Axle breather and gear breather & wiring distributor box to be raised higher than that of the fording depth	To be provided	To be provided	
	p. Wiring harness parts which will be in contact with water to be wrapped by special adhesive and covered by flexible pipe	To be provided	To be provided	
	q. Multimode/ABS with EBD or equivalent	To be provided	To be provided	
	r. Towing hooks at front & rear	To be provided	To be provided	
	s. Mudguard with mud flap for all wheels to be fitted	To be provided	To be provided	
	t. Seat belt for driver and front passenger	To be provided	To be provided	
	u. Digital quartz clock at dashboard	To be provided	To be provided	
	v. Heavy duty steel bumper at front & rear	To be provided	To be provided	
	w. Rear Camera with monitor at the dashboard to avoid collision while reversing	To be provided	To be provided	
	x. Laser Sensor with provision of audio warning while reversing	To be provided	To be provided	
	y. Touchscreen Infotainment	To be mentioned	To be mentioned	
	z. Hill Hold control + Hill Descent Control	To be mentioned	To be mentioned	
	aa. 360° Camera with front & rear Camera recorder	To be mentioned	To be mentioned	
52.	Other accessories (if any)	To be mentioned	To be mentioned	





**TERMS AND CONDITIONS FOR PROCUREMENT OF 3-DOOR JEEP (HARD TOP), QUANTITY-10 UNITS FOR UN MISSION IN FY 2025-2026**

The bidder is to mention "Comply/Not Comply/Appropriate Remarks against each terms & condition mentioned below. Otherwise the quotation will not be accepted.		
Ser No	Description	To be Filled up by the Bidder
1.	<b>Product Condition and Certification.</b> The ambulance must be brand new, unused and of the latest model (not earlier than 2026), complete with all standard fittings and accessories. An OEM (Original Equipment Manufacturer) certificate stating the year of manufacture must be enclosed with both the quotation and proforma invoice.	
2.	<b>Authorization from OEM.</b> If the Principal is not the OEM, an original authorization certificate from the OEM in favor of the principal must be submitted along with the offer.	
3.	<b>Authorization for Local Agent.</b> An original authorization certificate from the Principal in favor of the local agent must be submitted with the offer.	
4.	<b>Submission of Specifications and Annexes.</b> The technical specifications and all annexed terms must be duly filled out by the Principal or Manufacturer and submitted with the offer, following the provided guidelines/instructions.	
5.	<b>Compliance with Brochure Specifications.</b> The offered technical specifications must match those in the official brochure/catalogue. Photocopies, faxed, handwritten or unmarked/unsigned brochures will not be accepted.	
6.	<b>Offer Format.</b> Handwritten offers or clarifications will not be accepted. All documents must be typed and printed on the official letterhead of the Manufacturer or Principal and duly signed by the authorized signatory.	
7.	<b>Submission of Original Offer and Brochures.</b> The original offer, signed on each page, must be submitted along with original English brochures (02 copies for DGDP, 01 for the Directorate of Engineering and 01 for the Directorate of Supply). These documents must include technical specifications, color photographs and complete contact details (name, designation, telephone, fax, email and mailing address).	
8.	<b>Technical Publications.</b> The supplier must provide the original manufacturer's parts catalogues, user manuals, and relevant publications, which must also be presented during Pre-Shipment Inspection (PSI).	
9.	<b>ISO Certification.</b> The bidder must indicate whether the manufacturer holds ISO certification and a copy of the valid ISO certificate must be included in the offer.	
10.	<b>Permanent Markings.</b> All markings, labels and instructions on the vehicle must be permanently engraved.	
11.	<b>Transit Accounting Card.</b> A Transit Accounting Card (TAC) or identification card in English, containing part numbers and nomenclature of all supplied stores must be provided with the equipment.	
12.	<b>Spare Parts Catalogue Updates.</b> The supplier must ensure routine updates to the spare parts catalogue throughout the service life of the vehicle. BAF must be informed in advance if production of the vehicle is discontinued.	
13.	<b>Quotation for Tools, Materials and Configuration Options.</b> The bidder must provide a separate quotation for each item of Standard Special Service Tools (SST) and Special Service Materials (SSM). BAF reserves the right to accept or reject any items. The bidder may offer options for optional accessories, with item-wise pricing for all offered options.	
14.	<b>Quotation for Consumables.</b> Separate item-wise pricing must be provided for fast and slow moving consumable spares required for the first two years of maintenance. BAF reserves the right to accept or reject any or all of the items.	
15.	<b>Financial Offer Requirements.</b> The financial offer must include: <ol style="list-style-type: none"> <li>Price of the vehicle, including freight charges.</li> <li>Cost of training (to be included in the financial part of the contract; BAF reserves the right to accept or reject the training).</li> <li>Itemized prices of SST, SSM, and spares.</li> </ol>	
16.	<b>Country of Manufacture.</b> All components and parts of the vehicle must be manufactured in the same country. If any item originates from a different country, the OEM must provide a certificate confirming the country of origin, which must be included in the offer.	
17.	<b>Port of Shipment.</b> The port of shipment must be located in the country of manufacture of the vehicle.	
18.	<b>Packing Standard.</b> The vehicles must be delivered in standard air/sea-worthy packing, suitable for safe international transportation.	





19.	<b><u>Delivery Timeline.</u></b> The vehicles must be delivered <b>within 270</b> (two hundred seventy) days from the date of signing the contract.	
20.	<b><u>Delivery Location.</u></b> After customs clearance at Chattogram, the vehicles must be delivered to 201 Maintenance Unit (MU), BAF, within 01 (one) month.	
21.	<b><u>Inland Transportation.</u></b> The transportation from Chattogram to Dhaka is to be arranged and borne by the supplier or local agent. The supplier shall be responsible for rectifying any damage, loss, or discrepancies occurring during transit.	
22.	<b><u>Local Inspection in Bangladesh.</u></b> Inspection of the vehicle upon arrival in Bangladesh will be jointly carried out by 212 MU BAF and CQC (U) BAF, in the presence of the supplier's representative.	
23.	<b><u>Documents Required at Local Inspection.</u></b> The following documents must be submitted during inspection at 201/212 MU BAF by CQC (U) BAF: a. Shipping invoice/documents indicating the name of the ship and port of shipment b. Manufacturer's certificate confirming that the vehicles were manufactured by them c. Quality Assurance Certificate (QAC) signed by the manufacturer's quality control inspector, clearly stating the year of production	
24.	<b><u>Replacement of Unserviceable Items.</u></b> If any item is found unserviceable or damaged during inspection at the consignee's premises, it must be replaced with a new serviceable item at the supplier's expense within 60 (sixty) days from the date of reporting and submission of the discrepancy report.	
25.	<b><u>Quality Assurance Certificate (QAC).</u></b> A Quality Assurance Certificate for both equipment and spares, issued by the manufacturer's quality control department, must be provided and handed over to BAF during the delivery of the equipment.	
26.	<b><u>Pre-Shipment Inspection (PSI).</u></b> A three-member BAF PSI team comprising 01 x Engineering Officer (M Stream), 01 x MTOF (MTF) and 01 x Medical Assistant will conduct a factory inspection of the equipment for 5 (five) working days. BAF will bear all necessary expenditures related to the PSI. The supplier shall arrange local transportation and handle all administrative formalities for the PSI team. Full cooperation and assistance are to be extended by the supplier for documentation review and physical inspection of the vehicle. BAF reserves the right to decide whether to conduct the PSI. The supplier must notify BAF of the intended PSI date at least 08 (eight) weeks in advance. The PSI will include the following: a. 100% visual inspection of the vehicle, tools, accessories, and relevant documents. b. Verification that all technical specifications conform to contractual requirements. c. Performance testing on 20% of the units, including road test, air conditioning, braking systems, etc. d. Verification of shipment documents and quality certificates for components sourced from third countries. e. Submission of engine test bench reports, duly signed and stamped by the manufacturer. f. Documentation of any major deviations in the PSI report, which will be shared with BAF.	
27.	<b><u>Quality Assurance in Absence of PSI.</u></b> If Pre-Shipment Inspection (PSI) is not conducted, a Quality Assurance Certificate (QAC) must still be provided by the manufacturer for the equipment, and by the principal or manufacturer for the spares.	
28.	<b><u>Compliance Responsibility.</u></b> Irrespective of whether PSI is carried out, all items and spare parts must be shipped and supplied strictly in accordance with the contract specifications. If any item is found non-compliant, the supplier shall be fully responsible for replacing it at their own cost, including all associated freight, insurance, and handling charges.	
29.	<b><u>Joint Post-Shipment Inspection.</u></b> A Joint Post-Shipment Inspection (JPSI) shall be conducted by the designated BAF team as per the contract and JPSI criteria. The inspection shall include the following: a. 100% visual inspection of the equipment, spare parts, SST, SSM, and publications to ensure compliance with technical specifications. b. Verification of brand, make, model, year of production, country of origin, and place of manufacture/assembly for the main equipment and major components. c. Performance and functional testing of equipment as per JPSI criteria. d. For components manufactured, shipped, or assembled in different countries, the supplier must present relevant shipping documents and original Quality Assurance Certificates (QACs), duly signed and stamped by the respective manufacturers, for verification by the JPSI team.	



30.	<b><u>Rejection of Non-Compliant Items.</u></b> If any item is found not in conformity with the contract specifications during the Post-Shipment Inspection, it shall be rejected. The supplier shall be obligated to take back the item at their own cost, including all associated freight, insurance, and handling charges.	
31.	<b><u>Submission of Shipment Documents.</u></b> The supplier must submit one complete set of necessary shipment documents to the Special Directorate (Directorate of Engineering), Air Headquarters, for record and verification of the equipment.	
32.	<b><u>Rejection of Tampered Offers.</u></b> Any tampered, altered, or manipulated offer shall be outrightly rejected without further consideration.	
33.	<p><b><u>Warranty and Maintenance Support.</u></b> The supplier shall provide a comprehensive warranty/guarantee for a period of 24 (twenty-four) months or 20,000 km of trouble-free operation (whichever comes earlier) from the date of acceptance of the vehicle by BAF. The warranty shall include the following obligations:</p> <p><b>a. <u>Routine Maintenance.</u></b> The supplier shall carry out routine maintenance during the warranty period, including the free supply of all lubricants and replacement of spares such as fuel, oil, and air filters.</p> <p><b>b. <u>Scheduled Maintenance Phases.</u></b> Maintenance must be conducted in two (02) phases, as follows:</p> <p>(1) First Phase: At 5,000 km</p> <p>(2) Second Phase: At 10,000 km</p> <p><b>c. <u>Free Servicing Requirements.</u></b></p> <p>(1) 03 (three) x free minor servicing</p> <p>(2) 01 (one) x free major servicing</p> <p>These services shall cover both the vehicle and the installed medical equipment, including the free replacement of all necessary spares during the servicing.</p> <p><b>d. <u>Replacement of Defective Items.</u></b> If any component or equipment is found defective within the warranty period, it must be replaced with a brand-new, serviceable item at the supplier's expense, including both-way freight and insurance charges. Such replacement must be completed within 60 (sixty) days from the date the defect is reported to the supplier.</p> <p><b>e. <u>Extension of Warranty Period.</u></b> Any period of unserviceability exceeding 60 days due to failure of replacement or repair shall be added to the total warranty period accordingly.</p>	
34.	<b><u>Guarantee of Spare Parts Availability.</u></b> The supplier shall guarantee the availability of spare parts for a minimum of 15 (fifteen) years after the expiry of the warranty period. A certificate from the Original Equipment Manufacturer (OEM) confirming this commitment must be submitted with the offer.	
35.	<b><u>Availability of Urgent Spare Parts.</u></b> The Principal/Manufacturer shall ensure that urgent spare parts are made available to the user within 30 (thirty) days from the date of placing the demand, subject to stock availability. In case the required spares are not readily available in stock, the principal shall initiate immediate priority action for manufacturing or procurement of the required items and ensure delivery to the user at the earliest possible time.	
36.	<b><u>After Sales Service Support.</u></b> After sales service must be available through the local agent of the supplier and shall be provided as and when required for an indefinite period. The service shall be free of charge during the warranty period and on payment basis thereafter. A guarantee certificate to this effect must be submitted by the local agent along with the offer.	
37.	<p><b><u>On-Site Familiarization Training.</u></b> On-site familiarization training on repair, maintenance and troubleshooting shall be conducted by qualified engineer or specialist (one or two as deemed necessary by the OEM) of the manufacturer or supplier for a group of BAF personnel in Bangladesh for 05 (five) working days or as deemed necessary by the OEM. Training will commence only after successful completion of the functional test and inspection. BAF prefers the training to be offered free of cost. If free training is not possible, the bidder shall quote the training cost separately, which will be included in the financial evaluation of the contract. For foreign specialists, the bidder shall bear all associated expenses including air tickets, accommodation, food, medical care, and transportation (both internal and external). BAF reserves the right to accept or reject the training offer. The training syllabus shall include, but not be limited to, the following topics:</p> <p>a. Operation of tools and accessories</p> <p>b. Operating system overview</p> <p>c. Alarm and fault diagnosis</p> <p>d. Lubricant and coolant change procedures</p>	





	<ul style="list-style-type: none"> <li>e. Electrical system</li> <li>f. Identification of probable faults</li> <li>g. Troubleshooting techniques</li> <li>h. Use of diagnostic analyzers</li> <li>j. Consultation of the owner's functional manual</li> <li>k. Training using block diagrams and flowcharts of control systems; materials to be supplied to trainees</li> <li>l. Language of instruction: English and/or Bangla; all training materials must be in English/Bangla</li> <li>m. Minimum 70% of the training shall be practical</li> <li>n. Routine maintenance schedule provided in tabular form</li> <li>p. Provision of all PowerPoint presentations and training materials</li> <li>q. Use and consultation of owner's manual, repair manual and spare parts catalogue (including CD/DVD)</li> <li>r. Issuance of certificates of participation and performance upon training completion</li> </ul>	
38.	<b><u>Compliance Statement.</u></b> The bidder shall indicate "Comply", "Not Comply" or provide appropriate remarks against each clause or serial number of the Technical Specifications and Terms & Conditions in the order presented. A statement of "Comply" shall be taken as full agreement to the requirements of that particular clause.	
39.	<b><u>Grounds for Disqualification.</u></b> BAF reserves the right to disqualify any bidder or supplier without prior notice based on previous records of poor performance, which include but are not limited to: <ul style="list-style-type: none"> <li>a. Abandonment of work</li> <li>b. Failure to properly complete contracts</li> <li>c. Significant delays in supply of contracted items</li> <li>d. History of litigation related to financial failures</li> <li>e. Non-submission of mandatory certificates or documents with the offer</li> </ul>	
40.	<b><u>Contract Cancellation Due to Delay.</u></b> In the event of failure to supply the contracted goods within the stipulated time, BAF reserves the right to cancel the contract without further notice.	
41.	<b><u>Price Validity.</u></b> No price increase will be accepted by BAF at any stage after submission of the offer.	
42.	<b><u>Offer Validity and Withdrawal.</u></b> The offer must remain valid until <b>30 June 2026</b> . Withdrawal of the offer or indication of unwillingness to supply during the validity period will not be accepted and may result in action against the bidder as per DGDP rules.	
43.	<b><u>Other Terms and Conditions.</u></b> Any terms and conditions not explicitly covered herein shall be governed by DGDP rules and regulations.	
44.	<b><u>Quantity and Indent Modification.</u></b> Air Headquarters reserves the right to increase or decrease the quantity of vehicles in the indent and also reserves the right to cancel the indent at its discretion. AWB/BL must be in the name of consignee.	
45.	The bidder must mention the full address including telephone number, Fax number and e-mail address in the offer. The bidder also mentions the name and full address (including telephone number, Fax number and e-mail address) of the local agent (if any) in the offer.	
46.	Item with changed/ dissimilar part no/ description (if any) is to be mentioned during submission of offer.	
47.	If any changes required in contract/LC due to the fault of supplier, all expenses shall have to be borne by the supplier.	
48.	Normally transshipment is not allowed. However, if the bidder needs transshipment they are to mention in the offer about their requirement. In case of such requirement, the transshipment may only be allowed under single AWB/BL.	
49.	The bidder is to mention country of origin, country of manufacture, port of shipment and country of shipment in the offer. Mentionable that, after submission of offer country of origin and country of manufacture will not be changed.	
50.	Increase of price at any stage after submission of offer will not be accepted by BAF. The offered unit price and total price against each item must be correct. If the unit price or total price of an item is found incorrect, that unit price or total price will be taken into consideration which will be benefited to BAF.	
51.	The bidder is to quote <b>FCA/ FOB</b> cost and freight charges (by both air and sea) separately & clearly in financial offer. If freight is not quoted separately for each item, total freight will be distributed against each item based on its proportionate FCA/FOB cost of all items. Any price/ cost quoted in the pages of quotation other than financial offer will not be considered.	





RESTRICTED

52.	For failure to supply the contracted items in time, DGDP may cancel the contract with nec punitive action.	
53.	Offer must remain valid up to 30 <sup>th</sup> June 2026. Within the validity of the offer, withdrawal of offer or un-willingness to sign the contract by the bidder will not be accepted and in such cases, actions would be taken against the principal supplier and local agent as per DGDP rules. Delivery schedule if mention in the tender specifications may be changed by DGDP/BAF due to delay in concluding the contract. In this case, the contract would be signed within offer validity period. DGDP/BAF also reserves the right to get the offer validity extended with the consent of the supplier.	
54.	The bidder is to mention Contract number on the Air way bill (AWB)/Bill of lading (BL) and commercial invoices and also cross linking between AWB/BL and invoices.	
55.	Part shipment: Not allowed.	
56.	Part payment: Not allowed except mentioned in the payment terms.	
57.	<b>Payment Terms.</b> 100% Payment in foreign currency will be made through an irrevocable Letter of Credit (LC) opened with scheduled bank in Bangladesh and negotiating bank recommended by the supplier under following terms and conditions: a. <b>80% of CFR/CPT</b> value will be released on production of shipping documents to the bank. b. <b>Rest 20% CFR/CPT</b> value will be released on satisfactory acceptance of 100% items by BAF after inspection/functional test (as applicable), on production of Certificate Receipt Voucher (CRV) and written clearance from DGDP. c. <b>100% cost of training</b> will be paid on completion of training and on production of training completion certificate signed by the competent authority of BAF.	
58.	AWB/BL must be in the name of consignee.	
59.	Bidders are requested to submit soft copy of financial offer in a CD according to the given proforma along with the hard copy of financial offer in closed envelope.	
60.	Compliance of tender terms & conditions should be mentioned in the offer by the bidder as per sequence above. Bidder is to provide appropriate information against each clause clearly (where necessary) instead of 'complied'/'not complied'. No contradictory/hypothetical sentence/word/(like, quote is subject to availability/prior to sell/subject to export license approval or words so) will be accepted by BAF.	
61.	If any line item/item qty decreases then freight charge will be decreased proportionately.	
62.	Any other terms and conditions not covered here will be as per DGDP rules and regulations.	

**ANNEX E TO**  
**TENDER NO 06.06.0000.279.07.168.25**  
**DATED 29 SEPTEMBER 2025**

**FORMAT FOR SUBMISSION OF FINANCIAL OFFER (DP-6)**

Tender No : **06.06.0000.279.07.168.25** Dated **29 September 2025**.

Item : Procurement of 3 Door Jeep (Hard Top), Qty-10 Ea

Name of Local Agent : \_\_\_\_\_

Name of Manufacturer : \_\_\_\_\_

Subject	Qty	Unit Price	Total Price	Remarks
<b>Procurement of Advance Life Support (ALS) Ambulance</b>	<b>10 Ea</b>			
Sea/Air Freight				
CFR/CPT Value				
Cost of SST and SSM Spare Parts as per clause 13 of Annex D (Terms & Conditions)				Details may be shown in appendix
Cost of Fast Moving Spare Parts as per clause 14 of Annex D (Terms & Conditions)				Details may be shown in appendix
Cost of Local Training as per clause 37 of Annex D (Terms & Conditions)				Details may be shown in appendix
<b>Total Value</b>				

Local Agent's Commission: _____ Validity : _____ Delivery : _____ Country of Origin : _____ Warranty : _____ PG Amount : _____	<b><u>Remarks.</u></b> 1. Each column must be filled in by the Principal and submitted with application. 2. All above information's must be in principal's invoice quotations. 3. Write in column NOT APPLICABLE (NA) if not asked in tender conditions and NOT QUOTED (NQ) if not quoted by principal.
---	--

**Remarks.**

1. Each column must be filled in by the principal and submitted with offer.
2. All above information's must be in principal's invoice quotations.

**Signature of the Tenderer**  
**With Full Name, Address and Seal of the Company**