ANNEX D TO TENDER NO 06.06.0000.279.07.173.25 DATED 30 SEPTEMBER 2025

TECHNICAL SPECIFICATION FOR PROCUREMENT OF MICROBUS QUANTITY-15 UNITS FOR UN MISSION IN FY 2025-26

Ser	Description	Specification Specified	To be Filled up by the Principal/ Manufacturer
1.	Type of vehicle	Microbus (15-seater)	
2.	Name of the Local Agent with full Address	To be mentioned	
3.	Name of the Principal with full Address	To be mentioned	
4.	Name of the Manufacturer with full Address	To be mentioned	
		Toyota Hiace Microbus (Diesel Engine)	
5.	Brand	Nissan Urvan Microbus High Roof	
	(2) (2) (2) (2) (2) (2) (2) (2) (2) (2)	Nissan Urvan Microbus Standard Roof	
		LH202R-REMDE (for Toyota Hiace Microbus), latest production model, not before the year of 2026.	
6.	Model	VL2RDRE26KWA (for Nissan Urvan Microbus High Roof), latest production model, not before the year of 2026.	
		TVL2RDRE26KWA (for Nissan Urvan Microbus Standard Roof), latest production model, not before the year of 2026.	
7.	Country of origin	Japan	
8.	Country of Manufacturer	To be mentioned	
9.	Country of Assembly	To be mentioned	
10.	Drive	Right Hand Drive (RHD)	
11.	Configuration	4 x 2 Wheel Drive	
12.	Roof	High Roof	
	Dimensions (mm):		
13.	a. Overall Length	To be mentioned	
	b. Overall Width	To be mentioned	
	c. Overall Height	To be mentioned	
14.	Wheel Base	To be mentioned	
15.	Ground clearance	Not less than 200 mm (unladen)	
	Dimension Deck Inside:		
16.	a. Length	To be mentioned	
	b. Width	To be mentioned	
	c. Height	To be mentioned	
	Wheel Track (Tread):		
17.	a. Front	To be mentioned	
	b. Rear	To be mentioned	



Ser	Description	Specification Specified	To be Filled up by the Principal/ Manufacturer
18.	Angle of Approach	To be mentioned	
19.	Angle of Departure	To be mentioned	
20.	Fording Depth	To be mentioned	
21.	Grade Ability (%)	To be mentioned	
22.	Turning Radius	To be mentioned	
	Seating capacity and arrangement:		
	a. Front	03 (02+01) persons including driver	
	b. Rear	12 individuals are arranged in 4 (03+03+03+03) rows, all facing forward. The seats are designed for passenger comfort, with each one having a properly positioned headrest	9
23.	c. Seats are to be ergonomically designed with high-density foam, lumbar support for driver, adjustable headrests for all seats and foldable armrests in middle rows.	To be mentioned	
	d. <u>Type of Seat</u> : Premium leather upholstery	To be Provided	
	e. Cup holders and bottle holders for all passenger rows	To be Provided	
	Weight:		
	a. Payload	To be mentioned	
	b. Curb Weight (kG)	To be mentioned	
24.	c. GVW (Kg)	To be mentioned	
	d. Power/weight ratio (HP/weight in ton) Kerb weight		
	e. Towed load off road (Cross Country)	To be mentioned	
	Performance:		
25.	Max speed:		
	(1) High Way	To be mentioned	
	(2) Cross country	To be mentioned	
	Engine:		
	a. Model	To be mentioned (Latest Production Model, not before the year of 2026)	
	b. Type	4 strokes	
	c. Country of origin	Japan	
	d. Country of Assembly	To be mentioned	
	e. Country of Manufacturer	To be mentioned	
26.	f. No of Cylinder	Minimum 4 Cylinders	
	g. Bore & Stroke	To be mentioned	
	h. Piston Displacement	To be mentioned	
	j. Compression Ratio	To be mentioned	
	k. Max power (SAE - NET)	To be mentioned	
	I. Max Torque (SAE - NET)	To be mentioned	
	m. Turbo charger	To be provided	
	n. Injection type	Direct Type	



Ser	Description	Specification Specified	To be Filled up by the Principal/ Manufacturer
	p. Life expectancy	Life expectancy of new engine up to 1st overhauling will be 1,00,000 km (Certificate to be provided by the manufacturer)	
		1. Engine Test Bench Report for all engines prepared by the manufacturer during engine production at the manufacturing factory must be submitted to the SI/PSI team for each model.	
	q. Engine Test Bench Report	2. If the Engine Test Bench Report of all engines cannot be submitted, in that case for other engines of the same model must be certificate and confirmation with the engine Test Bench Report (mentioning engine number) by the manufacturer, duly signed and stamped.	
	r. Emission Standard	Euro-V/Equivalent	
	Fuel System:		
	a. Fuel System	Electronic Fuel Injection (EFI)	
	b. Fuel consumption per 100 km at 60 km/hr speed	To be mentioned	
	c. Type of Fuel	To be mentioned	
27.	d. Fuel tank capacity	To be mentioned	
	e. Fuel Filter Type	To be mentioned	
	f. Cruising range	More than 500 km	
	g. Electronic Fuel Injection Pump:		
	(1). Country of Origin	Japan	
	(2). Country of Manufacturer	Japan	
	(3). Country of Assembly	Japan	
	Cooling System:		
28.	a. Type	Water cooled	
	b. Coolant Capacity	To be mentioned	
	c. Anti-Freeze Cooling Agent	To be mentioned	
	<u>Lubrication system</u> :		
29.	a. Type	To be mentioned	
20.	b. Oil capacity	To be mentioned To be mentioned	
	c. Oil pump		
	d. Oil filter Type	To be mentioned	
	Transmission:	Automatic transmission (A/T)	
	a. Type	To be mentioned	
	b. Brand	To be mentioned (Latest Production	
30.	c. Model	Model not before the year of 2026)	
30.	d. Country of origin	Japan Ta ha mentioned	
	e. Country of Assembly	To be mentioned	
	f. Country of Manufacturer	To be mentioned	
	g. Operation h. Gear Ratio	To be mentioned To be mentioned	
T.		TO DE IDENTIFICADED	



Ser	Description	Specification Specified	To be Filled up by the Principal/ Manufacturer
31.	Type of Steering	Power steering	
- 7	Air Condition System:		
32.	a. Air conditioning system must be trizone automatic climate control with roof-mounted vents, designed for operation in ambient temperatures exceeding 40°C and relative humidity above 80%. The system should include humidity regulation and anti-fog features for improved cabin comfort.	To be provided	
	b. Rear passenger seats are to be provided with individual roof-mounted AC vents to ensure uniform cooling and passenger comfort across all rows	To be provided	
22	<u>Differential</u> :		
33.	a. Final gear ratio	To be mentioned	
	b. Differential Lock	To be mentioned	
	Chassis:		
	a. Type	To be mentioned	
	b. Country of origin	Japan	
	c. Country of Assembly	To be mentioned	
34.	d. Country of Manufacturer	To be mentioned	
A	e. Length X Width	To be mentioned	
	f. Underbody and chassis are to be treated with anti-corrosion and rust-proof coating suitable for coastal/tropical environments. Certificate to be submitted.	To be provided	
	Front Axle:		
	a. Type	To be mentioned	
35.	b. Axle Capacity	To be mentioned	
	c. Country of origin	Japan	
	d. Country of Assembly	To be mentioned	
	e. Country of Manufacturer	To be mentioned	
	Rear Axle:		
	a. Type	To be mentioned	
36.	b. Axle Capacity	To be mentioned	
	c. Country of origin	Japan	
	d. Country of Assembly	To be mentioned	
	e. Country of Manufacturer	To be mentioned	
27	Suspension details:		
37.	a. Front suspension	To be mentioned	
	b. Rear suspension	To be mentioned	
	Brake system:		
38.	a. Svc brake	Disc brakes on all wheels, equipped with ABS (Anti-lock Braking System), ESP (Electronic Stability Program) and brake assist are to be provided	
	b. Parking brake	EPB (Electronic Parking Brake), Centre console	
	c. Parking Sensors (front & rear)	To be provided	



Ser	Description	Specification Specified	To be Filled up by the Principal/ Manufacturer
	d. Automatic Emergency Braking (AEB):	To be provided	
	Pre-collision braking system must be included.		
	Wheels and Tires:		
	a. Tyre size front, rear & spare	To be mentioned	
	b. Tyre brand	Bridgestone/Yokohama/Continental/Mi chelin/Pirelli or equivalent internationally reputed brand	
39.	c. Manufacturing country	UK/USA/Japan/Canada/ EU countries	
	d. Tyre pattern	Aluminium alloy wheel for all wheels	
	e. Tyre pressure monitoring system (TPMS)	To be provided	
	f. Wheel size	To be mentioned	
	g. Tyre production year	Not before the year of the contract	
	h. 01 x spare wheel complete with fitting attachment on the suitable place with lock and key & wheel cover/Case	To be provided	
	Electrical system:		
	a. Battery (Volt & AH)	Not less than 12V, 55Ah	
	b. No of Battery	To be mentioned	
	c. Alternator (Volt, Amp)	To be mentioned	
	d. Starter (KW)	To be mentioned	
	e. Lighting System:		
40.	(1) Vehicle must be equipped with factory-fitted dual-barrel LED projector headlamps (signature design) with integrated DRL, 04 x LED turn indicators (mounted on ORVMs, front & rear), 02 x high-visibility LED stop/brake lights, 02 x LED reverse lights, and at least 01 x LED cabin light. All gauges and meters in the dashboard must be fully illuminated (digital/analog cluster as per OEM standard), including fuel gauge, oil temperature indicator, low oil pressure indicator, hazard warning lights, and all other mandatory system indicators for safe operation of the vehicle.	To be mentioned	
	(2) 02 x LED Projector Fog lamps at the front for driving during foggy weather	To be mentioned	
	(3) Roof lamp for 1st and 2nd row	To be provided	
	(4) Auto head lamp and auto wiper	To be provided	
	(5) Front foot lamps and lighting for side steps (both sides)	To be provided	



Ser	Description	Specification Specified	To be Filled up by the Principal/ Manufacturer
41.	Noise & Electromagnetic Suppression: All components generating noise, vibration, or electromagnetic interference (including ignition, alternator, starter, and electrical circuits) must be factory-fitted with adequate damping, shielding, or insulation to comply with OEM standards and international automotive EMC (Electro-Magnetic Compatibility) regulations. Cabin must be equipped with NVH (Noise, Vibration & Harshness) suppression materials to ensure quiet passenger comfort.	To be provided	
	Windshield:		
42.	a. Laminated Windshield Glass	Laminated acoustic windshield glass to be provided	
	b. Other window glasses	To be mentioned	
	c. Glass Tint & Protection: All side windows must have factory-fitted 35% black tint, and the rear windshield must have 50% black tint, ensuring compliance with international road safety standards and without compromising driver's visibility during day or night operations. All glass must be OEM-provided with integrated UV-protection and infrared (IR) heat-rejection coating to minimize cabin heat build-up and protect passengers from harmful solar radiation.	To be provided	
	d. Rear windshield with Defogger	To be mentioned	
	e. Intermittent windshield wiper 2 x front & 1 x rear	To be provided	
43.	Colour	Vehicle to be painted in Light Blue Colour (Code T-35) from the manufacturer's factory. (Chips for interior seat material colour and exterior body colour sample plate are to be submitted before painting for BAF selection)	
	Accessories: The Following accessories are to be provided with the vehicle:		
	a. 01 x Inside rear-view mirror	To be provided	
	b. 02 x outside rear-view mirror	To be provided	
	c. 02 x Sun visors with fitting brackets	To be provided	
44.	d. 6-speaker audio system e. Inspection lamp complete with Cable (10 meters), Plug & arrangement of socket in the vehicle for using the inspection lamp	To be provided To be provided	
	f. 01 set Floor mat (front & rear) complete	To be provided	
	g. 12V power outlet and USB charging port.	To be provided	

D-6 of 14

Ser	Description	Specification Specified	To be Filled up by the Principal/ Manufacturer
	h. Minimum 8-inch touchscreen, factory integrated, with the latest OS version at time of delivery	To be provided	
	j. Digital Clock at Dashboard	To be provided	
	k. <u>Both Side Doors</u> : Vehicle must be equipped with full-size power sliding doors on both sides, factory-fitted, with anti-pinch safety function and manual override.	To be provided	
	I. <u>Driver Seat</u> : Double side front and rear and height adjustable with a full tilting system of back rest for the driver and second seater		
	m. <u>Door Locks</u> : Auto door lock operated from the driver's seat for all doors		
	n. Tachometer/Engine RPM meter and Speedo meter (MKS system) in dashboard	To be provided	
	p. Ambient Cabin Lighting: Roof-mounted ambient LED lighting to enhance passenger comfort during night travel.	To be provided	
	q. Steering wheel Cover (Leather wrap type)	To be provided	
	r. 02 x Chrome-plated outside power door rear view mirrors with folding function	To be provided	
	s. Cup Holders on Console Box front and other rows for Water/Soft Drink Cups	To be provided	
	t. Fire Extinguisher 1 kg capacity for ABC & E type with bracket and chemical to be fitted at the side of the driver seat	To be provided	
	u. Heavy-duty steel bumper at front & rear	To be provided	
	v. Front & Rear Grill Guard/Bull Bar	To be provided	
	w. Spare tyre Cover or Case	To be provided	
	x. Rear Door Opening both from inside and outside	To be provided	
	y. Footstep on all sides to be fitted with the vehicle	To be provided	
	z. Rear USB Charging Ports: Each row must have at least one USB-A or USB-C charging port, in addition to front console ports	To be provided	
	aa. Coat Hook	To be provided	
	ab. Towing Hook (front & Rear) Facility	To be provided	
	ac. <u>Safety Features:</u> Vehicle must conform to the Toyota safety sense/Nissan safety shield including, but not limited to the following requirements		
	(1) Blind Spot Monitoring (BSM)	To be provided	
	(2) Forward/Rear Collision Avoidance	To be provided	- 1120
	/Pre-Crash Safety System	D-7 of 14	

er	Description	Specification Specified	To be Filled up by the Principal/ Manufacturer
	(3) Rear Cross-Traffic Alert (RCTA):		
	Warning system for cross-traffic during reversing.	To be provided	
	(4) Multi-mode ABS with EBD or Equivalent System	To be provided	
	(5) ASTC (Active Stability & Traction Control System) or equivalent system	To be provided	
	(6) ISOFIX anchor points for rear seats	To be provided	
	(7) Hill Start Assist or equivalent feature	To be provided	
	(8) Anti-theft immobilizer system and central locking with remote keyless entry	To be provided	E
	(9) 360° Camera with front & rear		
	(10) Supplemental Restraint System (SRS) for driver and second seater. In addition to driver and passenger airbags, side curtain airbags must be provided for rear passenger protection	To be provided	
	(11) Seat belt for driver and other passengers	To be provided	
	(12) Mudguard with mud flap for all wheels to be fitted	To be provided	
	a. <u>Underbody Protection</u> : Factory-fitted skid plates and rust-proof underbody coating to withstand coastal/tropical environment	To be provided	
45.	b. Factory-fitted Roof Emergency Exit Hatch: For emergency evacuation in compliance with UN/defense transport standards.	To be provided	
	Tools: The following tools will be provided for each vehicle:		
	a. 01 x standard jack assy with handle	Capacity minimum 2000 kg	
	b. 01 x wheel wrench with handle	To be provided	
	c. 01 x Adjustable wrench 250 mm	To be provided	
	d. 01 x Plier (150 mm)	To be provided	
46.	e. 01 x Screw driver (+ -) with handle f. 02 x Double ended spanner (size 8	To be provided To be provided	
	x10 & 12 x14 mm)	access: • F	
	g. 02 x wheel stopper h. 01 x Heavy-duty type Grease gun	To be provided To be provided	
	with replaceable tipj. 01 x Heavy-duty type tyre pressure gauge	To be provided	
	k. 01 x Tool bag for the above tools	To be provided	
47.	Publication/Manuals: The Following publication/technical manuals are to be provided free of cost along with the vehicle:	•	

Ser	Description	Specification Specified	To be Filled up by the Principal/ Manufacturer
	a. Drivers/ Owner's manual in English book type qty-10 and 01 x CD/DVD (soft copy) to be provided with the supply of the vehicle	To be provided	
	b. Maintenance / Repair/ Workshop manual for engine, chassis, body, electrical system with circuit diagram and all other in-built accessories in English book type/computer printout qty-10 and 01 x CD/DVD (soft copy) to be provided with the supply of vehicle	To be provided	
	c. 100% Updated master spare parts catalogue/ booklet with price for engine, chassis, body, electrical system (with detail description and part number of items at component level) and all other accessories in English book type/ computer printout qty-10 and 01 x E-catalogue CD/DVD (soft copy) to be provided with the supply of vehicle	To be provided	
	POL Information: The following information must be submitted with the offer: a. Detail maintenance schedule of vehicle & engine		
48.	b. Grade of diesel used in the vehicle should be compatible with the available grade used in Bangladesh	To be provided	
	c. Grade of engine oil used in the vehicle should be compatible with the available grade used in Bangladesh		
	d. The grade of gear and differential oil used in the vehicle should be compatible with the available grades used in Bangladesh		
49.	Fast and slow-moving spares	Quote separately for each item	
50.	Special Service Tools (SST)	If required, quote separately for each item	
51.	Special Service Materials (SSM)	If required, quote separately for each item	
52.	Production date	To be manufactured not before the year of contract production date must be mentioned on the vehicle identification (ID) plate by the Manufacturer/assembler, or a certificate of production from the manufacturer must be provided.	
53.	Any other accessories (if available)	To be mentioned	10

D-9 of 14

TECHNICAL TERMS AND CONDITIONS FOR PROCUREMENT OF MICROBUS QUANTITY-15 UNITS FOR UN MISSION IN FY 2025-2026

Ser No	Description	To be Filled up by the Bidder
1.	<u>Product Condition and Certification</u> . The ambulance must be brand new, unused and of the latest model (not earlier than 2026), complete with all standard fittings and accessories. An OEM (Original Equipment Manufacturer) certificate stating the year of manufacture must be enclosed with both the quotation and proforma invoice.	
2.	<u>Authorization from OEM</u> . If the Principal is not the OEM, an original authorization certificate from the OEM in favor of the principal must be submitted along with the offer.	
3.	<u>Authorization for Local Agent.</u> An original authorization certificate from the Principal in favor of the local agent must be submitted with the offer.	
4.	<u>Submission of Specifications and Annexes</u> . The technical specifications and all annexed terms must be duly filled out by the Principal or Manufacturer and submitted with the offer, following the provided guidelines/instructions.	
5.	<u>Compliance with Brochure Specifications</u> . The offered technical specifications must match those in the official brochure/catalogue. Photocopies, faxed, handwritten or unmarked/unsigned brochures will not be accepted.	
6.	Offer Format. Handwritten offers or clarifications will not be accepted. All documents must be typed and printed on the official letterhead of the Manufacturer or Principal and duly signed by the authorized signatory.	
7.	Submission of Original Offer and Brochures. The original offer, signed on each page, must be submitted along with original English brochures (02 copies for DGDP, 01 for the Directorate of Engineering and 01 for the Directorate of Supply). These documents must include technical specifications, color photographs and complete contact details (name, designation, telephone, fax, email and mailing address).	
8.	<u>Technical Publications</u> . The supplier must provide the original manufacturer's parts catalogues, user manuals, and relevant publications, which must also be presented during Pre-Shipment Inspection (PSI).	
9.	ISO Certification. The bidder must indicate whether the manufacturer holds ISO certification and a copy of the valid ISO certificate must be included in the offer.	
10.	Permanent Markings. All markings, labels and instructions on the vehicle must be permanently engraved.	
11.	Transit Accounting Card. A Transit Accounting Card (TAC) or identification card in English, containing part numbers and nomenclature of all supplied stores must be provided with the equipment.	
12.	<u>Spare Parts Catalogue Updates</u> . The supplier must ensure routine updates to the spare parts catalogue throughout the service life of the vehicle. BAF must be informed in advance if production of the vehicle is discontinued.	
13.	Quotation for Tools, Materials and Configuration Options. The bidder must provide a separate quotation for each item of Standard Special Service Tools (SST) and Special Service Materials (SSM). BAF reserves the right to accept or reject any items. The bidder may offer options for optional accessories, with item-wise pricing for all offered options.	
14.	Quotation for Consumables. Separate item-wise pricing must be provided for fast and slow moving consumable spares required for the first two years of maintenance. BAF reserves the right to accept or reject any or all of the items.	
15.	Financial Offer Requirements. The financial offer must include: a. Price of the vehicle, including freight charges. b. Cost of training (to be included in the financial part of the contract; BAF reserves the right to accept or reject the training). c. Itemized prices of SST, SSM, and spares.	
16.	<u>Country of Manufacture</u> . All components and parts of the vehicle must be manufactured in the same country. If any item originates from a different country, the OEM must provide a certificate confirming the country of origin, which must be included in the offer.	
17.	Port of Shipment. The port of shipment must be located in the country of manufacture of the vehicle.	
	Packing Standard. The vehicles must be delivered in standard air/sea-worthy packing,	

19.	<u>Delivery Timeline</u> . The vehicles must be delivered within 270 (two hundred seventy) days from the date of signing the contract.	
20.	Delivery Location. After customs clearance at Chattogram, the vehicles must be delivered to 201 Maintenance Unit (MU), BAF, within 01 (one) month.	
21.	Inland Transportation. The transportation from Chattogram to Dhaka is to be arranged and borne by the supplier or local agent. The supplier shall be responsible for rectifying any damage, loss, or discrepancies occurring during transit.	
22.	Local Inspection in Bangladesh. Inspection of the vehicle upon arrival in Bangladesh will be jointly carried out by 212 MU BAF and CQC (U) BAF, in the presence of the	
23.	supplier's representative. Documents Required at Local Inspection. The following documents must be submitted during inspection at 201/212 MU BAF by CQC (U) BAF: a. Shipping invoice/documents indicating the name of the ship and port of shipment b. Manufacturer's certificate confirming that the vehicles were manufactured by them	
	c. Quality Assurance Certificate (QAC) signed by the manufacturer's quality control inspector, clearly stating the year of production Replacement of Unserviceable Items. If any item is found unserviceable or damaged	
24.	during inspection at the consignee's premises, it must be replaced with a new serviceable item at the supplier's expense within 60 (sixty) days from the date of reporting and submission of the discrepancy report.	
25.	Quality Assurance Certificate (QAC). A Quality Assurance Certificate for both equipment and spares, issued by the manufacturer's quality control department, must be provided and handed over to BAF during the delivery of the equipment.	
26.	Pre-Shipment Inspection (PSI). A three-member BAF PSI team comprising 01 x Engineering Officer (M Stream), 01 x MTOF (MTF) and 01 x Medical Assistant will conduct a factory inspection of the equipment for 5 (five) working days. BAF will bear all necessary expenditures related to the PSI. The supplier shall arrange local transportation and handle all administrative formalities for the PSI team. Full cooperation and assistance are to be extended by the supplier for documentation review and physical inspection of the vehicle. BAF reserves the right to decide whether to conduct the PSI. The supplier must notify BAF of the intended PSI date at least 08 (eight) weeks in advance. The PSI will include the following:	
	a. 100% visual inspection of the vehicle, tools, accessories, and relevant documents. b. Verification that all technical specifications conform to contractual requirements. c. Performance testing on 20% of the units, including road test, air conditioning, braking systems, etc. d. Verification of shipment documents and quality certificates for components sourced from third countries. e. Submission of engine test bench reports, duly signed and stamped by the	
70.	manufacturer. f. Documentation of any major deviations in the PSI report, which will be shared with BAF.	
27.	Quality Assurance in Absence of PSI. If Pre-Shipment Inspection (PSI) is not conducted, a Quality Assurance Certificate (QAC) must still be provided by the manufacturer for the equipment, and by the principal or manufacturer for the spares.	
28.	compliance Responsibility. Irrespective of whether PSI is carried out, all items and spare parts must be shipped and supplied strictly in accordance with the contract specifications. If any item is found non-compliant, the supplier shall be fully responsible for replacing it at their own cost, including all associated freight, insurance, and handling charges	
29.	Joint Post -Shipment Inspection. A Joint Post-Shipment Inspection (JPSI) shall be conducted by the designated BAF team as per the contract and JPSI criteria. The inspection shall include the following: a. 100% visual inspection of the equipment, spare parts, SST, SSM, and publications to ensure compliance with technical specifications. b. Verification of brand, make, model, year of production, country of origin, and place of manufacture/assembly for the main equipment and major components. c. Performance and functional testing of equipment as per JPSI criteria. d. For components manufactured, shipped, or assembled in different countries, the supplier must present relevant shipping documents and original Quality Assurance Certificates (QACs), duly signed and stamped by the respective manufacturers, for verification by the JPSI team.	



30.	Rejection of Non-Compliant Items. If any item is found not in conformity with the contract specifications during the Post-Shipment Inspection, it shall be rejected. The	
	supplier shall be obligated to take back the item at their own cost, including all associated	
	freight, insurance, and handling charges. Submission of Shipment Documents. The supplier must submit one complete set	
31.	of necessary shipment documents to the Special Directorate (Directorate of Engineering),	
	Air Headquarters, for record and verification of the equipment. Rejection of Tampered Offers. Any tampered, altered, or manipulated offer shall be	
32.	outrightly rejected without further consideration.	
33.	Warranty and Maintenance Support. The supplier shall provide a comprehensive	
	warranty/guarantee for a period of 24 (twenty-four) months or 20,000 km of trouble-free	
	operation (whichever comes earlier) from the date of acceptance of the vehicle by BAF.	
	The warranty shall include the following obligations:	
	a. Routine Maintenance. The supplier shall carry out routine maintenance	
	during the warranty period, including the free supply of all lubricants and	
	replacement of spares such as fuel, oil, and air filters.	
	b. Scheduled Maintenance Phases. Maintenance must be conducted in two	
	b. Scheduled Walliterialice Phases. Walliterialice must be solidated in the	
	(02) phases, as follows:	
	(1) First Phase: At 5,000 km	
	(2) Second Phase: At 10,000 km	
	c. Free Servicing Requirements.	
	(1) 03 (three) x free minor servicing	
	(2) 01 (one) x free major servicing	
	These services shall cover both the vehicle and the installed medical equipment,	
	including the free replacement of all necessary spares during the servicing.	
	d. Replacement of Defective Items. If any component or equipment is found	
	defective within the warranty period, it must be replaced with a brand-new,	
	serviceable item at the supplier's expense, including both-way freight and	
	insurance charges. Such replacement must be completed within 60 (sixty) days	
	from the date the defect is reported to the supplier.	
	e Extension of Warranty Period. Any period of unserviceability	
	exceeding 60 days due to failure of replacement or repair shall be added to the	
	total warranty period accordingly.	
34.	Guarantee of Spare Parts Availability. The supplier shall guarantee the availability	
04.	of spare parts for a minimum of 15 (fifteen) years after the expiry of the warranty period.	
	A certificate from the Original Equipment Manufacturer (OEM) confirming this commitment	
	must be submitted with the offer.	
35.	Availability of Urgent Spare Parts. The Principal/Manufacturer shall ensure that	
33.	urgent spare parts are made available to the user within 30 (thirty) days from the date of	
	placing the demand, subject to stock availability. In case the required spares are not	
	readily available in stock, the principal shall initiate immediate priority action for	
	manufacturing or procurement of the required items and ensure delivery to the user at the	
	earliest possible time.	
00	After Sales Service Support. After sales service must be available through the local	
36.	agent of the supplier and shall be provided as and when required for an indefinite period.	
	The service shall be free of charge during the warranty period and on payment basis	
	thereafter. A guarantee certificate to this effect must be submitted by the local agent along	
1		
	with the offer. On-Site Familiarization Training. On-site familiarization training on repair,	
37.	On-Site Familiarization Training. On-site familiarization training on repair,	
D 5	maintenance and troubleshooting shall be conducted by qualified engineer or specialist	
	(one or two as deemed necessary by the OEM) of the manufacturer or supplier for a group	
	of BAF personnel in Bangladesh for 05 (five) working days or as deemed necessary by	
	the OEM. Training will commence only after successful completion of the functional test	
	and inspection. BAF prefers the training to be offered free of cost. If free training is not	
	possible, the bidder shall quote the training cost separately, which will be included in the	
	financial evaluation of the contract. For foreign specialists, the bidder shall bear all	
	associated expenses including air tickets, accommodation, food, medical care, and	
	transportation (both internal and external). BAF reserves the right to accept or reject the	
	training offer. The training syllabus shall include, but not be limited to, the following topics:	
	a. Operation of tools and accessories	
	b. Operating system overview	
	c. Alarm and fault diagnosis	
	d. Lubricant and coolant change procedures	

	e. Electrical system	
	f. Identification of probable faults	
	g. Troubleshooting techniques	
	h. Use of diagnostic analyzers	
	j. Consultation of the owner's functional manual	
	k. Training using block diagrams and flowcharts of control systems; materials	
	to be supplied to trainees	
	I. Language of instruction: English and/or Bangla; all training materials must be	
	in English/Bangla	
	m. Minimum 70% of the training shall be practical	
	n. Routine maintenance schedule provided in tabular form p. Provision of all PowerPoint presentations and training materials	
	I and spare narts	
	catalogue (including CD/DVD)	
	t - titit of marticipation and performance upon training	
00	completion Compliance Statement. The bidder shall indicate "Comply", "Not Comply" or provide	
38.	appropriate remarks against each clause or serial number of the Technical Specifications	
	and Terms & Conditions in the order presented. A statement of "Comply" shall be taken	
	as full agreement to the requirements of that particular clause.	
39.	Grounds for Disqualification. BAF reserves the right to disqualify any bidder or	
, o.	supplier without prior notice based on previous records of poor performance, which include	
	but are not limited to:	
	a. Abandonment of work	
	b. Failure to properly complete contracts	
	c. Significant delays in supply of contracted items	
	d. History of litigation related to financial failures	
	e Non-submission of mandatory certificates or documents with the offer	
40.	Contract Cancellation Due to Delay. In the event of failure to supply the contracted	
+0.	goods within the stipulated time, BAF reserves the right to cancel the contract without	
	further notice.	
41.	Price Validity. No price increase will be accepted by BAF at any stage after submission	
	of the offer.	
42.	Offer Validity and Withdrawal. The offer must remain valid until 30 June 2026.	
	Withdrawal of the offer or indication of unwillingness to supply during the validity period	
	will not be accepted and may result in action against the bidder as per DGDP rules.	
43.	Other Terms and Conditions. Any terms and conditions not explicitly covered	
	herein shall be governed by DGDP rules and regulations.	
44.	Quantity and Indent Modification. Air Headquarters reserves the right to increase or	
2.00	decrease the quantity of vehicles in the indent and also reserves the right to cancel the	
	indent at its discretion.	
45.	The bidder must mention the full address including telephone number, Fax number and	
	e-mail address in the offer. The bidder also mentions the name and full address (including	
	telephone number. Fax number and e-mail address) of the local agent (if any) in the offer.	
46.	Item with changed/ dissimilar part no/ description (if any) is to be mentioned during	
	submission of offer.	
47.	If any changes required in contract/LC due to the fault of supplier, all expenses shall have	
9808 (80	to be borne by the supplier.	
48.	Normally transshipment is not allowed. However, if the bidder needs transshipment they	
A. FORESC	are to mention in the offer about their requirement. In case of such requirement, the	
	transshipment may only be allowed under single AWB/BL.	
49.	The hidder is to mention country of origin, country of manufacture, port of shipment and	
	country of shipment in the offer. Mentionable that, after submission of offer country of	
	origin and country of manufacture will not be changed.	
50.	Increase of price at any stage after submission of offer will not be accepted by BAF. The	
	offered unit price and total price against each item must be correct. If the unit price or total	
	price of an item is found incorrect, that unit price or total price will be taken into	
	consideration which will be benefited to BAF.	
51.	The bidder is to quote FCA/ FOB cost and freight charges (by both air and sea) separately	
01.	& clearly in financial offer. If freight is not quoted separately for each item, total freight will	•
	be distributed against each item based on its proportionate FCA/FOB cost of all items.	
	Any price/ cost quoted in the pages of quotation other than financial offer will not be	
	considered.	
	D-13 of 14	

D-13 of 14

52.	For failure to supply the contracted items in time, DGDP may cancel the contract with nec punitive action.	
53.	Offer must remain valid up to 30 th June 2026. Within the validity of the offer, withdrawal of offer or un-willingness to sign the contract by the bidder will not be accepted and in such cases, actions would be taken against the principal supplier and local agent as per DGDP rules. Delivery schedule if mention in the tender specifications may be changed by DGDP/BAF due to delay in concluding the contract. In this case, the contract would be signed within offer validity period. DGDP/BAF also reserves the right to get the offer validity extended with the consent of the supplier.	
54.	The bidder is to mention Contract number on the Air way bill (AWB)/Bill of lading (BL) and commercial invoices and also cross linking between AWB/BL and invoices.	
55.	Part shipment: Not allowed.	
56.	Part payment: Not allowed except mentioned in the payment terms.	
57.	Payment Terms. 100% Payment in foreign currency will be made through an irrevocable Letter of Credit (LC) opened with scheduled bank in Bangladesh and negotiating bank recommended by the supplier under following terms and conditions: a. 80% of CFR/CPT value will be released on production of shipping documents to the bank. b. Rest 20% CFR/CPT value will be released on satisfactory acceptance of 100% items by BAF after inspection/functional test (as applicable), on production of Certificate Receipt Voucher (CRV) and written clearance from DGDP. c. 100% cost of training will be paid on completion of training and on production of training completion certificate signed by the competent authority of BAF.	
58.	AWB/BL must be in the name of consignee.	
59.	Bidders are requested to submit soft copy of financial offer in a CD according to the given proforma along with the hard copy of financial offer in closed envelope.	
60.	Compliance of tender terms & conditions should be mentioned in the offer by the bidder as per sequence above. Bidder is to provide appropriate information against each clause clearly (where necessary) instead of 'complied'/not complied'. No contradictory/hypothetical sentence/word/(like, quote is subject to availability/prior to sell/subject to export license approval or words so) will be accepted by BAF.	
61.	If any line item/item aty decreases then freight charge will be decreased proportionately.	
62.	Any other terms and conditions not covered here will be as per DGDP rules and regulations.	



ANNEX		E	TO
TENDER I	NO 06.0	06.0000.27	9.07.173.25
DATED	30	SEPTEN	MBER 2025

FORMAT FOR SUBMISSION OF FINANCIAL OFFER (DP-6)

Tender No: 06.06.0000.279.07.173.25 Dated 30 September 2025. Item: Procurement of Microbus, Qty-15 Ea Name of Local Agent Name of Manufacturer

Subject	Qty	Unit Price	Total Price	Remarks	
Procurement of Advance Life Support (ALS) Ambulance	10 Ea				
Sea/Air Freight					
CFR/CPT Value					
Cost of SST and SSM Spare Parts as per clause 13 of Annex D (Terms & Conditions)				Details may be shown in appendix	
Cost of Fast Moving Spare Parts as per clause 14 of Annex D (Terms & Conditions)				Details may be shown in appendix	
Cost of Local Training as per clause 37 of Annex D (Terms & Conditions)				Details may be shown in appendix	
Total Value					

Local Agent's Commission: Validity : Delivery : Country of Origin : Warranty : PG Amount :	Remarks. 1. Each column must be filled in by the Principal and submitted with application. 2. All above information's must be in principal's invoice quotations. 3. Write in column NOT APPLICABLE (NA) if not asked in tender conditions and NOT QUOTED (NQ) if not quoted by principal.
--	--

Remarks.

- Each column must be filled in by the principal and submitted with offer. All above information's must be in principal's invoice quotations.
- 2.

Signature of the Tenderer With Full Name, Address and Seal of the Company