

TECHNICAL SPECIFICATION FOR PROCUREMENT OF COASTER, QUANTITY-08 UNITS FOR UN MISSION IN FY 2025-2026

Ser	Description	Specification Specified	To be Filled up by the Principal/ Manufacturer
1.	Type of the vehicle	Coaster (26-30-seater with CBU)	
2.	Name of the local agent with full address	To be mentioned	
3.	Name of the Principal with full address	To be mentioned	
4.	Name of the Manufacturer with full address	To be mentioned	
5.	Brand	Toyota Coaster, 30-Seater, Long wheel base, High Roof Standard	
		Nissan Civilian SX Long body	
		Nissan Civilian SX Standard body	
		Toyota Coaster	
6.	Model	HZB70R-ZGMSS for Toyota Coaster, Long wheel base, High Roof Standard 30-seater (Latest Production Model, not before the year of 2026)	
		UVTHR CFW41NCB for Nissan Civilian, 30-seater Sx Long body (Latest production model not before the year of 2026)	
		UVTVRCFW41NCB for Nissan Civilian, 26-seater Sx Standard body (Latest Production Model, not before the year of 2026)	
		BB42RZRMSS for Toyota Coaster (Latest Production Model, not before the year of 2026)	
7.	Country of Origin	Japan	
8.	Country of Manufacturer	To be mentioned	
9.	Country of Assembly	To be mentioned	
10.	Drive	Right Hand Drive (RHD)	
11.	Configuration	4 X 2 Wheel Drive	
12.	Roof	Standard Roof/High Roof	
13.	Dimensions:		
	a. Overall length	To be mentioned	
	b. Overall width	To be mentioned	
	c. Overall height	To be mentioned	
	d. End Height	To be mentioned	
14.	Dimension deck inside:		
	a. Length	To be mentioned	
	b. Width	To be mentioned	
	c. Height	To be mentioned	
15.	Wheel base	To be mentioned	
16.	Min ground clearance	To be mentioned	
17.	Wheel track (Tread):		
	a. Front	To be mentioned	
	b. Rear	To be mentioned	
18.	Angle of approach	To be mentioned	
19.	Angle of departure	To be mentioned	
20.	Fording depth	To be mentioned	


Ser	Description	Specification Specified	To be Filled up by the Principal/Manufacturer
21.	Gradient	45° (grade ability 100%)	
22.	Min turning radius	To be mentioned	
23.	Seating capacity	Minimum 26 (all are front facing) to be provided	
24.	Weight:		
	a. Curb weight	To be mentioned	
	b. Pay load	To be mentioned	
	c. GVW	To be mentioned	
	d. Power/weight ratio (HP/weight in ton) Kerb weight	To be mentioned	
	e. Towed load off road (Cross Country)	To be mentioned	
25.	Engine:		
	a. Type	To be mentioned	
	b. Brand	To be mentioned	
	c. Model	To be mentioned (Latest production model, not before the year of 2026)	
	d. Country of origin	Japan	
	e. Country of assembly	To be mentioned	
	f. Country of Manufacturer	To be mentioned	
	g. No of Cylinder	Minimum 4 cylinders	
	h. Bore and Stroke	To be mentioned	
	j. Piston Displacement	To be mentioned	
	k. Compression Ratio	To be mentioned	
	l. Horse Powe (HP)	To be mentioned	
	m. Torque at rated RPM	To be mentioned	
	n. Turbo charger	To be provided	
	p. Injection type	Direct Type	
	q. Life Expectancy	Life expectancy of new engine up to 1 st overhauling not less than 1,00,000 km (certificate to be provided by manufacturer along with quotation)	
	r. Engine Test Bench Report	1. Engine Test Bench Report for all engines prepared by manufacturer during production of engine at manufacturing factory must be submitted to the SI/PSI team for each model. 2. If Engine Test Bench Report of all engines cannot be submitted, in that case, for other engines of the same model must be certificate and confirmed with the engine Test Bench Report (mentioning engine number) by the manufacturer duly signed and stamped.	
	s. Emission Standard	Euro-VI/Equivalent	
	t. Max Safe Speed	To be mentioned	
26.	(1) High Speed	Minimum 130 km/h	
	(2) Cross Country	To be mentioned	
	Fuel System:		
	a. Fuel System	To be mentioned	
	b. Fuel consumption:		
	(1) At 60 Km/h	To be mentioned	
	(2) At 90 Km	To be mentioned	
	(3) Fuel consumption per 100 km at 60 km/hr speed	To be mentioned	



Ser	Description	Specification Specified	To be Filled up by the Principal/ Manufacturer
	c. Type of Fuel	To be mentioned	
	d. Fuel tank capacity	To be mentioned	
	e. Fuel Filter Type	To be mentioned	
	f. Cruising range	More than 500 km	
	g. Electronic Fuel injection pump:		
	(1) Country of Origin	Japan	
	(2) Country of Manufacturer	To be mentioned	
	(3) Country of Assembly	To be mentioned	
27.	Cooling system:		
	a. Type	To be mentioned	
	b. Coolant capacity	To be mentioned	
	c. Anti-freeze cooling agent	To be mentioned	
28.	Lubrication system:		
	a. Type	To be mentioned	
	b. Oil capacity	To be mentioned	
	c. Oil pump	To be mentioned	
	d. Oil filter Type	To be mentioned	
29.	Clutch:		
	a. Type	To be mentioned	
	b. Facing diameter (outside x inside dia)	To be mentioned	
	c. Facing area	To be mentioned	
30.	Transmission:		
	a. Model	To be mentioned (Latest production model, not before the year of 2026)	
	b. Type	To be mentioned	
	c. Country of Origin	Japan	
	d. Country of Manufacture	To be mentioned	
	e. Country of Assembly	To be mentioned	
	f. Operation	To be mentioned	
	g. Gear ratio	To be mentioned	
	h. Oil capacity	To be mentioned	
	j. Type of Gear shifting	To be mentioned	
	k. Stability/ Traction Control (VSC or equivalent)	To be provided	
31.	Type of Steering	Power and tilt steering	
32.	Transfer case:		
	a. Type	To be mentioned	
	b. Brand	To be mentioned	
	c. Model	To be mentioned	
	d. Country of origin	Japan	
	e. Country of Assembly	To be mentioned	
	f. Country of Manufacturer	To be mentioned	
33.	Differential:		
	a. Final gear ratio	To be mentioned	
	b. Differential Lock	To be mentioned	
34.	Chassis:		
	a. Type	To be mentioned	
	b. Country of origin	Japan	
	c. Country of Assembly	To be mentioned	
	d. Country of Manufacturer	To be mentioned	
	e. Length X Width	To be mentioned	

Ser	Description	Specification Specified	To be Filled up by the Principal/ Manufacturer
	f. Underbody and chassis are to be treated with an anti-corrosion and rust-proof coating suitable for coastal/tropical environments. A certificate of compliance is to be submitted.	To be provided	
35.	Front axle:		
	a. Type	To be mentioned	
	b. Capacity	To be mentioned	
	c. Country of origin	Japan	
	d. Country of Assembly	To be mentioned	
	e. Country of Manufacturer	To be mentioned	
36.	Rear axle:		
	a. Type	To be mentioned	
	b. Capacity	To be mentioned	
	c. Country of origin	Japan	
	d. Country of Assembly	To be mentioned	
	e. Country of Manufacturer	To be mentioned	
37.	Suspension:		
	a. Front	To be mentioned	
	b. Rear	To be mentioned	
	c. Toyota Coaster: Standard suspension with added reinforced anti-roll bar & tuned suspension for passenger comfort. Nissan: Rear coil spring or leaf spring with stabilizers, plus extra rear AC vents.	To be mentioned	
38.	Type of Frame (in details)	To be mentioned	
39.	Service brake:		
	a. Front	Disc brakes on front wheels, equipped with ABS with EBD and ESP (integrated stability control system)	
	b. Rear	To be mentioned	
	c. Disc & drum diameter	To be mentioned	
	d. Parking brake	EPB (Electronic Parking Brake), Centre consoles are to be provided	
	e. Parking Sensors (front & rear)	To be mentioned	
	f. Emergency brake (if available)	To be mentioned	
	g. Standard Brake Assist	To be provided	
40.	Wheel & Tyres:		
	a. Wheel size/type	To be mentioned	
	b. Tyre size/type	Tubeless type	
	c. Tyre brand	Bridgestone/Yokohama/Uniroyal/Continental/ Michelin	
	d. Tyre manufacturing country	Japan/ USA/ EU Countries	
	e. Tyre production year	The Tyre must be manufactured not earlier than the year of the contract. The production date must be clearly stated, and a certificate of production issued by the manufacturer must be provided.	

Ser	Description	Specification Specified	To be Filled up by the Principal/Manufacturer
	f. Tyre pattern	To be mentioned	
	g. Wheel/Rim type	To be mentioned	
	h. Tyre pressure monitoring system (TPMS)	To be provided	
	j. No of tyre (including spares)	To be mentioned	
	k. Spare wheel with tyre (Tubeless)	If the size of the front and rear wheels is the same then 01 complete set x spare wheel with tyre (Tubeless) is to be provided for each vehicle. If not so then 01 set x front and 01 complete set x rear wheel with tyre (Tubeless total 02) are to be provided along with each vehicle. A provision of keeping spare tyre should be available with the vehicle.	
41.	Electrical system:		
	a. Battery (Volt & AH)	To be mentioned	
	b. No of Battery	To be mentioned	
	c. Alternator (Volt, Amp)	To be mentioned	
	d. Starter (KW)	To be mentioned	
	e. Lighting System	To be mentioned	
42.	Colour	Vehicle is to be painted in Light Blue Colour (Code T-35) from manufacturer's factory. sample plate is to be submitted for BAF selection.	
43.	Wind Shield:		
	a. Laminated Windshield Glass	Laminated glass with rain drops sensor to be provided	
	b. other window glasses	To be mentioned	
	c. Rear windshield with Defogger.	To be provided	
	d. Intermittent windshield wiper 2 x front & 1 x rear.	To be provided	
	e. Wiper speed	To be mentioned	
44.	Door	Driver control pneumatic inner swing door at the middle with buzzer and warning lamp to be provided.	
45.	Ring-frame body structure (Toyota Coaster) / Zone Body crumple zone (Nissan Urvan)	To be provided	
46.	Accessories: Following accessories are to be provided with the vehicle:		
	a. 01 x Inside view mirror	To be provided	
	b. 02 x Outside rear-view mirror	To be provided	
	c. 02 x Sun visors with fitting brackets	To be provided	
	d. 01x AM/FM/CD, and USB/AUX/MP3/VFD/DVD both are integrated with 4 speaker audio system	To be provided	
	e. Inspection lamp complete with cable (10 meter), plug and arrangement of socket in the vehicle for using inspection lamp	To be provided	
	f. 01-set complete floor mat	To be provided	
	g. Original Leather plus fabric seat	To be provided	
	h. 8-inch touchscreen display factory integrated with latest OS version	To be provided	



RESTRICTED

Ser	Description	Specification Specified	To be Filled up by the Principal/ Manufacturer
	j. 01 x Digital quartz clock at the middle of upper part of driver's cabin	To be provided	
	k. Boost ventilator with central fresh, cool and hot air circulation and climate control system, high-capacity, and designed for operation in ambient temperatures exceeding 40°C and relative humidity above 80%, with cabin humidity control and anti-fog features	To be provided	
	l. <u>Driver seat</u> : Both sides, front and rear height adjustable with full tilting system of back and head rest for driver.	To be provided	
	m. <u>Door Locks</u> : Auto door lock operated from driver seat for all doors	To be provided	
	n. Tachometer/Engine RPM meter and Speedo meter (MKS system) available in dashboard	To be provided	
	p. High mount stop lamp inside cabin at rear.	To be provided	
	q. A handy pocket on the inside at front for storing cards/DVD etc and large side pocket in the driver's door for storing publications and vehicle documents.	To be provided	
	r. 01 x ABC type Fire extinguisher is to be provided which is to be fitted with brackets near driver seat	To be provided	
	s. Mudguard with mud flap for all wheel	To be provided	
	t. Front (driver) and rear (Passenger) door foot step are to be fitted.	To be provided	
	u. USB and Bluetooth Connectivity with USB charging C port	To be provided	
	v. Ceiling mounted tube lights.	To be provided	
	w. Towing Hook Facility (front and rear)	To be provided	
	x. Provision of curtain including curtains are to be provided for each vehicle	To be provided	
	y. Hand grips & detachable ashtray fitted at passengers' seat back	To be provided	
	z. All seats to be as per photograph/specifications/brochures	To be provided	
	aa. Ceiling mounted air vent for cool air circulation which can be adjusted to trailer the direction of cool air flow from independent passenger seat	To be provided	
	ab. Coat Hook	To be provided	



Ser	Description	Specification Specified	To be Filled up by the Principal/Manufacturer
47.	<u>Passenger Comfort / Cabin Features:</u>		
	a. Rear roof-mounted air vents for each passenger row	To be provided	
	b. Window curtains	To be provided	
	c. Sliding/auto-gliding door with buzzer	To be provided	
	d. Luggage lamp + overhead storage rack	To be provided	
	e. Improved step height & grab handles for accessibility	To be provided	
	f. Noise insulation	To be provided	
	g. 35% black tint in all windows 50% black tint in rear windshield (not compromising driver's visibility)	To be provided	
48.	<u>Safety related features:</u>		
	a. Supplemental Restraint System (SRS) for driver	To be provided	
	b. Seat belt for all seats except foldable seat (ELR 3 point for driver 2 nd seater and 2 points for all main rear seats except foldable seat)	To be provided	
	c. Reversing camera (factory-integrated) with dynamic guide lines.	To be provided	
	d. Front and rear dash-cam with 32GB SSD	To be provided	
	e. 360° Camera/Panoramic view	To be provided	
	f. Anti-theft immobilizer system	To be provided	
	g. Hill Start Assist or equivalent feature	To be provided	
	h. Forward/Rear Collision Avoidance /Pre-Crash Safety System	To be provided	
	j. ASTC (Active Stability & Traction Control System) or equivalent system	To be provided	
49.	<u>Tools Set:</u> Following tools set for each vehicle are to be provided:		
	a. 01 x Standard Jack (hydraulic type)	To be provided	
	b. 01 x Wheel Wrench with Handle	To be provided	
	c. 01 x Adjustable Wrench	To be provided	
	d. 01 x Pliers	To be provided	
	e. 01x Screw Driver (+-) with handle	To be provided	
	f. 02 x set double ended spanner	To be provided	
	g. Tyre pressure gauge (standard)	To be provided	
	h. Other tools with bag for above tools	To be provided	
50.	Fast- and slow-moving spares	Quote separately for each item	
51.	Special Service Tools (SST)	If required, quote separately for each item	
52.	Special Service Materials (SSM)	If required, quote separately for each item	
53.	a. Analyzer Measuring & Testing/Fault Finding & Diagnostic Set for Engine (01 set)	Quote separately	

Ser	Description	Specification Specified	To be Filled up by the Principal/ Manufacturer
	b. The vehicle's engine control unit (ECU) must be compatible with standard OBD-II diagnostic tools. Details of the diagnostic port, interface software, and compatibility to be submitted.	To be provided	
	Publication/Manuals: Following publication/technical manuals are to be provided free of cost along with the vehicle:		
	a. Drivers/ Owner's manual in English book type quantity-08 and 01 x CD/DVD (soft copy) to be provided with the supply of vehicle Manuals must include description of safety systems (Toyota Safety Sense / Nissan Safety Assist).	To be provided	
54.	b. Maintenance / Repair/ Workshop manual for engine, chassis, body, electrical system with circuit diagram and all other in-built accessories in English book type / computer printout quantity-08 and 01 x CD/DVD (soft copy) to be provided with the supply of vehicle	To be provided	
	c. 100% Updated master spare parts catalogue/ booklet with price for engine, chassis, body, electrical system (with detail description and part number of items at component level) and all other accessories in English book type/ computer printout quantity-08 and 01 x E-catalogue CD/DVD (soft copy) to be provided with the supply of vehicle	To be provided	
55.	POL Information: The following information must be submitted with the offer: a. Detail maintenance schedule of vehicle & engine b. Grade of diesel used in vehicle should be compatible with available used in Bangladesh c. Grade of engine oil used in vehicle should be compatible with available used in Bangladesh d. Grade of gear oil used in vehicle should be compatible with available used in Bangladesh	To be provided	
56.	Production Date: Production date must be mentioned on the vehicle identification (ID) plate by the manufacturer / assembler or certificate of production from the manufacturer must be submitted	To be provided	
57.	Manufacturer's Certificate of Conformity (COC) must be submitted with each vehicle confirming compliance with the emission, safety, and performance standards required by this specification	To be provided	
58.	Any other specification (if required)	To be mentioned	

TECHNICAL TERMS AND CONDITIONS FOR PROCUREMENT OF COASTER, QUANTITY-08 UNITS FOR UN MISSION, BAF IN FY 2025-2026

The bidder is to mention "Comply/Not Comply/Appropriate Remarks against each terms & condition mentioned below. Otherwise the quotation will not be accepted.

Ser No	Description	To be Filled up by the Bidder
1.	Product Condition and Certification. The ambulance must be brand new, unused and of the latest model (not earlier than 2026), complete with all standard fittings and accessories. An OEM (Original Equipment Manufacturer) certificate stating the year of manufacture must be enclosed with both the quotation and proforma invoice.	
2.	Authorization from OEM. If the Principal is not the OEM, an original authorization certificate from the OEM in favor of the principal must be submitted along with the offer.	
3.	Authorization for Local Agent. An original authorization certificate from the principal in favor of the local agent must be submitted with the offer.	
4.	Submission of Specifications and Annexes. The technical specifications and all annexed terms must be duly filled out by the Principal or Manufacturer and submitted with the offer, following the provided guidelines/instructions.	
5.	Compliance with Brochure Specifications. The offered technical specifications must match those in the official brochure/catalogue. Photocopies, faxed, handwritten or unmarked/unsigned brochures will not be accepted.	
6.	Offer Format. Handwritten offers or clarifications will not be accepted. All documents must be typed and printed on the official letterhead of the Manufacturer or Principal and duly signed by the authorized signatory.	
7.	Submission of Original Offer and Brochures. The original offer, signed on each page, must be submitted along with original English brochures (02 copies for DGDP, 01 for the Directorate of Engineering and 01 for the Directorate of Supply). These documents must include technical specifications, color photographs and complete contact details (name, designation, telephone, fax, email and mailing address).	
8.	Technical Publications. The supplier must provide the original manufacturer's parts catalogues, user manuals, and relevant publications, which must also be presented during Pre-Shipment Inspection (PSI).	
9.	ISO Certification. The bidder must indicate whether the manufacturer holds ISO certification and a copy of the valid ISO certificate must be included in the offer.	
10.	Permanent Markings. All markings, labels and instructions on the vehicle must be permanently engraved.	
11.	Transit Accounting Card. A Transit Accounting Card (TAC) or identification card in English, containing part numbers and nomenclature of all supplied stores must be provided with the equipment.	
12.	Spare Parts Catalogue Updates. The supplier must ensure routine updates to the spare parts catalogue throughout the service life of the vehicle. BAF must be informed in advance if production of the vehicle is discontinued.	
13.	Quotation for Tools, Materials and Configuration Options. The bidder must provide a separate quotation for each item of Standard Special Service Tools (SST) and Special Service Materials (SSM). BAF reserves the right to accept or reject any items. The bidder may offer options for optional accessories, with item-wise pricing for all offered options.	
14.	Quotation for Consumables. Separate item-wise pricing must be provided for fast and slow moving consumable spares required for the first two years of maintenance. BAF reserves the right to accept or reject any or all of the items.	
15.	Financial Offer Requirements. The financial offer must include: <ul style="list-style-type: none"> a. Price of the vehicle, including freight charges. b. Cost of training (to be included in the financial part of the contract; BAF reserves the right to accept or reject the training). c. Itemized prices of SST, SSM, and spares. 	
16.	Country of Manufacture. All components and parts of the vehicle must be manufactured in the same country. If any item originates from a different country, the OEM must provide a certificate confirming the country of origin, which must be included in the offer.	
17.	Port of Shipment. The port of shipment must be located in the country of manufacture of the vehicle.	
18.	Packing Standard. The vehicles must be delivered in standard air/sea-worthy packing, suitable for safe international transportation.	

19.	<u>Delivery Timeline.</u> The vehicles must be delivered within 270 (two hundred seventy) days from the date of signing the contract.	
20.	<u>Delivery Location.</u> After customs clearance at Chattogram, the vehicles must be delivered to 201 Maintenance Unit (MU), BAF, within 01 (one) month.	
21.	<u>Inland Transportation.</u> The transportation from Chattogram to Dhaka is to be arranged and borne by the supplier or local agent. The supplier shall be responsible for rectifying any damage, loss, or discrepancies occurring during transit.	
22.	<u>Local Inspection in Bangladesh.</u> Inspection of the vehicle upon arrival in Bangladesh will be jointly carried out by 212 MU BAF and CQC (U) BAF, in the presence of the supplier's representative.	
23.	<u>Documents Required at Local Inspection.</u> The following documents must be submitted during inspection at 201/212 MU BAF by CQC (U) BAF: a. Shipping invoice/documents indicating the name of the ship and port of shipment b. Manufacturer's certificate confirming that the vehicles were manufactured by them c. Quality Assurance Certificate (QAC) signed by the manufacturer's quality control inspector, clearly stating the year of production	
24.	<u>Replacement of Unserviceable Items.</u> If any item is found unserviceable or damaged during inspection at the consignee's premises, it must be replaced with a new serviceable item at the supplier's expense within 60 (sixty) days from the date of reporting and submission of the discrepancy report.	
25.	<u>Quality Assurance Certificate (QAC).</u> A Quality Assurance Certificate for both equipment and spares, issued by the manufacturer's quality control department, must be provided and handed over to BAF during the delivery of the equipment.	
26.	<u>Pre-Shipment Inspection (PSI).</u> A three-member BAF PSI team comprising 01 x Engineering Officer (M Stream), 01 x MTOF (MTF) and 01 x Medical Assistant will conduct a factory inspection of the equipment for 5 (five) working days. BAF will bear all necessary expenditures related to the PSI. The supplier shall arrange local transportation and handle all administrative formalities for the PSI team. Full cooperation and assistance are to be extended by the supplier for documentation review and physical inspection of the vehicle. BAF reserves the right to decide whether to conduct the PSI. The supplier must notify BAF of the intended PSI date at least 08 (eight) weeks in advance. The PSI will include the following: a. 100% visual inspection of the vehicle, tools, accessories, and relevant documents. b. Verification that all technical specifications conform to contractual requirements. c. Performance testing on 20% of the units, including road test, air conditioning, braking systems, etc. d. Verification of shipment documents and quality certificates for components sourced from third countries. e. Submission of engine test bench reports, duly signed and stamped by the manufacturer. f. Documentation of any major deviations in the PSI report, which will be shared with BAF.	
27.	<u>Quality Assurance in Absence of PSI.</u> If Pre-Shipment Inspection (PSI) is not conducted, a Quality Assurance Certificate (QAC) must still be provided by the manufacturer for the equipment, and by the principal or manufacturer for the spares.	
28.	<u>Compliance Responsibility.</u> Irrespective of whether PSI is carried out, all items and spare parts must be shipped and supplied strictly in accordance with the contract specifications. If any item is found non-compliant, the supplier shall be fully responsible for replacing it at their own cost, including all associated freight, insurance, and handling charges.	
29.	<u>Joint Post -Shipment Inspection.</u> A Joint Post-Shipment Inspection (JPSI) shall be conducted by the designated BAF team as per the contract and JPSI criteria. The inspection shall include the following: a. 100% visual inspection of the equipment, spare parts, SST, SSM, and publications to ensure compliance with technical specifications. b. Verification of brand, make, model, year of production, country of origin, and place of manufacture/assembly for the main equipment and major components. c. Performance and functional testing of equipment as per JPSI criteria. d. For components manufactured, shipped, or assembled in different countries, the supplier must present relevant shipping documents and original Quality Assurance Certificates (QACs), duly signed and stamped by the respective manufacturers, for verification by the JPSI team.	

30.	Rejection of Non-Compliant Items. If any item is found not in conformity with the contract specifications during the Post-Shipment Inspection, it shall be rejected. The supplier shall be obligated to take back the item at their own cost, including all associated freight, insurance, and handling charges.	
31.	Submission of Shipment Documents. The supplier must submit one complete set of necessary shipment documents to the Special Directorate (Directorate of Engineering), Air Headquarters, for record and verification of the equipment.	
32.	Rejection of Tampered Offers. Any tampered, altered, or manipulated offer shall be outrightly rejected without further consideration.	
33.	<p>Warranty and Maintenance Support. The supplier shall provide a comprehensive warranty/guarantee for a period of 24 (twenty-four) months or 20,000 km of trouble-free operation (whichever comes earlier) from the date of acceptance of the vehicle by BAF. The warranty shall include the following obligations:</p> <p>a. Routine Maintenance. The supplier shall carry out routine maintenance during the warranty period, including the free supply of all lubricants and replacement of spares such as fuel, oil, and air filters.</p> <p>b. Scheduled Maintenance Phases. Maintenance must be conducted in two (02) phases, as follows:</p> <p>(1) First Phase: At 5,000 km</p> <p>(2) Second Phase: At 10,000 km</p> <p>c. Free Servicing Requirements.</p> <p>(1) 03 (three) x free minor servicing</p> <p>(2) 01 (one) x free major servicing</p> <p>These services shall cover both the vehicle and the installed medical equipment, including the free replacement of all necessary spares during the servicing.</p> <p>d. Replacement of Defective Items. If any component or equipment is found defective within the warranty period, it must be replaced with a brand-new, serviceable item at the supplier's expense, including both-way freight and insurance charges. Such replacement must be completed within 60 (sixty) days from the date the defect is reported to the supplier.</p> <p>e. Extension of Warranty Period. Any period of unserviceability exceeding 60 days due to failure of replacement or repair shall be added to the total warranty period accordingly.</p>	
34.	Guarantee of Spare Parts Availability. The supplier shall guarantee the availability of spare parts for a minimum of 15 (fifteen) years after the expiry of the warranty period. A certificate from the Original Equipment Manufacturer (OEM) confirming this commitment must be submitted with the offer.	
35.	Availability of Urgent Spare Parts. The Principal/Manufacturer shall ensure that urgent spare parts are made available to the user within 30 (thirty) days from the date of placing the demand, subject to stock availability. In case the required spares are not readily available in stock, the principal shall initiate immediate priority action for manufacturing or procurement of the required items and ensure delivery to the user at the earliest possible time.	
36.	After Sales Service Support. After sales service must be available through the local agent of the supplier and shall be provided as and when required for an indefinite period. The service shall be free of charge during the warranty period and on payment basis thereafter. A guarantee certificate to this effect must be submitted by the local agent along with the offer.	
37.	<p>On-Site Familiarization Training. On-site familiarization training on repair, maintenance and troubleshooting shall be conducted by qualified engineer or specialist (one or two as deemed necessary by the OEM) of the manufacturer or supplier for a group of BAF personnel in Bangladesh for 05 (five) working days or as deemed necessary by the OEM. Training will commence only after successful completion of the functional test and inspection. BAF prefers the training to be offered free of cost. If free training is not possible, the bidder shall quote the training cost separately, which will be included in the financial evaluation of the contract. For foreign specialists, the bidder shall bear all associated expenses including air tickets, accommodation, food, medical care, and transportation (both internal and external). BAF reserves the right to accept or reject the training offer. The training syllabus shall include, but not be limited to, the following topics:</p> <p>a. Operation of tools and accessories</p> <p>b. Operating system overview</p> <p>c. Alarm and fault diagnosis</p> <p>d. Lubricant and coolant change procedures</p>	

	<ul style="list-style-type: none"> e. Electrical system f. Identification of probable faults g. Troubleshooting techniques h. Use of diagnostic analyzers j. Consultation of the owner's functional manual k. Training using block diagrams and flowcharts of control systems; materials to be supplied to trainees l. Language of instruction: English and/or Bangla; all training materials must be in English/Bangla m. Minimum 70% of the training shall be practical n. Routine maintenance schedule provided in tabular form p. Provision of all PowerPoint presentations and training materials q. Use and consultation of owner's manual, repair manual and spare parts catalogue (including CD/DVD) r. Issuance of certificates of participation and performance upon training completion 	
38.	Compliance Statement. The bidder shall indicate "Comply", "Not Comply" or provide appropriate remarks against each clause or serial number of the Technical Specifications and Terms & Conditions in the order presented. A statement of "Comply" shall be taken as full agreement to the requirements of that particular clause.	
39.	Grounds for Disqualification. BAF reserves the right to disqualify any bidder or supplier without prior notice based on previous records of poor performance, which include but are not limited to: <ul style="list-style-type: none"> a. Abandonment of work b. Failure to properly complete contracts c. Significant delays in supply of contracted items d. History of litigation related to financial failures e. Non-submission of mandatory certificates or documents with the offer 	
40.	Contract Cancellation Due to Delay. In the event of failure to supply the contracted goods within the stipulated time, BAF reserves the right to cancel the contract without further notice.	
41.	Price Validity. No price increase will be accepted by BAF at any stage after submission of the offer.	
42.	Offer Validity and Withdrawal. The offer must remain valid until 30 June 2026. Withdrawal of the offer or indication of unwillingness to supply during the validity period will not be accepted and may result in action against the bidder as per DGDP rules.	
43.	Other Terms and Conditions. Any terms and conditions not explicitly covered herein shall be governed by DGDP rules and regulations.	
44.	Quantity and Indent Modification. Air Headquarters reserves the right to increase or decrease the quantity of vehicles in the indent and also reserves the right to cancel the indent at its discretion. AWB/BL must be in the name of consignee.	
45.	The bidder must mention the full address including telephone number, Fax number and e-mail address in the offer. The bidder also mentions the name and full address (including telephone number, Fax number and e-mail address) of the local agent (if any) in the offer.	
46.	Item with changed/ dissimilar part no/ description (if any) is to be mentioned during submission of offer.	
47.	If any changes required in contract/LC due to the fault of supplier, all expenses shall have to be borne by the supplier.	
48.	Normally transshipment is not allowed. However, if the bidder needs transshipment they are to mention in the offer about their requirement. In case of such requirement, the transshipment may only be allowed under single AWB/BL.	
49.	The bidder is to mention country of origin, country of manufacture, port of shipment and country of shipment in the offer. Mentionable that, after submission of offer country of origin and country of manufacture will not be changed.	
50.	Increase of price at any stage after submission of offer will not be accepted by BAF. The offered unit price and total price against each item must be correct. If the unit price or total price of an item is found incorrect, that unit price or total price will be taken into consideration which will be benefited to BAF.	
51.	The bidder is to quote FCA/ FOB cost and freight charges (by both air and sea) separately & clearly in financial offer. If freight is not quoted separately for each item, total freight will be distributed against each item based on its proportionate FCA/FOB cost of all items. Any price/ cost quoted in the pages of quotation other than financial offer will not be considered.	

52.	For failure to supply the contracted items in time, DGDP may cancel the contract with necessary punitive action.	
53.	Offer must remain valid up to 30 th June 2026. Within the validity of the offer, withdrawal of offer or un-willingness to sign the contract by the bidder will not be accepted and in such cases, actions would be taken against the principal supplier and local agent as per DGDP rules. Delivery schedule if mention in the tender specifications may be changed by DGDP/BAF due to delay in concluding the contract. In this case, the contract would be signed within offer validity period. DGDP/BAF also reserves the right to get the offer validity extended with the consent of the supplier.	
54.	The bidder is to mention Contract number on the Air way bill (AWB)/Bill of lading (BL) and commercial invoices and also cross linking between AWB/BL and invoices.	
55.	Part shipment: Not allowed.	
56.	Part payment: Not allowed except mentioned in the payment terms.	
57.	Payment Terms. 100% Payment in foreign currency will be made through an irrevocable Letter of Credit (LC) opened with scheduled bank in Bangladesh and negotiating bank recommended by the supplier under following terms and conditions: a. 80% of CFR/CPT value will be released on production of shipping documents to the bank. b. Rest 20% CFR/CPT value will be released on satisfactory acceptance of 100% items by BAF after inspection/functional test (as applicable), on production of Certificate Receipt Voucher (CRV) and written clearance from DGDP. c. 100% cost of training will be paid on completion of training and on production of training completion certificate signed by the competent authority of BAF.	
58.	AWB/BL must be in the name of consignee.	
59.	Bidders are requested to submit soft copy o financial offer in a CD according to the given proforma along with the hard copy of financial offer in closed envelope.	
60.	Compliance of tender terms & conditions should be mentioned in the offer by the bidder as per sequence above. Bidder is to provide appropriate information against each clause clearly (where necessary) instead of 'complied'/'not complied'. No contradictory/hypothetical sentence/word/(like, quote is subject to availability/prior to sell/subject to export license approval or words so) will be accepted by BAF.	
61.	If any line item/item qty decreases then freight charge will be decreased proportionately.	
62.	Any other terms and conditions not covered here will be as per DGDP rules and regulations.	

ANNEX E TO
TENDER NO 06.06.0000.279.07.166.25
DATED 29 SEPTEMBER 2025

FORMAT FOR SUBMISSION OF FINANCIAL OFFER (DP-6)

Tender No : **06.06.0000.279.07.166.25** Dated **29 September 2025**.

Item : Procurement of Coaster, Qty-08 Ea

Name of Local Agent : _____

Name of Manufacturer : _____

Subject	Qty	Unit Price	Total Price	Remarks
Procurement of Coaster	08 Ea			
Sea/Air Freight				
CFR/CPT Value				
Cost of SST and SSM Spare Parts as per clause 13 of Annex D (Terms & Conditions)				Details may be shown in appendix
Cost of Fast Moving Spare Parts as per clause 14 of Annex D (Terms & Conditions)				
Cost of Local Training as per clause 37 of Annex D (Terms & Conditions)				Details may be shown in appendix
Total Value				

Local Agent's Commission: _____ Validity : _____ Delivery : _____ Country of Origin : _____ Warranty : _____ PG Amount : _____	<u>Remarks.</u> 1. Each column must be filled in by the Principal and submitted with application. 2. All above information's must be in principal's invoice quotations. 3. Write in column NOT APPLICABLE (NA) if not asked in tender conditions and NOT QUOTED (NQ) if not quoted by principal.
---	--

Remarks.

1. Each column must be filled in by the principal and submitted with offer.
2. All above information's must be in principal's invoice quotations.

Signature of the Tenderer
With Full Name, Address and Seal of the Company