FOR OFFICIAL USE ONLY

Directorate General Defence Purchase Ministry of Defence New Airport Road Tejgaon, Dhaka-1215 Telephone: Military 5036

Civ: 48111625

E-mail: adp1army1@dgdp.gov.bd

∑∑ Baishakh 1431

06.06.0000.214.eval.23/DCP

RE-EVALUATION OF DOUBLE CABIN PICKUP

Reference:

- A. Army Headquarters, Master General of the Ordnance Branch, Electrical and Mechanical Engineers Directorate letter number 23.01.901.048.06.079.01.02.05.24 Dated 02 May 2024 (Not to all).
- 1. Please be informed that Bangladesh Army is planning to re-evaluation **Double Cabin Pickup**. In this regard, you are requested to provide technical offer along with original brochure/ catalogue, technical/ training/operational/maintenance manuals and budgetary offers along with 100% updated original spare parts catalogue (Hard & Soft copy) and authorization letter. Offered models should be compatible with general technical specification attached herewith and to be submitted directly to Army Headquarters, Master General of the Ordnance Branch, Electrical and Mechanical Engineers Directorate, Dhaka Cantonment by **30 May 2024** with intimation to this office. You are also requested to provide enlistment certificate of DGDP along with technical offer. Lack of any information will disqualify the offer.
- 2. Forwarded for your information and necessary action please.

SHEULY AKTER Lieutenant Colonel For Director General

Annexure:

A. Technical Specification of Double Cabin Pickup - 07 (Seven) Pages only.

Distribution:

External:

Action:

(All Concerned Supplier/Firm)

Information:

Army Headquarters, General Staff Branch, Weapon Equipment and Statistic Directorate

Army Headquarters, Quarter Master General Branch, Supply and Transport Directorate

Army Headquarters, Master General of the Ordnance Branch, Ordnance Directorate

Army Headquarters, Master General of the Ordnance Branch, Electrical and Mechanical Engineers Directorate Internal:

IT Section: Publish in web site.

GENERAL SPECIFICATION: DOUBLE CABIN PICKUP

Serial	Description of General Specifications	Required Specifications	Remarks
PART-	1. GENERAL SPECIFICATION		
1.	Name of Local Agent with complete address	To be mentioned	
	(Addresses, Telephone, Fax, Email & Website)		
2.	Name of Manufacturer with complete address	To be mentioned	
	(Addresses, Telephone, Fax, Email & Website)	:	
3.	Name of Principal with complete address	To be mentioned	The state of the s
	(Addresses, Telephone, Fax, Email & Website)		
4.	Nomenclature	Double Cabin Pickup	
5.	Make & Model	To be mentioned	
6.	Country of Origin	Group-A	
7.	Country of Manufacture	Group-A	
8.	Country of Assembly	Group-A	
9.	No of Door	04 Doors	
10.	Drive	RHD	
11.	Configuration	4x4	
12.	Roof	Hard top for double cabin	
		and soft top for rear body	
		with superstructure	
13.	Dimensions:		
	a. Overall Length	To be mentioned	
	b. Overall Width	To be mentioned	
	c. Overall Height	To be mentioned	
	d. Roof Height from Seat	950mm (minimum)	
14.	Wheel Base	To be mentioned	
15.	Ground Clearance	Should not be less than 210	
13.	Ground Glearance	mm	
16.	Wheel Tread		
		T	
	a. Front	To be mentioned	
	b. Rear	To be mentioned	
17.	Gradient	50% (Minimum)	
18.	Angle of approach	25 ^o (Minimum) 22 ^o (Minimum)	
19.	Angle of departure		
20.	Fording depth	450 mm (Minimum)	
21.	Weights		
	a. Kerb weight	To be mentioned	
	b. Payload	1000 Kg (Minimum)	
	c. Gross Vehicle Weight (GVW)	To be mentioned	
22.	Towed load	500 Kg (Minimum)	
23.	Seating capacity	Min 02 persons in front	
		cabin & 02 person in middle	
		cabin,06 persons in rear	
		compartment	
24	Turning radius (Maximum)	7.5 Meter (maximum)	
25.	Colour	As per indentor requirements	
PART-	2. TECHINICAL SPECIFICATION		
-26.	Engine		
	a. Type	Details to be mentioned	
	b. Make & Model	To be mentioned	
9	c. Country of origin	Group A	
	d. Country of Manufacturer	Group A	SE DIRE

Serial	Description of General Specifications	Required Specifications	Remarks
	e. Country of Assembly	Group A	, tomanto
	f. No of cylinder	6 cylinder (Minimum)	
	g. Bore and stroke	To be mentioned	
	h. Piston Displacement	2100 cc (Minimum)	
	j. Compression ratio	To be mentioned	
	k. HP	90 HP (Minimum) (RPM to	
		be mentioned)	-
	I. Torque	190 N-m (Minimum) RPM to	
	·	be mentioned	
	n. Engine oil sump capacity	To be mentioned	
	p. Cooling system	Liquid cooled	
	q. Coolant capacity	To be mentioned	
	r. Engine Emission control system level	Euro-3/Euro-4	i
Ì	s. Engine Test Bench Report		
1	The rest Bandi Proport	3	
į		Report for all engines	
		prepared by manufacturer	
		during production of engine	
		at manufacturing factory	
İ		must be submitted to the	
		SI/PSI team for each model.	
		2. If Engine Test Bench	
1		Report of all engines can not	
ļ		be submitted, in that case,	
		for other engines of the	
PROFESSOR (1997)		same model must be	
		certified and confirmed with	
100		the engine Test Bench	
A Marie or and		Report (mentioning engine	
		number) by the manufacturer	
		duly signed and stamped.	
	t. Power/Weight ratio (HP/Ton)	To be mentioned	
27.	Vehicle Speed	10 de mendonea	
	a. Maximum Speed (Highway)	Minimum 110 km/h	According to Assess to the company of the Assess
	b. Maximum Speed (Cross Country)	To be mentioned	
	Fuel System.		***
1		Details to be mentioned (EFI/	
	a. Fuel Type	Manual etc)	
	b. Fuel tank capacity	Diesel	
	o. I doi tain oapacity	In built tank capacity for	
4		minimum cruising range of	
ì		500 km on level 1st class	
-	c. Fuel injection pump	road	40.0000 OF
	d. Fuel consumption per 100 km	To be mentioned	
	c. Cruising Range	To be mentioned	······································
	Front Axle	500 km (minimum)	~~~~
	a. Type		
		To be mentioned	
-	o. Axle Capacity	To be mentioned	
	Country of Origin	Group-A	
	d. Country of Manufacturer	Group-A	
	e. Country of Assembly	Group-A	
30. F	Rear Axle		
	ı. Type		

	Description of General Specificat b. Axle Capacity	ions Required Specifications	
	c. Country of Origin	To be mentioned	Remark
i	d. Country of Manufacturer	Group-A	
į	e. Country of Assembly	Group-A	
	f. Load at Rear Axles	Group-A	
31	Ground Proces	To be mentioned	
32	Ground Pressure (Kg/Square cm) Transmission	To be mentioned	The second secon
	a. Type	TO DO THEIRIOTIES	
	b. Make & Model	To be mentioned	
	b. Wake & Mode	To be mentioned	
	c. Country of Origin	Group A	
	d. Country of Manufacturer	Group A	
	e Country of Assembly	Group A	
	T. Number of Gears (including rouns)	Group A	And the second s
	g. Gear ratio	To be mentioned	AND THE PARTY OF T
		Gear wise ratio to be	
33.	Brake System	mentioned	
	a. Service Brake		***************************************
1	b. Parking Brake	To be mentioned	
	c. Emergency Brake	To be mentioned	
34	Type of Steering	To be mentioned	
35.	Transfer Case	Power Steering	The second second second second second
	a. Make & Model	The state of the s	The second section is a second
	b. Country of Origin	To be mentioned	
	c. Country of Manufacturer	Group A	
	d. Country of Assembly	Group A	
	e. Gear ratio (High and Low)	Group A	
36.	Suspension	To be mentioned	The state of the s
í	a. Front		
	D. Rear	Details to be mentioned	
0	Tyre.	Details to be mentioned	
	a. Tyre Size	to be mentioned	
· · · · · · · · · · · · · · · · · · ·	o. Tyre Brand	To be mentioned	
"	. Tyle brand		
		Goodyear/ Value	
-		Goodyear/ Yokohama /	
		C- Willioyali	
			-
		rijesione/	-
1	Country of O	Armstrong/ AMTEL/Pirelli/ Hankook and Kumho	-
0.	Country of Origin	USA Janan Ellio	.1
T-v-dependent		USA, Japan, EU Countries, Russia, Brazil, Indonesia	
			-
		Singaporo Ti	
d.	Tyre Type/ Dati	Singapore, Thailand and South Korea	To the same of the
١,٠	Tyre Type/ Pattern	Non-directional (No. a	
1990		Non-directional (ND) Ground	
6	Number of T	Grip (GG) and Cross country (CC).	
f D	Number of Tyres including Spare Tyre	To be mentioned	
Clut	- OILC	To be mentioned	
		To be mentioned	
	ar Shifting Lever	Details to be mentioned	
	essis	To be mentioned	
a. I	Гуре	Toba	
	Country of Origin	To be mentioned	-
LDC		Group-A	

Seria	or ocheral opecifications	Required Specifications	Remarks
	c. Country of Manufacturer	Group-A	
	d. Country of Assembly	Group-A	
	e. Length (mm)	To be mentioned	
	f. Width (mm)	To be mentioned	
	g. Height from Ground (mm)	To be mentioned	
	h. Thickness of Chassis (mm)	To be mentioned	\$
	j. Chassis GVWR (in Kg)	To be mentioned	
	k. Chassis frame Resistance to Bending	To be mentioned	
	Moment (RBM)	(Manufacturer's certificate to	
		be supplied with details	
		calculation)	
41.	Electric System		
	a. Volt	12/24 Volt	
	b. No of Battery and Volt	To be mentioned	
	c. Alternator (Volt, Amp)	To be mentioned	
	d. Starter (KW)	To be mentioned	
42.	Noise suppressor	All components producing	A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1
		noise and spark should be	
		adequately cushioned/	
		shielded	
43	Dimension Cargo Bed Interior		
	a. Length (Interior)	To be mentioned	
	b. Width (Interior)	To be mentioned	
	c. Height (Interior)	To be mentioned	
44.	Differential Lock / Limited Slip Differential	To be Memoried To be Available	
45.	Final Drive Ratio	To be Available To be provided	····
46.	Cabin with AC.	To be provided	
	a. Make & Model	To be mentioned	The state of the s
	b. Country of Origin	To be mentioned	
	c. AC Compressor	To be mentioned	TO VICE AND THE COMMENT OF THE PROPERTY OF THE
	d. Capacity	Detail to be mentioned	
1 7.	Standard Accessories	Detail to be mentioned	
18.	a. 01 set x spare wheel complete set with	To ho provided	
	fitting attachment (Should be fitted with	To be provided	
	necessary attachment under rear load body)		
	b. Lights. 02 x Head lights (Sealed beam	To be provided	The second secon
]	type), 04 x Turn signal light (front & Rear), 02	To be provided	
	x Stop/Brake lights, 02 x Reverse light, 01 x		
	Cabin light, All gauges and meters in		
V Miles company	dashboard Fuel gauges. Hazard warning lights		
	etc as required for proper functioning of all		
ļ	system of the vehicle.		
	c. 02 x Fog lamp at front for drive	To be provided	
	d. Fire Extinguisher 1 Kg capacity for A, B C &	To be provided	TO 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 - 100 -
And the same of th	E type with bracket and chemical filled, to be	To be provided	
	fitted at the side of driver seat		
	e. Seat belt for driver and front passenger	To be provided	
	f. Head rest for front & rear seat passenger	To be provided	
1	g. 01 Set of vinyl canopy with both side	To be provided	TTT-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1
- 1	Si vinyi canopy with both side	To be provided	
	transparent window of beary duty tola at		
	transparent window of heavy duty talc sheet		
1000	transparent window of heavy duty talc sheet with superstructure (mild steel) h. Rear seat complete set including all	To be provided	

Serial	Description of General Specifications	Required Specifications	Remarks
	 Mudguard with mud flap for all wheel 	To be provided	
!	k. Guard for all light	To be provided	
1	 Pintle hook rotating type NATO standard at rear (3 Ton capacity Minimum) 	To be provided	
	m. Attaching point for load restraint.	To be provided	
	n. Rifle clip inside the cabin for fixing 02x rifle	To be provided	
	p. Inspection lamp complete with Cable (10	To be provided	
	meter), Plug & arrangement of socket in the vehicle for use inspection lamp as		
	manufacturer standard	? !	
	q. 01 set x Floor mat front & rear complete	To be provided	
	r. 02 x Sun visors with fitting brackets	To be fitted	
	s. 01 x Inside rear view mirror	To be fitted	
	t. 02 x Outside rear view mirror with stands/brackets	To be fitted	
	u. 01 x Cigarette lighter & Ashtray	To be provided/fitted	
!	v. Radio set complete	To be fitted	
ļ	w. Clock at Dash board	To be fitted	
	x. Both side door: Full size normal door with normal winding windows	To be fitted	
	y. Tachometer with engine RPM meter and Speedo meter (MKS system) in dashboard	To be fitted	
	z. Driver seat: Double side front and rear height adjustable with full tilting system of back	To be fitted	
	rest for driver and second seater	To be fitted	-
l	aa. Roof Mount Cabin Lamp Inside Cabin	To be inted To be provided	
	bb. 02x Towing hook at front	To be provided	
49.	cc. Any other accessories Tools Set.	10 be provided	
45.	a. 01 x Std hydraulic jack with handle	To be provided	
	b. 01xwheel wrench with handle	To be provided	
į		To be provided	
	c. 01x Adjustable wrench	To be provided	
	d. 01 x Pliers	To be provided To be provided	
	e. 01x Screw driver (±) with handle f. 02 Nos. Double ended spanner	To be provided To be provided	
	g. Grease gun with replaceable tip	To be provided To be provided	<u> </u>
		To be provided	
	h. Tyre pressure gauge	To be provided	
E0	j. 01x Tool box for above tools Petrol Oil Lubricant (POL) Information. The	10 be provided	
50.	following information must be submitted with the offer:		
	a. Grade of fuel used in Vehicle	To be mentioned	
	b. Type of Engine Oil used in Vehicle	To be mentioned	
	c. Type of gear Oil (Equivalent grade) used in vehicle	To be mentioned	
9	d. Grade of fuel to be used in Bangladesh	The vehicle must be suitable for used with fuel available in Bangladesh	
6 1	Marrantu	1 (One) Year	
51.	Warranty	Details to be mentioned	
52. 53.	After Sales Service Model Validity	Minimum 10 (Ten) years from	
	INICICIVARUILY	Transmitter to trong section of	LE DIREC

Serial		Required Specifications	Remarks
54.	Original offer (with proper signing at every	Must be confirmed as non	INCINIALKS
	pages) along with original brochure/ catalogue	requirement	W non-onlying.
	With proper marking and signed name	· ;	
	designation, telephone No. Fax No. E-mail		
	address must be submitted		
55.	Offered technical specifications must conform	Must be confirmed as per	
	to the specifications mentioned in the	requirement	
	submitted brochure/ catalogue, otherwise offer		
	will not be accepted. Fax/photocopy		
	offer/catalogue/ brochure & catalogue without		·
F.C.	marking/signing will not be considered		in the second
56.	Authorization certificate (Original) in favour of	Must be confirmed as per	The state of the s
	principal by the original vehicle manufacturer	requirement	WALL TO SERVICE THE SERVICE TH
57.	to be submitted along with offer		
57.	Authorization certificate (Original) in favour of		
	local agent by the principal to be submitted	requirement	
58.	along with offer		
36.	The Manufacturer, Principal and Local Agent	Must be confirmed as per	
1	must give a guarantee certificate for the	requirement	
-	following:		
	a. Same/similar model of vehicle/ equipment will be available for pays 10 years	Must be confirmed as per	
	TO VEH'S	requirement	
	(Confirmation certificate to be provided by		
-	manufacturer)		
	b. Spares will be available for at least 15	Must be confirmed as per	
TOO PLANE STATE	years (Confirmation certificate to be provided	requirement	
	by manufacturer)		
	c. After sales service should be available with	Must be confirmed as per	
	local agent and will be provided as and when	requirement	
	required for indefinite period (at free of charge		
	up to guarantee period) and then onwards with payment (Confirmation certificate to be		
	payment (Confirmation certificate to be provided by local agent)		
59.	Production Date		A A I A . What was a second and a second a second and a second a second and a second a second and a second and a second a second a second and a second a second and a second and a second and a second and a second a
		Not before the year of contact	
	. TRAINING REQUIREMENT		The second secon
30.	Training Requirements		
8	a. User Training	To be presided (A	
	9	To be provided (As per User/	
E	o. Operation, Repair and Maintenance	Sponsor Directorate)	
7	Fraining	To be provided (As per	a Market
To the second se	3	requirement of EME	Proposition of the second of t
C	: Equipment Management Training	Directorate)	
The state of the s		To be provided (As per	40 mass
Access server days a		requirement of Ordnance Directorate)	
RT-4.	REPAIR AND MAINTENANCE REQUIREMENT	LESSIST OF SPACE	
1. E	Books & Publication	LLOS LIST OF SPAKES	
	Driver's/Owner's manual in English for	To be provided as per	
. •	ehicle (Complete Book type) with CD/DVD	requirement of EME	
b	Undated workshow	Directorate	
U	The state of the logic pair in a luar real real real real real real real re	To be provided as per	
111	Pricial in English (Camalata D.)		
V		requirement of EME Directorate	

Serial	Description of General Specifications	Required Specifications	Remarks
weekly only.	c. Spare Parts Catalogue in English Book type with CD/DVD.	To be provided as per requirement of EME Directorate	
der .	d. Spare Parts Price Catalogue in English Book type with CD/DVD.	To be provided as per requirement of EME Directorate	
ometrica con thinks a constant page.	e. Other Operator's manuals Catalogue (Book Type) for additional equipment like Radio, Navigational Equipment etc.	To be provided as per requirement of EME Directorate	
PART-	5. LIST OF SPARES		
62.	List of Standard Spare Parts, Tools and Accessories	List to be provided as per requirement of EME Directorate	
PART-	S. TOOL LIST FOR DIFFERENT LEVEL OF MAIN	TENANCE	
63.	 a. Analyzer, Measuring, Testing/ Fault finding and Diagnostic set 	To be mentioned (If required)	
	b. Special Service Tools (SST)	List to be provided as per requirement of EME Directorate	
	c. Special Service Material (SSM)	List to be provided as per requirement of EME Directorate	
PART-7	. FINANCIAL SPECIFICATION		
64.	Financial Implication / Specifications	To be provided as per requirement of Ordnance Directorate	E DIREC