FOR OFFICIAL USE ONLY

Directorate General Defence Purchase Ministry of Defence New Airport Road Tejgaon, Dhaka-1215 Telephone: Military 5036 Civ: 48111625 E-mail: adp1army1@dgdp.gov.bd

8 Agrahayan 1431

06.06.0000.214.eval.24/5 Door (HT) Jeep

63 December 2024

RE-EVALUATION - 5 DOOR HARD TOP JEEP (GP-C)

Reference:

A. Army Headquarters, Master General of the Ordnance Branch, Electrical and Mechanical Engineers Directorate letter number 23.01.901.048.06.079.04.27.11.24 Dated 27 November 2024 (Not to all).

1. Please be informed that Bangladesh Army is planning for evaluation of **5 Door Hard Top Jeep (GS)**. In this regard, you are requested to forward technical offer along with **original Brochure/Catalogue**, **Model Technical Specification 100% updated original Spare Parts Catalogue (Hard/Soft copy) and other information**. Offered models should be compatible with general technical specification attached herewith and to be submitted directly to Army Headquarters, Master General of the Ordnance Branch, Electrical and Mechanical Engineers Directorate, Dhaka Cantonment by **31 December 2024** with an intimation to this office. You are also requested to provide enlistment certificate of DGDP along with technical offer. Lack of any information will disqualify the offer.

Forwarded for your information and necessary action please.

SHEULY AKTER Lieutenant Colonel For Director General

Annex:

A. Technical Specification of 5 Door Hard Top Jeep (GS) (GP-C) - 01 (Set) only.

Distribution:

External:

Action:

(All Concerned Supplier/Firm)

Information:

Army Headquarters, General Staff Branch, Weapon Equipment and Statistic Directorate Army Headquarters, Master General of the Ordnance Branch, Ordnance Directorate Army Headquarters, Master General of the Ordnance Branch, Electrical and Mechanical Engineers Directorate Internal:

IT Section: Publish in web site.

/Users/p1sec2ermywg1/Desktop/Ahmed PC/RE-EVEL/RE-EVEL docN.Com

FOR OFFICIAL USE ONLY

GENERAL SPECIFICATIONS: 5 DOOR HARD TOP JEEP (GS) (GP C)

Serial	Description of General specifications	Required General Specifications	Remar
1.	Name of the Local Agent with full Address	To be mentioned	
	Name of the Manufacturer with full Address	To be mentioned	
3.	Name of the principal with full address	To be mentioned	
4.	Nomenclature	5 Door Hard Top Jeep (GS)	
100	Make & Model	To be mentioned	
	a. Country of Origin	Group-A	
0.	b. Country of Manufacturer	Group-A	
	c. Country of Assembly	Group-A	
7.	Drive	4 x4, Right Hand Drive (RHD)	
8.	Configuration	Must be 4x4 Drive (Full time or Selectable type)	
		Hard Top	
9.	Roof		
110 G 11	Dimensions.	4800 mm 5000 mm	+
	a. Overall Length	4800 mm - 5000 mm	
-	b. Overall Width	1700 mm (Minimum)	
1.8	C. Overall Height	1750 mm (Minimum)	
	d. Interior Dimension	To be mentioned	
	Wheel Base	To be mentioned	
(COLAN)	Ground Clearance	210 mm (Minimum)	
13.	Wheel Track (Tread).		
	a. Front	To be mentioned	-
	b. Rear	To be mentioned	-
14.	Gradient	65% (Minimum)	
15.	Angle of Approach	30° (Minimum)	
	Angle of Departure	25° (Minimum)	
17.	Fording Depth	600 mm (Minimum)	
	Weights.		
10.	a. Kerb Weight	To be mentioned	
	b. Payload	500 Kg (Minimum)	
	c. Gross Vehicle Weight (GVW)	To be mentioned	
19.	Seating Capacity and Seating Arrangement	2 Persons front and 4 Persons rear (Minimum)	
10.	Seating Capacity and Seating Analigement	Seating arrangement to be mentioned. Height of	
		seat should be comfortable for seating	
		passengers	5
20.	Maximum Turning Radius	6 Meter (Maximum) (From outer wheel)	-
	Engine.	4 Stroke and run by diesel fuel	
21.		To be mentioned	
	a. Type	To be mentioned	
	b. Model		
	c. Country of Origin	Group-A	
	d. Country of Manufacturer	Group-A	
	e. Country of Assembly	Group-A	
	f. No of Cylinder	4 cylinder (Minimum)	
	g. Bore & Stroke	To be mentioned	
	h. Piston Displacement	2800 - 3300 cc	
	j. Compression Ratio	To be mentioned	-
	k. HP	110 HP (minimum) at rated RPM (to be	
		mentioned)	
	I. Torque	250 N-m (minimum) at rated RPM (to be	
		mentioned)	
	m. Turbo Charger (available or not)	To be mentioned	
	n. Injection Type (direct/ EFI)	To be mentioned	
	p. Life Expectancy	Life expectancy of new engine up to 1	
		overhauling not less than 1, 00,000 KM	Λ
		(certificate must be submitted by manufacture	1
		supplier)	
		I.E.D.	MECX

1 RESTRICTED

Serial	Description of General specifications	rtequireu echierar apresentaria	Remark
	g. Engine Test Bench Report	1. Engine Test Bench Report for all engines	
		prepared by manufacturer during production of	
		engine at manufacturing factory must be	
		submitted to the SI/PSI team for each model.	
		2. If Engine Test Bench Report of all engines	
		can not be submitted, in that case, for other	
		engines of the same model must be certified and	
		confirmed with the engine Test Bench Report	
		(Mentioning engine number) by the	
		manufacturer duly signed and stamped.	
	r. Emission Standard	Euro-III / Equivalent	
22.	Fuel System		
	a. Fuel Type	Diesel	
	b. Fuel Tank Capacity	80 Liter (Minimum)	
	c. Cruising Range	To be mentioned	
	d. Fuel Injection Pump	To be mentioned	
	e. Fuel Consumption (for 100 km)	To be mentioned	
	f. Fuel Filter Type	To be mentioned	
	g. Maximum Speed.		
	(i) High way	100 Km/ Hour (Minimum)	
	(ii) Cross Country (Veh mast have cross cou	ntry To be mentioned	
	mob)		
23.	Air Cleaner Type	To be mentioned	
24.	Cooling System	Liquid cooled	
25.	Transmission.		
	а. Туре	Automatic/ Mechatronics	
	b. Make & Model	To be mentioned	
	c. Country of Origin	Group-A	
	d. Country of Manufacturer	Group-A	
	e. Country of Assembly	Group-A	
	f. Gear Ratio	To be mentioned	
26.	Transfer Case.		
20.	a. Make & Model	To be mentioned	
	b. Country of Origin	Group-A	
	c. Country of Manufacturer	Group-A	
	d. Country of Assembly	Group-A	
	e. High Gear Ratio	To be mentioned	
	f. Low Gear Ratio	To be mentioned	
27.	Chassis.		
	a. Type	To be mentioned	
	b. Country of Origin	Group-A	
	c. Country of Manufacturer	Group-A	
	d. Country of Assembly	Group-A	
28.	Front Axle.		
20.	a. Type	To be mentioned	
	b. Axle Capacity	To be mentioned	
	c. Country of Origin	Group-A	
	d. Country of Manufacturer	Group-A	
	e. Country of Assembly	Group-A	
29.	Rear Axle.		
20.	a. Type	To be mentioned	
	b. Axle Capacity	To be mentioned	
	c. Country of Origin	Group-A	
	d. Country of Manufacturer	Group-A	
		Group-A	
30.	e. Country of Assembly		-
30.	Suspension Details.	To be mentioned	and the second s

CA

Serial	Description of General specifications	Required General Specifications	Rema
	b. Rear	To be mentioned	
31.	Brake System.		
	a. Service Brake	Detail specifications to be mentioned	
	b. Parking Brake	Detail specifications to be mentioned	
	c. Emergency Brake (if available)	Detail specifications to be mentioned	
32.	Tyre.		
	a. Tyre Size (front , rear & spare)	To be mentioned	1
	b. Tyre Brand	Bridgestone/Dunlop/Goodyear/Yokohama/Toyo/	
		Uniroyal/Continental/Michelin/Folda/Firestone/ Armstrong/ AMTEL/Pirelli/Hankook and Kumho	
	c. Tyre Manufacturing Country	USA, Japan, EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea	1
	d. Tyre Pattern	Non-Directional (ND) Ground Grip (GG) and Cross country (CC).	
	e. Tyre Production Year	Not before the year of contract	
	f. Wheel Size	To be mentioned	
	g. Wheel Pattern	Must be aluminum alloy (For all wheel)	
	Electric System.		
	a. Battery (Volt & AH)	To be mentioned	
	b. No of Battery	To be mentioned	
	c. Alternator (Volt, Amp)	To be mentioned	-
	d. Starter (KW)	To be mentioned	
		the second state and second in the later lines of second second second second second second second second second	
	Noise Suppressor	All components producing noise and spark should be adequately cushioned/shielded	
	Wind Shield.		
-	a. Laminated Windshield Glass	To be provided	
	Rear Doors	Side hinged (Single/Double) rear doors with fitting attachment of spare wheel on rear door	
	Clutch Details	Detail specifications to be mentioned	
	Type of Gear Shifting Lever	To be mentioned	
39.	Differential Lock	Details to be mentioned	
40.	Accessories.		
	a. 01 set spare wheel complete with fitting attachment on the rear door with lock and key & Wheel cover	To be provided	
	b. 02 x Head lights (Halogen Head Light), 04 x Turn signal light (Front & Rear), 02 x Stop / Brake lights, 02 x Reverse light, 01x Cabin light, All gauges and meters in dashboard, Fuel gauges, Oil temperature indicator, Low oil pressure indicator, Hazard warning lights etc as required for proper functioning of all system) of the vehicle	To be provided	
	c. 02 x Fog lamp at front (for driving during foggy weather)	To be provided	
	d. Fire Extinguisher 1 Kg capacity for A B C & E type with bracket and chemical to be fitted at the side of driver seat	To be provided	
	e. Seat belt for driver and other passengers	To be provided	
	f. Inspection lamp complete with Cable (10 meter), Plug & arrangement of socket in the vehicle for using inspection lamp	To be provided	
-	g. 01 set Floor mat (front & rear) complete	To be provided	
-	h. 02 x Sun visors with fitting brackets	To be fitted	
	i. 01 x Inside rear view mirror	To be fitted	
	k. 02 x Chrome plated outside power door rear view mirrors with folding function	To be fitted.	
			-

1	Description of General specifications	Required General Specifications	R	e
r	m. Radio Set integrated with Digital Multimedia	OEM provided		
	System			-
r	n. Digital Multimedia Screen	OEM provided		-
	b. Wilciess, offart i none integration (output)	OEM provided		
	Android Auto)			-
(q. Over-the-air (OTA) Software/ Map Update	To be provided		-
1	r. Digital Clock at Dashboard	To be fitted		-
	s. Both Side Door: Full size normal door with normal	To be fitted		
1	winding windows power operated	T 1. C H - 1		-
	t. Rear windshield with defogger	To be fitted		-
1	u. Type of Seat	To be mentioned		-
,	v. Tachometer/Engine RPM meter and Speedo	To be fitted		
1	meter (MKS system) in dashboard	T 1 54-1		-
1	w. Boost ventilator with central fresh, cool & hot air	To be fitted		
	circulation (Dual type Air Condition) with climate	and the second state of the second state of the		
	control system	To be fitted		-
1	x. Steering wheel Cover (Leather wrap type)	To be fitted		-
	y. Door Locks: Auto door lock operated from driver			
	seat for all doors	To be fitted		-
	z. Driver Seat: Double side front and rear and	To be fitted		
	height adjustable with full tilting system of back rest			
	for driver and second seater	To be fitted		-
	aa. Cup Holders on Console Box front and other	To be miled		
+	rows for Water/Soft Drink Cups	To be fitted	1	
- 1	bb. Intermittent Windshield Wiper 02 x Front and 01	To be miled		
	x rear cc. 40 Litre Sub fuel Tank/Spare fuel Jerrican (fitted	To be mentioned		
	on rear door with fitting attachment) if available	To be mentioned		
		To be provided		
+	dd. Towing Hook Facility ee. Front foot lamps and lighting for side steps (both	To be fitted		
	sides)			
	ff. Cooler box	To be fitted		
- 1	gg. Cargo room accessory socket	To be fitted		
	hh. 6-speaker audio system	OEM provided		
	ji. Coat Hook	OEM provided		
-	kk. SRS (For driver, second seater and rear	OEM provided	-	
	passenger)			
. 1	II. Spare Tyre Cover or Case	To be fitted	-	
	mm. Pintle Hook at rear	To be provided		
	nn. Rear Door Opening both from inside and outside			
	pp. Roof mount cabin lamp (inside cabin)	To be provided		
	gg. Front & Rear Grill Guard/Bull Bar	To be provided		
	rr. 360° Camera / Panoramic view	OEM provided		
	ss. Proprietary Safety Feature with following	OEM provided		
	requirements:			
	(1) Blind Spot Monitoring (BSM)	The second s		
	(2) Forward/Rear Collision Avoidance /Pre-Crash		1	
	Safety System			
	(3) Lane Departure Alert (LDA)	Line and the second of the second		
	(4) Multi mode ABS with EBD or Equivalent			
	System	A NEW CARE AN ALAMAN AND A CONTRACT		
	(5) ASTC (Active Stability & Traction Control	A REAL PROPERTY OF A REAL PROPERTY AND A REAL		
	System) or Equivalent System			-
	tt. Minimum 02 x USB-A charging port (At front and	To be provided		
	rear)			-
	uu. Any other accessories (if available)	To be provided		
	Tools Set.			-
-	a. 01 x Std Jack (hydraulic type)	To be provided	1	2
	b. 01 x Wheel Wrench with Handle	To be provided	16.81	-

m.

AA CA

erial	Description of General specifications	Required General Specifications	Rema
	c. 01 x Adjustable Wrench	To be provided	
	d. 01 x Pliers	To be provided	
	e. 01x Screw Driver (+ -) with handle	To be provided	-
	f. 2 set double ended spanner	To be provided	
	g. Grease gun with replaceable tip	To be provided	
	h. Tyre pressure gauge	To be provided	
	j. 01x Tool bag for above tools	To be provided	
42.	Approximate Budgetary Price	To be mentioned	
43.	Petrol Oil Lubricant (POL) Information. The follow	ing information must be submitted with the offer:	
	a. Grade of fuel used in Vehicle	To be mentioned	
	b. Type of Engine Oil used in Vehicle	To be mentioned	
	c.Type of gear Oil (Equivalent grade) used in vehicle	To be mentioned	
	d. Grade of fuel to be used in Bangladesh	The vehicle must be suitable for used with fuel available in Bangladesh	
44.	Colour	As per indentor requirements	
45.	Training Requirements.		1
	a. User Training	To be provided (As per User/ Sponsor Directorate)	
	b. Operation, Repair and Maintenance Training	To be provided (As per requirement of EME Directorate)	
	c. Equipment Management Training	To be provided (As per requirement of Ordnance Directorate)	
46.	Publications		
	a. Driver's/Owner's manual in English for Vehicle (Complete Book type)	To be provided as per requirement of EME Directorate	
	b. Updated workshop/repair manual (for vehicle) in English (Complete Book type.	To be provided as per requirement of EME Directorate	
	c. Spare Parts Catalogue in English Book type.	To be provided as per requirement of EME Directorate	
	d. Spare Parts Price Catalogue in English Book type.	To be provided as per requirement of EME Directorate	-
	e. Other Operator's manuals Catalogue (Book Type) for additional equipment like Radio, Navigational Equipment etc.	To be provided as per requirement of EME Directorate	
47.	Fast and slow moving spare parts	List to be provided as per requirement of EME Directorate	
48.	Analyzer, measuring & testing/fault finding and diagnostic set	To be provided as per requirement of EME Directorate	
49.	Special Service Tools (SST)	List to be provided as per requirement of EME Directorate	
50.	Special Service Materials (SSM)	List to be provided as per requirement of EME Directorate	
51.	Terms and Conditions.		
	a. Time of Free Service	1 Year	
	b. Warranty/Guaranty	1 Year	
	c. Technical offer should be on the original pad of principal/manufacturer with sign & seal	To be submitted during evaluation stage	
	d. Authorization certificate to be provided by manufacturer in favour of principal	To be submitted during evaluation stage	
	e. Authorization certificate to be provided by principal in favour of local agent	To be submitted during evaluation stage	
	f. Offered technical specifications must conform to the specifications mentioned in the submitted brochure/ catalogue otherwise offer will not be accepted	Must be confirmed as per requirement	
•	g. Same/similar model of vehicle/ equipment will be available for next 10 years (Confirmation certificate to be provided by manufacturer)	To be submitted during evaluation stage	
52.	Training, Maintenance and Repair Facility	Information to be provided	ITEC,

Serial	Description of General specifications	Required General Specifications	Remark
53.	Provision of spare parts supply at least for 15 years	To be confirmed by the manufacturer/ principal	
54.	Production Date	Manufactured not before the year of contract	

tas